

New York State Expanded Behavioral Risk Factor Surveillance System

Delaware County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Delaware County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Delaware County and New York State	14
Table 2b. Fair or poor general health among adults in Delaware County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Delaware County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Delaware County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Delaware County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Delaware County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Delaware County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Delaware County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Delaware County and New York State	22
Table 6b. Health insurance among adults in Delaware County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Delaware County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Delaware County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Delaware County and New York State	26
Table 8b. No health insurance among adults in Delaware County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Delaware County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Delaware County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Delaware County and New York State	30
Table 10b. Adults with regular health care provider in Delaware County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Delaware County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Delaware County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Delaware County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Delaware County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Delaware County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Delaware County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Delaware County and New York State	38
Table 14b. Dentist visit within the past year among adults in Delaware County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Delaware County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Delaware County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Delaware County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Delaware County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Delaware County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Delaware County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Delaware County and New York State	46
Table 18b. Flu shot within the past 12 months in Delaware County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Delaware County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Delaware County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Delaware County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Delaware County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Delaware County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Delaware County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Delaware County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Delaware County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Delaware County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Delaware County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Delaware County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Delaware County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Delaware County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Delaware County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Delaware County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Delaware County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Delaware County and New York State	64
Table 27b. Ever had a Pap test among women in Delaware County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Delaware County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Delaware County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Delaware County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Delaware County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Delaware County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Delaware County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Delaware County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Delaware County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Delaware County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Delaware County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Delaware County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Delaware County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Delaware County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Delaware County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Delaware County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Delaware County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Delaware County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Delaware County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Delaware County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Delaware County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Delaware County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Delaware County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Delaware County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Delaware County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Delaware County and New York State	90
Table 40b. High blood pressure among adults in Delaware County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Delaware County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Delaware County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Delaware County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Delaware County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Delaware County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Delaware County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Delaware County and New York State	98
Table 44b. Cardiovascular disease among adults in Delaware County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Delaware County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Delaware County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Delaware County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Delaware County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Delaware County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Delaware County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Delaware County and New York State	106
Table 48b. Current asthma among adults in Delaware County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Delaware County and New York State	108
Table 49b. Chronic joint symptoms among adults in Delaware County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Delaware County and New York State	110
Table 50b. Arthritis among adults in Delaware County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Delaware County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Delaware County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Delaware County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Delaware County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Delaware County and New York State	116
Table 53b. Disability among adults in Delaware County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Delaware County and New York State	118
Table 54b. Current smoking among adults in Delaware County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Delaware County and New York State	120
Table 55b. Everyday smoking among adults in Delaware County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Delaware County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Delaware County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Delaware County and New York State	124
Table 57b. Binge drinking within the past month among adults in Delaware County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Delaware County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Delaware County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Delaware County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Delaware County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Delaware County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Delaware County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Delaware County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Delaware County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Delaware County and New York State	134
Table 62b. Overweight among adults in Delaware County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Delaware County and New York State	136
Table 63b. Obesity among adults in Delaware County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Delaware County and New York State	138
Table 64b. Overweight or obesity among adults in Delaware County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Delaware County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Delaware County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Delaware County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Delaware County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Delaware County and New York State	144
Table 67b. No leisure-time physical activity among adults in Delaware County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Delaware County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Delaware County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Delaware County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Delaware County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Delaware County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Delaware County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 1. Delaware County and New York State adult US Census Bureau population estimates,¹ 2007

	Delaware County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	37,171	100	14,884,315	100
Gender				
Male	18,133	48.8	7,103,791	47.7
Female	19,038	51.2	7,780,524	52.3
Age (years)				
18-34	9,995	26.9	4,497,479	30.2
35-44	5,431	14.6	2,844,115	19.1
45-54	6,767	18.2	2,854,316	19.2
55-64	6,193	16.7	2,142,000	14.4
≥ 65	8,785	23.6	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	35,283	94.9	9,343,884	62.8
Black Non-Hispanic	538	1.4	2,156,941	14.5
Hispanic	910	2.4	2,258,717	15.2
Other Non-Hispanic	440	1.2	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 2a. Fair or poor general health among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	672	6,200	16.6	(13.6 - 19.6)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	279	3,300	18.0	(13.2 - 22.7)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	393	2,900	15.3	(11.6 - 19.1)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	118	1,100	16.9	(9.6 - 24.1)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	180	1,400	22.3	(15.8 - 28.9)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	224	2,800	32.4	(25.4 - 39.4)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	643	5,800	16.5	(13.4 - 19.6)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	308	3,500	21.2	(16.2 - 26.1)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	177	1,500	14.6	(9.0 - 20.2)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	185	1,100	10.7	(6.1 - 15.4)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	216	3,200	32.3	(25.1 - 39.6)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	180	1,500	15.0	(9.5 - 20.5)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	97	600	10.7	(4.3 - 17.1)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 2b. Fair or poor general health among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	672	14.3	(11.3 - 17.3)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	279	15.9	(11.2 - 20.6)	14,599	15.3	(12.6 - 18.0)
Female	393	12.8	(9.0 - 16.7)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	643	14.3	(11.2 - 17.4)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	308	18.0	(13.3 - 22.8)	15,682	25.8	(22.1 - 29.5)
Some College	177	13.1	(7.3 - 18.9)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	185	9.0	(4.2 - 13.9)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	216	29.0	(21.4 - 36.6)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	180	13.5	(7.5 - 19.4)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	97	9.5	(3.2 - 15.7)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	5,000	13.6	(10.7 - 16.5)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	275	2,100	11.9	(7.6 - 16.1)	14,325	604,200	8.7	(7.0 - 10.5)
Female	386	2,900	15.3	(11.3 - 19.2)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	118	900	13.2	(6.7 - 19.6)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	177	1,200	19.8	(13.4 - 26.2)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	218	1,900	22.4	(15.9 - 28.8)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	634	4,900	14.1	(11.1 - 17.1)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	302	3,100	18.6	(13.4 - 23.8)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	175	900	8.9	(5.0 - 12.7)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	182	1,000	10.0	(5.5 - 14.6)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	211	2,700	27.1	(19.9 - 34.4)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	177	1,200	13.2	(7.6 - 18.8)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	12.0	(9.1 - 15.0)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	275	10.2	(6.2 - 14.2)	14,325	8.7	(6.9 - 10.5)
Female	386	13.7	(9.4 - 18.1)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	634	12.5	(9.4 - 15.5)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	302	16.9	(11.4 - 22.3)	15,178	12.7	(10.2 - 15.1)
Some College	175	7.5	(3.8 - 11.2)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	182	8.6	(3.9 - 13.2)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	211	24.9	(17.2 - 32.5)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	177	12.8	(6.4 - 19.1)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	3,000	8.3	(5.8 - 10.8)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	276	1,400	7.7	(3.8 - 11.5)	14,407	555,200	7.9	(6.3 - 9.6)
Female	380	1,700	9.0	(5.7 - 12.2)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	114	600	8.4	(3.4 - 13.5)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	176	500	8.2	(4.0 - 12.5)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	219	700	7.5	(3.5 - 11.6)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	629	2,900	8.5	(5.9 - 11.1)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	298	1,800	11.1	(6.8 - 15.5)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	172	900	9.2	(4.2 - 14.1)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	*	*	*	*	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	209	1,600	16.6	(10.1 - 23.0)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	177	600	6.0	(2.2 - 9.7)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	8.5	(5.7 - 11.3)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	276	7.6	(3.3 - 11.9)	14,407	7.9	(6.3 - 9.6)
Female	380	9.3	(5.7 - 12.9)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	629	8.7	(5.8 - 11.6)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	298	12.0	(6.8 - 17.1)	15,335	12.3	(10.0 - 14.6)
Some College	172	8.6	(3.5 - 13.7)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	*	*	*	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	209	17.6	(10.0 - 25.3)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	177	6.2	(1.9 - 10.5)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	7,000	19.3	(15.8 - 22.7)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	273	3,000	16.7	(11.6 - 21.8)	14,231	937,700	13.6	(11.4 - 15.8)
Female	377	4,000	21.8	(17.1 - 26.5)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	80	1,100	11.2	(4.0 - 18.3)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	66	1,000	18.2	(8.4 - 27.9)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	115	1,300	19.6	(12.1 - 27.2)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	173	1,500	24.9	(17.8 - 31.9)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	216	2,100	24.9	(18.3 - 31.5)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	625	6,800	19.7	(16.1 - 23.3)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	296	4,200	25.6	(19.7 - 31.5)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	171	1,600	15.7	(9.7 - 21.6)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	181	1,200	12.1	(7.2 - 16.9)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	205	3,500	37.2	(29.1 - 45.2)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	175	1,600	17.4	(11.1 - 23.7)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	96	500	9.2	(3.6 - 14.7)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	107	700	8.9	(2.9 - 15.0)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	18.2	(14.4 - 21.9)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	273	15.4	(10.1 - 20.6)	14,231	13.6	(11.4 - 15.8)
Female	377	20.9	(15.6 - 26.1)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	625	18.7	(14.8 - 22.6)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	296	25.0	(18.4 - 31.5)	15,018	20.1	(17.1 - 23.1)
Some College	171	14.4	(8.3 - 20.5)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	181	10.5	(5.6 - 15.5)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	205	36.1	(27.1 - 45.1)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	175	17.6	(10.3 - 24.9)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	96	7.8	(2.6 - 13.1)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	107	8.9	(2.6 - 15.2)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 6a. Health insurance among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	32,200	86.8	(82.6 - 90.9)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	278	15,400	84.9	(78.9 - 91.0)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	392	16,800	88.5	(82.8 - 94.2)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	67	4,600	85.4	(76.4 - 94.5)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	117	5,700	84.6	(77.1 - 92.2)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	180	5,800	93.6	(89.7 - 97.5)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	223	8,600	98.6	(97.2 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	641	30,900	87.7	(83.9 - 91.4)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	307	14,500	87.3	(81.5 - 93.2)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	177	8,800	82.6	(73.1 - 92.2)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	184	8,800	90.1	(84.2 - 96.1)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	216	8,300	83.4	(76.7 - 90.0)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	180	8,100	82.7	(74.9 - 90.4)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	97	5,700	95.6	(89.0 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	108	7,200	90.8	(81.5 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 6b. Health insurance among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	85.0	(80.2 - 89.8)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	278	83.0	(76.1 - 89.9)	14,597	83.6	(79.7 - 87.5)
Female	392	86.9	(80.3 - 93.6)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	641	86.2	(81.9 - 90.5)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	307	85.9	(79.3 - 92.6)	15,673	80.1	(75.4 - 84.7)
Some College	*	*	*	9,906	84.6	(79.7 - 89.4)
≥ College Degree	184	88.8	(81.9 - 95.7)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	216	82.3	(74.8 - 89.8)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	180	79.0	(69.9 - 88.1)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	97	94.4	(86.3 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	108	90.4	(80.6 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 7a. Health insurance among adults aged 18-64¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	438	23,300	83.0	(77.7 - 88.3)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	197	11,400	81.3	(73.7 - 88.9)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	241	11,900	84.8	(77.3 - 92.2)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	67	4,600	85.4	(76.4 - 94.5)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	116	5,600	84.5	(77.0 - 92.1)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	172	5,600	93.8	(89.8 - 97.8)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	417	22,400	84.2	(79.4 - 89.1)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	177	9,600	82.6	(74.5 - 90.6)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	129	6,400	87.3	(79.5 - 95.0)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	73	4,600	94.7	(86.7 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	100	6,800	90.3	(80.3 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 7b. Health insurance among adults aged 18-64¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	438	82.2	(76.5 - 87.9)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	197	79.9	(71.7 - 88.1)	10,078	80.5	(75.9 - 85.1)
Female	241	84.4	(76.4 - 92.3)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	417	83.6	(78.5 - 88.8)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	177	82.5	(74.1 - 90.8)	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	129	86.4	(78.0 - 94.8)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	73	93.6	(84.3 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	*	*	*	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 8a. No health insurance among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	4,900	13.2	(9.1 - 17.4)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	278	2,700	15.1	(9.0 - 21.1)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	392	2,200	11.5	(5.8 - 17.2)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	67	800	14.6	(5.5 - 23.6)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	117	1,000	15.4	(7.8 - 22.9)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	180	400	6.4	(2.5 - 10.3)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	641	4,300	12.3	(8.6 - 16.1)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	307	2,100	12.7	(6.8 - 18.5)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	177	1,800	17.4	(7.8 - 26.9)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	184	1,000	9.9	(3.9 - 15.8)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	216	1,700	16.6	(10.0 - 23.3)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	180	1,700	17.3	(9.6 - 25.1)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 8b. No health insurance among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	15.0	(10.2 - 19.8)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	278	17.0	(10.1 - 23.9)	14,597	16.4	(12.5 - 20.3)
Female	392	13.1	(6.4 - 19.7)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	641	13.8	(9.5 - 18.1)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	307	14.1	(7.4 - 20.7)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	184	11.2	(4.3 - 18.1)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	216	17.7	(10.2 - 25.2)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	180	21.0	(11.9 - 30.1)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 9a. No health insurance among adults aged 18-64¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	438	4,800	17.0	(11.7 - 22.3)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	197	2,600	18.7	(11.1 - 26.3)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	241	2,100	15.2	(7.8 - 22.7)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	67	800	14.6	(5.5 - 23.6)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	116	1,000	15.5	(7.9 - 23.0)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	172	400	6.2	(2.2 - 10.2)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	417	4,200	15.8	(10.9 - 20.6)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	177	2,000	17.4	(9.4 - 25.5)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	129	900	12.7	(5.0 - 20.5)	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 9b. No health insurance among adults aged 18-64¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	438	17.8	(12.1 - 23.5)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	197	20.1	(11.9 - 28.3)	10,078	19.5	(14.9 - 24.1)
Female	241	15.6	(7.7 - 23.6)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	417	16.4	(11.2 - 21.5)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	177	17.5	(9.2 - 25.9)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	129	13.6	(5.2 - 22.0)	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 10a. Adults with regular health care provider¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	31,400	84.7	(80.3 - 89.1)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	278	13,900	77.1	(69.9 - 84.2)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	393	17,500	92.0	(87.1 - 96.9)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	*	*	*	*	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	118	6,000	88.2	(81.9 - 94.5)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	180	5,600	89.9	(85.1 - 94.7)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	223	8,100	92.3	(87.8 - 96.8)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	642	30,000	85.2	(81.1 - 89.4)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	308	14,000	84.1	(78.0 - 90.3)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	*	*	*	*	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	184	9,000	92.1	(87.7 - 96.5)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	216	8,400	84.4	(77.7 - 91.1)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	179	8,900	91.4	(86.5 - 96.4)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	*	*	*	*	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 10b. Adults with regular health care provider¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	83.2	(78.1 - 88.2)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	278	74.2	(66.1 - 82.4)	14,593	78.1	(73.9 - 82.3)
Female	393	91.6	(85.8 - 97.5)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	642	83.9	(79.1 - 88.6)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	308	83.4	(76.3 - 90.4)	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	184	90.4	(84.8 - 96.0)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	216	84.0	(76.5 - 91.4)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	179	91.0	(85.3 - 96.7)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	*	*	*	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	672	5,200	13.9	(10.1 - 17.6)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	279	2,000	11.0	(6.6 - 15.4)	14,607	903,300	12.7	(9.5 - 16.0)
Female	393	3,200	16.6	(10.8 - 22.5)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	118	1,500	21.7	(13.2 - 30.2)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	180	900	13.7	(8.0 - 19.5)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	224	400	5.0	(1.4 - 8.6)	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	643	4,400	12.6	(9.4 - 15.8)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	308	2,900	17.3	(11.8 - 22.8)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	177	1,600	14.9	(5.9 - 23.8)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	185	700	6.7	(2.8 - 10.7)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	216	1,800	18.0	(11.3 - 24.7)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	180	1,500	15.1	(8.6 - 21.5)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	672	14.8	(10.5 - 19.1)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	279	11.0	(6.2 - 15.9)	14,607	12.5	(9.4 - 15.6)
Female	393	18.4	(11.5 - 25.3)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	643	13.2	(9.5 - 16.9)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	308	18.7	(12.3 - 25.1)	15,696	17.8	(13.8 - 21.7)
Some College	*	*	*	9,911	15.3	(11.0 - 19.5)
≥ College Degree	185	6.6	(2.4 - 10.9)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	216	19.5	(11.8 - 27.3)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	180	16.0	(8.5 - 23.5)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	25,700	69.2	(64.5 - 74.0)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	279	11,300	62.4	(55.0 - 69.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	391	14,400	75.7	(69.8 - 81.6)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	118	4,800	70.9	(62.1 - 79.7)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	180	4,800	78.2	(71.7 - 84.7)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	222	7,100	81.1	(74.8 - 87.4)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	641	24,500	69.6	(64.9 - 74.2)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	308	12,000	71.9	(65.5 - 78.2)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	184	7,300	74.3	(66.3 - 82.3)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	216	6,600	66.6	(58.5 - 74.7)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	179	6,800	69.4	(60.8 - 78.0)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	108	6,200	78.2	(68.4 - 87.9)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	66.8	(61.4 - 72.2)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	279	60.0	(51.7 - 68.2)	14,592	67.1	(63.3 - 70.9)
Female	391	73.3	(66.4 - 80.3)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	641	67.2	(61.9 - 72.5)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	308	70.2	(62.9 - 77.5)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	184	72.7	(63.7 - 81.8)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	216	63.7	(54.4 - 73.1)	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	179	67.1	(57.3 - 76.8)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	30,700	82.6	(78.4 - 86.8)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	279	13,900	76.8	(70.1 - 83.5)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	391	16,700	88.2	(83.0 - 93.3)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	118	5,600	83.2	(76.3 - 90.0)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	180	5,300	85.4	(79.7 - 91.1)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	222	7,700	88.6	(83.7 - 93.5)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	641	29,300	83.1	(79.2 - 87.1)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	308	14,000	83.9	(78.4 - 89.4)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	*	*	*	*	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	184	8,200	83.4	(76.6 - 90.1)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	216	7,700	77.1	(69.5 - 84.7)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	179	8,300	85.6	(79.1 - 92.1)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	108	7,000	88.3	(80.7 - 95.9)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	81.8	(77.0 - 86.7)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	279	75.4	(67.9 - 82.9)	14,592	81.9	(78.4 - 85.3)
Female	391	88.0	(81.9 - 94.1)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	641	82.6	(78.1 - 87.0)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	308	83.5	(77.1 - 89.8)	15,640	84.6	(81.1 - 88.1)
Some College	*	*	*	9,880	84.4	(79.8 - 89.0)
≥ College Degree	184	82.3	(74.5 - 90.1)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	216	75.4	(66.6 - 84.2)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	179	85.4	(78.1 - 92.8)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	108	88.0	(79.4 - 96.5)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 14a. Dentist visit within the past year among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	23,700	64.8	(60.0 - 69.5)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	275	10,800	60.8	(53.4 - 68.1)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	388	12,900	68.6	(62.5 - 74.7)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	117	4,500	66.5	(56.9 - 76.1)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	178	4,000	64.3	(56.7 - 71.9)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	221	5,300	61.2	(53.8 - 68.5)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	634	23,000	66.2	(61.6 - 70.9)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	302	8,700	53.3	(46.3 - 60.3)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	184	7,900	80.6	(73.1 - 88.1)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	210	4,800	49.4	(41.2 - 57.7)	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	179	5,600	57.8	(48.9 - 66.8)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	108	6,800	85.1	(76.5 - 93.8)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 14b. Dentist visit within the past year among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	65.8	(60.5 - 71.1)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	275	61.0	(52.9 - 69.1)	14,573	68.3	(64.6 - 72.1)
Female	388	70.3	(63.4 - 77.3)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	634	67.4	(62.2 - 72.5)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	302	55.5	(47.6 - 63.5)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	184	79.5	(71.0 - 87.9)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	210	51.5	(42.1 - 60.9)	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	179	57.7	(47.7 - 67.6)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	108	84.5	(74.8 - 94.2)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	568	21,400	64.2	(59.1 - 69.4)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	238	9,600	59.0	(51.1 - 66.9)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	330	11,800	69.2	(62.5 - 76.0)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	*	*	*	*	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	148	3,700	71.9	(64.3 - 79.5)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	163	4,400	65.8	(57.4 - 74.2)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	540	20,600	65.6	(60.5 - 70.7)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	7,600	55.4	(47.5 - 63.4)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	179	7,100	73.5	(65.3 - 81.7)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	161	3,800	48.9	(39.4 - 58.4)	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	153	5,200	58.7	(49.2 - 68.3)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	106	6,300	79.8	(70.2 - 89.4)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 15b. Had teeth cleaned within the past year among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	568	63.9	(58.2 - 69.6)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	238	58.5	(49.8 - 67.1)	13,173	69.2	(65.3 - 73.1)
Female	330	69.1	(61.5 - 76.6)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	540	65.4	(59.8 - 71.0)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	54.8	(45.9 - 63.7)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	179	72.8	(63.8 - 81.8)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	*	*	*	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	21,300	58.1	(53.1 - 63.1)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	276	10,500	58.6	(50.8 - 66.4)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	385	10,800	57.7	(51.2 - 64.1)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	117	4,200	62.8	(52.9 - 72.7)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	177	4,900	80.5	(74.3 - 86.7)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	217	7,100	84.0	(78.5 - 89.4)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	632	20,500	58.9	(53.9 - 64.0)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	298	11,500	70.5	(63.2 - 77.8)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	185	4,600	46.7	(38.3 - 55.0)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	209	6,900	71.4	(63.2 - 79.6)	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	177	6,000	62.4	(53.4 - 71.3)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	53.0	(47.5 - 58.5)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	276	54.2	(45.7 - 62.7)	14,457	47.9	(44.1 - 51.7)
Female	385	51.8	(44.6 - 59.0)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	632	53.9	(48.3 - 59.5)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	298	65.7	(57.3 - 74.2)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	185	41.2	(32.3 - 50.1)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	209	68.6	(59.1 - 78.0)	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	217	2,100	24.7	(18.3 - 31.2)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	141	1,200	26.3	(18.7 - 33.9)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	217	2,100	24.7	(18.3 - 31.2)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	210	2,100	25.9	(19.2 - 32.6)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	122	1,600	34.6	(24.8 - 44.3)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	59	400	15.6	(6.5 - 24.6)	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	217	24.6	(18.0 - 31.2)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	141	26.3	(18.7 - 33.9)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	210	25.8	(19.0 - 32.7)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	59	14.9	(6.2 - 23.6)	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 18a. Flu shot within the past 12 months¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	14,800	40.1	(35.5 - 44.8)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	276	6,500	36.4	(29.4 - 43.4)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	393	8,300	43.6	(37.5 - 49.7)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	211	5,800	30.3	(22.7 - 37.8)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	235	3,600	39.6	(32.6 - 46.5)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	223	5,400	62.2	(54.9 - 69.6)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	640	13,800	39.3	(34.7 - 43.9)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	308	7,000	42.1	(35.3 - 48.9)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	183	3,700	37.8	(29.8 - 45.7)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	216	3,900	39.3	(31.5 - 47.0)	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	179	4,300	44.9	(36.3 - 53.5)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	107	2,300	29.3	(19.6 - 39.0)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 18b. Flu shot within the past 12 months¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	37.0	(31.8 - 42.1)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	276	33.7	(26.2 - 41.3)	14,579	40.0	(36.2 - 43.8)
Female	393	40.0	(33.1 - 47.0)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	640	35.8	(30.8 - 40.7)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	308	38.5	(31.0 - 45.9)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	183	35.0	(26.6 - 43.5)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	216	34.7	(26.4 - 42.9)	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	179	42.6	(33.1 - 52.1)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	14,800	40.1	(35.5 - 44.8)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	276	6,500	36.4	(29.4 - 43.4)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	393	8,300	43.6	(37.5 - 49.7)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	211	5,800	30.3	(22.7 - 37.8)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	235	3,600	39.6	(32.6 - 46.5)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	223	5,400	62.2	(54.9 - 69.6)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	640	13,800	39.3	(34.7 - 43.9)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	308	7,000	42.1	(35.3 - 48.9)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	183	3,700	37.8	(29.8 - 45.7)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	216	3,900	39.3	(31.5 - 47.0)	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	179	4,300	44.9	(36.3 - 53.5)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	107	2,300	29.3	(19.6 - 39.0)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	37.0	(31.8 - 42.1)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	276	33.7	(26.2 - 41.3)	14,568	40.4	(36.6 - 44.2)
Female	393	40.0	(33.1 - 47.0)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	640	35.8	(30.8 - 40.7)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	308	38.5	(31.0 - 45.9)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	183	35.0	(26.6 - 43.5)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	216	34.7	(26.4 - 42.9)	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	179	42.6	(33.1 - 52.1)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 21a. Flu shot among adults aged 65 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	223	5,400	62.2	(54.9 - 69.6)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	147	3,400	69.3	(61.1 - 77.4)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	223	5,400	62.2	(54.9 - 69.6)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	216	5,400	64.7	(57.5 - 72.0)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	129	3,100	61.9	(52.3 - 71.5)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 21b. Flu shot among adults aged 65 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	223	61.6	(53.9 - 69.2)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	147	69.3	(61.1 - 77.4)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	216	64.3	(56.8 - 71.7)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	129	61.4	(51.5 - 71.3)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	9,000	26.7	(22.8 - 30.7)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	253	3,700	22.6	(16.8 - 28.4)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	370	5,300	30.5	(25.2 - 35.8)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	184	1,600	10.0	(5.1 - 15.0)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	219	1,900	22.6	(16.3 - 29.0)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	220	5,400	62.3	(55.0 - 69.7)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	595	8,600	26.6	(22.6 - 30.7)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	290	4,900	32.2	(25.7 - 38.6)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	159	1,800	19.5	(13.0 - 25.9)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	172	2,200	24.2	(17.3 - 31.0)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	202	3,600	38.9	(30.8 - 47.0)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	167	2,600	29.4	(21.6 - 37.2)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	99	600	8.3	(3.0 - 13.7)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	22.2	(18.2 - 26.1)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	253	19.1	(13.6 - 24.7)	13,052	25.8	(22.3 - 29.4)
Female	370	25.0	(19.5 - 30.5)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	595	21.9	(17.9 - 25.9)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	290	27.1	(20.4 - 33.8)	14,700	29.5	(25.6 - 33.5)
Some College	159	15.2	(9.3 - 21.1)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	172	20.6	(13.8 - 27.4)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	202	33.6	(25.0 - 42.1)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	167	24.8	(16.8 - 32.7)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	99	7.4	(2.1 - 12.8)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	220	5,400	62.3	(55.0 - 69.7)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	144	3,300	69.2	(61.2 - 77.2)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	220	5,400	62.3	(55.0 - 69.7)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	213	5,400	64.8	(57.6 - 72.1)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	126	2,900	58.9	(49.0 - 68.7)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	220	61.7	(54.0 - 69.3)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	144	69.2	(61.2 - 77.2)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	213	64.4	(57.0 - 71.9)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	317	12,000	94.6	(92.2 - 97.0)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	317	12,000	94.6	(92.2 - 97.0)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	53	3,500	96.5	(92.2 - 100)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	117	4,000	95.3	(91.9 - 98.7)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	147	4,500	92.6	(88.3 - 97.0)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	308	11,600	94.5	(92.0 - 96.9)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	157	5,800	92.7	(88.8 - 96.5)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	83	3,000	93.0	(87.5 - 98.5)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	77	3,200	100	(100 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	128	4,000	91.5	(86.1 - 96.8)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	81	3,200	93.6	(88.9 - 98.2)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	317	95.1	(92.7 - 97.4)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	317	95.1	(92.7 - 97.4)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	308	94.9	(92.5 - 97.3)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	157	93.6	(90.1 - 97.0)	8,266	90.2	(86.1 - 94.2)
Some College	83	92.9	(86.8 - 99.0)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	77	100	(100 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	128	91.6	(86.1 - 97.2)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	81	94.5	(90.5 - 98.6)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	315	9,900	78.2	(73.1 - 83.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	315	9,900	78.2	(73.1 - 83.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	53	3,100	86.7	(77.1 - 96.3)	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	117	3,400	81.3	(72.9 - 89.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	145	3,300	69.1	(61.0 - 77.1)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	306	9,500	77.6	(72.4 - 82.8)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	155	4,800	76.9	(69.5 - 84.2)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	77	2,800	88.5	(80.8 - 96.2)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	127	3,000	69.6	(60.4 - 78.9)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	81	2,800	82.2	(73.2 - 91.1)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	315	79.3	(73.6 - 85.1)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	315	79.3	(73.6 - 85.1)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	306	78.8	(72.9 - 84.7)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	155	78.5	(70.7 - 86.2)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	77	90.4	(83.7 - 97.1)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	262	6,700	74.7	(68.9 - 80.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	262	6,700	74.7	(68.9 - 80.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	117	3,400	81.3	(72.9 - 89.7)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	145	3,300	69.1	(61.0 - 77.1)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	254	6,400	73.9	(68.0 - 79.9)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	135	3,500	72.8	(64.3 - 81.3)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	*	*	*	*	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	116	2,600	68.3	(58.5 - 78.2)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	262	74.8	(68.6 - 81.0)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	262	74.8	(68.6 - 81.0)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	254	73.9	(67.6 - 80.3)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	135	72.2	(62.8 - 81.6)	7,026	83.6	(80.1 - 87.0)
Some College	*	*	*	4,124	87.3	(84.1 - 90.5)
≥ College Degree	*	*	*	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	65	79.7	(69.8 - 89.5)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 27a. Ever had a Pap test among women¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	391	18,400	97.1	(95.2 - 99.1)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	391	18,400	97.1	(95.2 - 99.1)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	51	4,700	94.6	(88.1 - 100)	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	62	3,400	100	(100 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	93	3,000	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	146	4,600	94.3	(90.8 - 97.9)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	378	17,500	97.0	(95.0 - 99.0)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	188	8,800	97.6	(95.8 - 99.4)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	104	5,200	96.8	(92.4 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	97	4,400	96.7	(91.7 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	149	5,900	96.8	(94.2 - 99.5)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	101	4,900	99.6	(98.7 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	55	3,300	96.6	(90.1 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 27b. Ever had a Pap test among women¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	391	97.3	(95.2 - 99.5)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	391	97.3	(95.2 - 99.5)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	378	97.2	(94.9 - 99.4)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	188	98.3	(97.0 - 99.6)	9,526	87.8	(83.2 - 92.4)
Some College	104	96.9	(92.1 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	97	96.1	(90.2 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	149	97.3	(94.8 - 99.7)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	101	99.7	(99.2 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	55	96.5	(89.7 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	386	15,500	82.0	(77.8 - 86.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	386	15,500	82.0	(77.8 - 86.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	51	4,500	91.0	(82.8 - 99.2)	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	61	3,000	88.7	(79.1 - 98.2)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	92	2,400	80.9	(72.1 - 89.8)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	143	3,000	64.1	(55.7 - 72.4)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	373	14,600	81.8	(77.5 - 86.0)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	186	7,200	80.5	(74.5 - 86.5)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	102	4,400	82.3	(73.8 - 90.7)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	96	3,900	85.1	(76.7 - 93.6)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	147	4,400	72.9	(64.8 - 81.1)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	100	4,100	84.3	(76.9 - 91.8)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	*	*	*	*	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 28b. Had a Pap test within the past 3 years among women¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	386	84.6	(80.2 - 89.0)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	386	84.6	(80.2 - 89.0)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	373	84.3	(79.8 - 88.9)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	186	84.0	(78.2 - 89.8)	9,384	76.4	(71.3 - 81.5)
Some College	102	84.1	(74.7 - 93.6)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	96	87.0	(78.3 - 95.8)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	147	76.8	(68.3 - 85.3)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	100	86.1	(77.9 - 94.3)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	*	*	*	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	229	8,300	69.6	(62.3 - 76.9)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	229	8,300	69.6	(62.3 - 76.9)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	83	2,400	80.8	(72.0 - 89.7)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	*	*	*	*	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	216	7,800	69.3	(61.7 - 76.8)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	74	3,300	85.0	(76.2 - 93.9)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	229	65.5	(56.5 - 74.4)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	229	65.5	(56.5 - 74.4)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	216	65.1	(55.8 - 74.3)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	229	6,000	50.3	(42.7 - 57.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	229	6,000	50.3	(42.7 - 57.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	216	5,600	49.4	(41.6 - 57.1)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	229	47.8	(39.1 - 56.5)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	229	47.8	(39.1 - 56.5)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	216	47.0	(38.0 - 55.9)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	225	7,700	65.8	(58.1 - 73.5)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	225	7,700	65.8	(58.1 - 73.5)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	82	2,300	78.2	(68.9 - 87.5)	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	74	3,300	87.0	(77.3 - 96.8)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	212	7,100	64.7	(56.7 - 72.6)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	225	60.8	(51.7 - 70.0)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	225	60.8	(51.7 - 70.0)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	212	59.7	(50.3 - 69.2)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	221	6,600	57.8	(49.9 - 65.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	221	6,600	57.8	(49.9 - 65.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	209	6,200	56.4	(48.4 - 64.4)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	221	53.2	(44.1 - 62.2)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	221	53.2	(44.1 - 62.2)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	209	51.9	(42.6 - 61.1)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 33a. Prostate cancer among men aged 40 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	233	600	5.2	(2.1 - 8.2)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	233	600	5.2	(2.1 - 8.2)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	220	600	5.0	(1.9 - 8.1)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 33b. Prostate cancer among men aged 40 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	233	4.2	(1.6 - 6.8)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	233	4.2	(1.6 - 6.8)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	220	4.0	(1.4 - 6.6)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	448	6,400	36.7	(31.7 - 41.6)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	185	2,600	30.4	(23.2 - 37.7)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	263	3,800	42.4	(35.8 - 49.0)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	231	2,700	30.2	(23.8 - 36.6)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	217	3,700	43.3	(35.8 - 50.7)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	426	6,100	36.9	(31.8 - 41.9)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	214	2,900	34.0	(26.8 - 41.2)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	111	1,500	36.6	(26.9 - 46.4)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	121	2,000	41.2	(31.6 - 50.8)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	169	1,900	30.6	(22.8 - 38.3)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	117	1,600	35.4	(25.9 - 44.9)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	448	35.3	(30.3 - 40.3)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	185	29.5	(22.2 - 36.8)	9,571	39.4	(35.3 - 43.5)
Female	263	41.1	(34.4 - 47.9)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	426	35.6	(30.4 - 40.7)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	214	33.0	(25.8 - 40.3)	11,146	35.1	(30.3 - 39.9)
Some College	111	34.6	(24.7 - 44.4)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	121	39.9	(30.1 - 49.7)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	169	28.4	(20.8 - 36.0)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	117	34.8	(25.2 - 44.4)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	443	2,100	12.4	(9.2 - 15.7)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	183	800	10.0	(5.6 - 14.4)	9,508	444,400	16.0	(13.2 - 18.9)
Female	260	1,300	14.7	(10.1 - 19.4)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	229	1,100	12.3	(8.0 - 16.6)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	214	1,100	12.6	(7.8 - 17.5)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	421	2,100	12.7	(9.3 - 16.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	1,100	12.8	(7.9 - 17.8)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	109	400	9.6	(4.0 - 15.2)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	119	600	13.7	(7.6 - 19.8)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	167	700	11.0	(5.7 - 16.2)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	115	400	10.0	(4.4 - 15.5)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	443	11.8	(8.7 - 15.0)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	183	9.6	(5.2 - 13.9)	9,508	16.4	(13.2 - 19.6)
Female	260	14.1	(9.6 - 18.5)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	421	12.0	(8.7 - 15.3)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	213	12.4	(7.5 - 17.3)	11,026	12.7	(9.2 - 16.1)
Some College	109	8.9	(3.7 - 14.1)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	119	12.8	(7.0 - 18.6)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	167	10.3	(5.3 - 15.2)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	115	9.9	(4.2 - 15.6)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	443	3,200	18.6	(14.7 - 22.5)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	183	1,100	13.3	(8.2 - 18.3)	9,508	593,100	21.4	(18.3 - 24.5)
Female	260	2,100	23.6	(17.9 - 29.3)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	229	1,500	17.1	(11.9 - 22.3)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	214	1,700	20.2	(14.4 - 26.0)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	421	3,000	18.5	(14.6 - 22.5)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	1,600	19.1	(13.2 - 25.1)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	109	700	17.2	(9.8 - 24.5)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	119	900	18.6	(11.5 - 25.7)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	167	900	14.8	(8.9 - 20.6)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	115	800	18.7	(11.2 - 26.2)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	443	17.8	(13.9 - 21.6)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	183	12.8	(7.8 - 17.8)	9,508	21.7	(18.3 - 25.1)
Female	260	22.7	(17.0 - 28.4)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	421	17.7	(13.7 - 21.6)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	213	18.7	(12.7 - 24.7)	11,026	19.5	(15.4 - 23.7)
Some College	109	15.5	(8.7 - 22.4)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	119	17.7	(10.8 - 24.6)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	167	13.7	(8.2 - 19.2)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	115	18.2	(10.7 - 25.7)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	50	15.5	(5.6 - 25.3)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	449	10,400	59.5	(54.3 - 64.6)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	185	4,800	56.4	(48.4 - 64.4)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	264	5,600	62.3	(55.9 - 68.8)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	175	3,700	61.4	(53.6 - 69.1)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	218	5,600	65.6	(58.5 - 72.7)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	428	9,700	58.8	(53.6 - 64.1)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	211	4,300	51.4	(43.7 - 59.1)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	124	3,600	72.9	(64.5 - 81.4)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	169	2,800	45.2	(36.5 - 53.9)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	117	3,100	68.2	(59.1 - 77.2)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	449	58.1	(52.7 - 63.5)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	185	55.4	(47.1 - 63.8)	9,582	68.5	(64.5 - 72.5)
Female	264	60.8	(53.8 - 67.7)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	428	57.5	(52.0 - 63.1)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	211	50.2	(42.2 - 58.2)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	124	71.7	(62.6 - 80.8)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	169	42.5	(33.7 - 51.4)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	117	67.4	(58.0 - 76.9)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	448	9,800	56.2	(51.0 - 61.3)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	185	4,400	52.4	(44.3 - 60.5)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	263	5,400	59.7	(53.2 - 66.2)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	175	3,500	59.1	(51.3 - 66.9)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	217	5,200	60.4	(53.1 - 67.8)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	427	9,200	55.4	(50.1 - 60.7)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	210	4,000	48.0	(40.3 - 55.7)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	124	3,400	69.8	(61.1 - 78.5)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	168	2,500	40.9	(32.4 - 49.4)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	117	2,900	64.0	(54.7 - 73.4)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	448	54.9	(49.5 - 60.4)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	185	51.6	(43.2 - 59.9)	9,521	66.9	(62.9 - 70.9)
Female	263	58.3	(51.4 - 65.2)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	427	54.2	(48.6 - 59.8)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	210	46.9	(39.0 - 54.9)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	124	68.8	(59.5 - 78.0)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	168	38.4	(29.9 - 46.9)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	117	63.3	(53.6 - 73.0)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	439	10,300	60.0	(54.8 - 65.2)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	181	4,500	54.6	(46.4 - 62.7)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	258	5,800	65.1	(58.7 - 71.5)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	168	3,700	64.5	(56.8 - 72.3)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	216	5,400	63.4	(56.1 - 70.7)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	419	9,600	59.1	(53.8 - 64.4)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	210	4,300	51.7	(44.0 - 59.4)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	120	3,600	73.9	(65.3 - 82.4)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	164	2,700	44.6	(35.9 - 53.4)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	115	3,100	67.8	(58.6 - 76.9)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	439	58.7	(53.2 - 64.2)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	181	53.8	(45.3 - 62.2)	9,418	71.5	(67.6 - 75.4)
Female	258	63.7	(56.7 - 70.6)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	419	57.8	(52.2 - 63.4)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	210	50.6	(42.6 - 58.6)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	120	72.7	(63.5 - 81.9)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	164	42.1	(33.1 - 51.0)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	115	67.3	(57.7 - 76.8)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 40a. High blood pressure among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	12,200	33.0	(28.7 - 37.3)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	278	6,700	36.8	(29.9 - 43.8)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	393	5,600	29.3	(24.4 - 34.3)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	83	1,400	14.4	(4.9 - 23.9)	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	118	2,000	29.8	(20.5 - 39.0)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	179	3,000	49.5	(41.6 - 57.4)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	224	5,000	56.8	(49.3 - 64.2)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	642	11,500	32.6	(28.3 - 36.9)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	308	6,100	36.7	(30.3 - 43.1)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	177	3,200	30.0	(21.2 - 38.8)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	184	2,900	29.3	(22.1 - 36.5)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	216	3,800	37.6	(29.9 - 45.3)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	180	3,400	34.7	(26.6 - 42.8)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	108	1,600	20.5	(12.6 - 28.4)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 40b. High blood pressure among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	28.2	(23.8 - 32.6)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	278	33.5	(26.1 - 40.9)	14,611	27.7	(24.7 - 30.7)
Female	393	23.2	(18.5 - 27.9)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	642	27.8	(23.4 - 32.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	308	31.7	(25.1 - 38.4)	15,688	32.1	(28.4 - 35.8)
Some College	177	25.9	(16.8 - 35.0)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	184	24.3	(17.4 - 31.3)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	216	33.7	(25.3 - 42.0)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	180	29.1	(20.9 - 37.4)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	108	17.9	(10.0 - 25.8)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	272	9,400	76.7	(69.0 - 84.4)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	149	4,600	83.1	(75.8 - 90.3)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	87	2,500	82.9	(74.3 - 91.4)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	130	4,600	91.5	(86.5 - 96.5)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	258	8,600	75.2	(67.1 - 83.2)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	137	4,800	78.3	(68.9 - 87.7)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	272	73.7	(64.4 - 82.9)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	149	81.8	(73.4 - 90.1)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	258	71.9	(62.2 - 81.6)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	30,000	82.1	(77.2 - 87.0)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	276	14,300	80.3	(72.6 - 88.0)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	384	15,700	83.8	(77.7 - 89.9)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	66	5,000	92.4	(84.2 - 100)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	116	6,300	93.6	(88.7 - 98.5)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	179	5,800	94.0	(90.0 - 98.1)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	220	8,200	94.3	(90.2 - 98.4)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	631	28,600	82.4	(77.7 - 87.2)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	302	13,100	79.3	(72.3 - 86.3)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	183	9,100	94.2	(89.3 - 99.0)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	210	7,600	77.6	(69.5 - 85.7)	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	178	8,600	90.5	(84.2 - 96.8)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	*	*	*	*	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 42b. Ever had blood cholesterol checked among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	80.0	(74.4 - 85.6)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	276	78.7	(70.2 - 87.3)	14,389	78.0	(73.9 - 82.1)
Female	384	81.2	(74.0 - 88.4)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	631	80.6	(75.2 - 85.9)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	302	77.0	(69.1 - 85.0)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	183	93.7	(88.1 - 99.2)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	210	75.0	(65.8 - 84.3)	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	178	89.2	(81.9 - 96.5)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	28,400	78.3	(73.3 - 83.4)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	271	13,300	75.5	(67.5 - 83.4)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	382	15,100	81.1	(74.8 - 87.3)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	114	5,800	88.0	(81.7 - 94.3)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	178	5,700	91.9	(87.5 - 96.3)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	216	7,900	91.8	(87.1 - 96.6)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	624	27,000	78.5	(73.6 - 83.4)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	297	12,300	75.4	(68.1 - 82.7)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	182	8,800	91.0	(85.6 - 96.5)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	205	7,300	75.6	(67.3 - 83.8)	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	177	8,200	86.6	(79.6 - 93.6)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	75.8	(70.1 - 81.6)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	271	73.6	(64.8 - 82.4)	14,307	74.8	(70.7 - 79.0)
Female	382	78.0	(70.6 - 85.4)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	624	76.2	(70.6 - 81.7)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	297	72.1	(63.6 - 80.5)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	182	90.9	(84.8 - 96.9)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	205	73.1	(63.7 - 82.6)	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	177	84.4	(76.1 - 92.8)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 44a. Cardiovascular disease among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	3,800	10.3	(8.0 - 12.7)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	273	2,000	11.1	(7.5 - 14.7)	14,477	664,600	9.4	(7.5 - 11.4)
Female	388	1,800	9.6	(6.6 - 12.6)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	178	800	12.3	(7.2 - 17.3)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	218	2,400	27.2	(20.5 - 33.9)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	633	3,700	10.5	(8.0 - 12.9)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	301	2,200	13.5	(9.5 - 17.4)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	174	900	8.1	(4.1 - 12.1)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	184	700	7.1	(3.6 - 10.6)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	212	1,600	16.6	(10.9 - 22.2)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	177	900	9.3	(5.2 - 13.4)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	96	500	9.1	(3.9 - 14.3)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 44b. Cardiovascular disease among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	8.3	(6.2 - 10.4)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	273	9.1	(5.9 - 12.4)	14,477	9.7	(7.8 - 11.7)
Female	388	7.5	(4.7 - 10.3)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	633	8.4	(6.2 - 10.6)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	301	10.6	(7.1 - 14.0)	15,486	10.5	(8.0 - 13.0)
Some College	174	6.8	(2.8 - 10.9)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	184	5.8	(2.6 - 9.0)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	212	14.3	(8.8 - 19.7)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	177	7.5	(3.9 - 11.1)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	96	7.2	(2.8 - 11.6)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 45a. Coronary heart disease among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	3,300	8.9	(6.8 - 11.1)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	273	1,600	9.2	(5.9 - 12.4)	14,479	598,600	8.5	(6.6 - 10.4)
Female	392	1,700	8.7	(5.9 - 11.5)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	178	800	12.3	(7.2 - 17.3)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	222	2,000	23.2	(16.9 - 29.5)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	637	3,200	9.0	(6.8 - 11.2)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	304	1,900	11.4	(7.8 - 15.1)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	175	800	7.9	(3.9 - 11.9)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	184	500	5.4	(2.5 - 8.4)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	214	1,500	14.7	(9.4 - 20.1)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	178	800	8.4	(4.5 - 12.2)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	96	400	7.1	(2.8 - 11.4)	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 45b. Coronary heart disease among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	7.1	(5.2 - 9.0)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	273	7.2	(4.5 - 10.0)	14,479	8.8	(6.9 - 10.8)
Female	392	6.9	(4.2 - 9.6)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	637	7.1	(5.1 - 9.1)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	304	9.0	(5.9 - 12.1)	15,485	8.5	(6.2 - 10.7)
Some College	175	6.7	(2.6 - 10.7)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	184	3.9	(1.7 - 6.2)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	214	12.7	(7.6 - 17.8)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	178	6.3	(3.2 - 9.3)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	96	5.5	(1.9 - 9.1)	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 46a. Ever diagnosed with diabetes among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	3,700	9.9	(7.5 - 12.4)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	278	1,700	9.4	(5.8 - 13.1)	14,626	530,400	7.5	(6.2 - 8.8)
Female	393	2,000	10.4	(7.2 - 13.7)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	179	900	14.4	(9.0 - 19.8)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	224	1,600	18.5	(13.1 - 23.9)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	642	3,400	9.7	(7.3 - 12.1)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	308	2,000	11.8	(7.6 - 15.9)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	177	900	8.8	(4.6 - 12.9)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	184	800	8.2	(4.5 - 11.9)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	216	1,500	14.8	(9.1 - 20.5)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	180	900	9.2	(4.8 - 13.6)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	97	400	7.3	(2.2 - 12.3)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 46b. Ever diagnosed with diabetes among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	8.7	(6.1 - 11.2)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	278	8.7	(4.7 - 12.7)	14,626	7.5	(6.1 - 8.9)
Female	393	8.6	(5.4 - 11.8)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	642	8.4	(5.9 - 11.0)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	308	10.7	(6.1 - 15.3)	15,709	12.6	(10.0 - 15.2)
Some College	177	7.5	(3.2 - 11.7)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	184	6.6	(3.4 - 9.8)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	216	14.6	(7.7 - 21.5)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	180	7.6	(3.5 - 11.6)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	97	5.9	(1.3 - 10.6)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	5,900	16.1	(12.5 - 19.8)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	279	2,500	13.6	(8.1 - 19.0)	14,601	875,800	12.4	(10.1 - 14.7)
Female	390	3,400	18.6	(13.8 - 23.5)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	66	800	14.9	(6.1 - 23.7)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	118	1,000	15.4	(8.0 - 22.8)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	180	1,000	15.5	(9.7 - 21.3)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	223	1,300	15.3	(9.7 - 21.0)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	641	5,500	15.7	(12.0 - 19.4)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	308	2,900	17.7	(12.5 - 22.8)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	175	2,100	20.8	(11.8 - 29.8)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	184	900	8.8	(4.5 - 13.1)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	216	2,200	22.0	(14.9 - 29.0)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	178	1,300	13.3	(7.2 - 19.3)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	108	900	11.8	(4.4 - 19.1)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	16.3	(12.2 - 20.3)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	279	12.9	(7.1 - 18.7)	14,601	12.6	(10.3 - 14.9)
Female	390	19.6	(14.0 - 25.2)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	641	15.8	(11.7 - 19.9)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	308	17.1	(11.6 - 22.7)	15,675	15.1	(12.1 - 18.0)
Some College	175	22.3	(12.4 - 32.2)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	184	8.3	(3.7 - 13.0)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	216	22.6	(14.5 - 30.7)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	178	13.9	(7.1 - 20.7)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	108	12.0	(4.2 - 19.8)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 48a. Current asthma among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	4,300	11.8	(8.6 - 15.1)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	277	1,700	9.3	(4.6 - 14.0)	14,546	440,700	6.3	(4.8 - 7.7)
Female	387	2,600	14.3	(9.9 - 18.8)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	116	700	10.5	(4.6 - 16.4)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	179	600	9.9	(5.0 - 14.8)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	221	1,200	13.4	(7.9 - 18.9)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	636	3,900	11.2	(7.9 - 14.4)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	305	2,300	14.3	(9.6 - 19.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	173	1,300	13.1	(5.2 - 21.0)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	184	600	6.5	(2.6 - 10.5)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	214	1,800	18.6	(11.9 - 25.2)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	178	800	8.7	(4.0 - 13.3)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 48b. Current asthma among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	12.0	(8.4 - 15.6)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	277	8.8	(3.9 - 13.7)	14,546	6.4	(4.9 - 7.9)
Female	387	15.1	(9.9 - 20.3)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	636	11.3	(7.7 - 14.9)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	305	13.3	(8.4 - 18.3)	15,594	10.8	(8.3 - 13.3)
Some College	173	14.7	(5.8 - 23.6)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	184	6.7	(2.2 - 11.2)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	214	18.5	(11.2 - 25.9)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	178	9.0	(3.6 - 14.3)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 49a. Chronic joint symptoms among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	18,900	51.0	(46.2 - 55.9)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	279	9,600	53.2	(45.7 - 60.7)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	392	9,300	49.0	(42.8 - 55.1)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	118	4,200	62.5	(52.8 - 72.2)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	179	3,600	57.8	(50.0 - 65.5)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	224	5,400	61.0	(53.8 - 68.2)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	642	18,000	51.0	(46.1 - 55.8)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	308	8,100	48.5	(41.5 - 55.5)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	184	5,500	56.2	(47.9 - 64.5)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	216	5,400	53.9	(45.7 - 62.2)	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	180	5,700	58.0	(49.4 - 66.6)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 49b. Chronic joint symptoms among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	48.6	(43.2 - 54.0)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	279	50.7	(42.4 - 59.0)	14,595	42.6	(38.8 - 46.3)
Female	392	46.6	(39.7 - 53.5)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	642	48.7	(43.3 - 54.1)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	308	45.2	(37.5 - 53.0)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	184	55.8	(46.6 - 65.0)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	216	50.9	(41.6 - 60.3)	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	180	57.2	(47.5 - 66.9)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 50a. Arthritis among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	11,600	31.2	(27.2 - 35.2)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	278	5,000	27.8	(21.9 - 33.7)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	391	6,500	34.5	(29.0 - 39.9)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	118	2,200	32.3	(22.9 - 41.7)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	179	3,200	52.4	(44.5 - 60.3)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	222	4,600	52.8	(45.3 - 60.3)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	640	11,000	31.3	(27.3 - 35.4)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	307	5,900	35.3	(29.1 - 41.5)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	176	2,700	25.7	(18.7 - 32.8)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	184	2,900	30.0	(22.3 - 37.7)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	216	4,000	39.7	(32.0 - 47.3)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	178	3,700	38.0	(29.7 - 46.4)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	97	1,400	23.9	(14.8 - 33.0)	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	108	1,700	20.8	(12.7 - 28.9)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 50b. Arthritis among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	26.7	(22.6 - 30.9)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	278	23.8	(18.0 - 29.7)	14,555	23.5	(20.9 - 26.1)
Female	391	29.5	(23.8 - 35.3)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	640	26.9	(22.7 - 31.1)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	307	30.2	(23.9 - 36.6)	15,652	30.4	(26.9 - 33.8)
Some College	176	21.6	(14.6 - 28.7)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	184	26.4	(18.4 - 34.5)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	216	34.9	(26.7 - 43.1)	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	178	34.6	(25.6 - 43.6)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	97	19.0	(10.9 - 27.2)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	108	17.4	(9.6 - 25.2)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	9,100	24.5	(20.7 - 28.3)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	276	4,300	23.6	(17.9 - 29.3)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	392	4,800	25.3	(20.4 - 30.3)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	83	1,400	13.7	(5.8 - 21.7)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	67	800	14.6	(5.9 - 23.2)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	118	2,000	28.9	(20.0 - 37.8)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	179	1,800	29.8	(22.5 - 37.0)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	221	3,100	35.9	(28.8 - 43.0)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	639	8,600	24.4	(20.6 - 28.3)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	306	4,200	25.3	(19.6 - 31.0)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	177	2,600	24.7	(17.3 - 32.2)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	183	2,200	22.6	(16.0 - 29.3)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	214	4,600	46.7	(38.4 - 54.9)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	179	2,300	23.2	(16.3 - 30.2)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	97	1,200	19.5	(11.3 - 27.7)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	108	600	7.1	(2.9 - 11.3)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹
in Delaware County and New York State - Age-Adjusted²**

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	22.3	(18.3 - 26.2)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	276	21.3	(15.4 - 27.2)	14,566	18.6	(15.8 - 21.4)
Female	392	23.2	(17.9 - 28.5)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	639	22.3	(18.2 - 26.3)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	306	23.3	(17.3 - 29.3)	15,626	23.8	(20.1 - 27.4)
Some College	177	21.2	(13.7 - 28.7)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	183	21.5	(14.2 - 28.8)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	214	45.8	(36.5 - 55.2)	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	179	21.8	(14.2 - 29.4)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	97	17.5	(9.4 - 25.7)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	108	5.6	(2.1 - 9.1)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	3,800	10.3	(7.8 - 12.8)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	278	2,100	11.8	(7.5 - 16.2)	14,617	460,700	6.5	(5.3 - 7.7)
Female	393	1,700	8.8	(6.2 - 11.4)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	118	600	8.9	(3.1 - 14.8)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	180	700	12.0	(6.8 - 17.2)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	223	1,700	19.9	(14.2 - 25.5)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	642	3,600	10.2	(7.7 - 12.8)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	308	2,300	13.8	(9.4 - 18.1)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	177	700	7.0	(3.5 - 10.5)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	184	800	8.1	(3.6 - 12.5)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	216	1,800	18.3	(12.3 - 24.3)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	179	1,200	12.1	(6.3 - 17.9)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	9.0	(6.4 - 11.6)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	278	11.3	(6.7 - 15.9)	14,617	6.8	(5.5 - 8.0)
Female	393	6.8	(4.3 - 9.3)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	642	8.9	(6.3 - 11.5)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	308	12.3	(7.8 - 16.7)	15,711	10.3	(8.3 - 12.3)
Some College	177	5.5	(2.1 - 8.9)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	184	7.5	(2.5 - 12.5)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	216	16.3	(10.0 - 22.6)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	179	11.9	(5.4 - 18.4)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 53a. Disability among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	10,000	27.1	(23.2 - 31.0)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	276	4,900	27.0	(21.0 - 33.1)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	393	5,200	27.2	(22.2 - 32.2)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	83	1,500	15.0	(6.7 - 23.2)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	67	800	14.6	(5.9 - 23.2)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	118	2,100	31.2	(22.1 - 40.4)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	179	2,000	32.7	(25.3 - 40.1)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	222	3,600	41.8	(34.4 - 49.1)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	640	9,400	26.8	(22.8 - 30.8)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	307	4,900	29.3	(23.2 - 35.3)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	177	2,800	26.1	(18.5 - 33.7)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	183	2,400	24.3	(17.5 - 31.1)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	215	4,900	49.6	(41.4 - 57.9)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	179	2,700	27.9	(20.4 - 35.3)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	97	1,200	19.5	(11.3 - 27.7)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	108	700	8.5	(3.8 - 13.2)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 53b. Disability among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	24.4	(20.3 - 28.5)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	276	24.3	(18.1 - 30.6)	14,568	20.9	(18.0 - 23.8)
Female	393	24.5	(19.1 - 29.9)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	640	24.1	(19.9 - 28.3)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	307	26.8	(20.4 - 33.1)	15,638	26.8	(23.0 - 30.6)
Some College	177	22.2	(14.6 - 29.7)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	183	22.8	(15.4 - 30.2)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	215	48.2	(38.8 - 57.6)	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	179	26.0	(17.9 - 34.1)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	97	17.5	(9.4 - 25.7)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	108	6.6	(2.7 - 10.4)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 54a. Current smoking among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	7,800	21.0	(17.0 - 25.0)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	276	4,100	22.9	(16.6 - 29.3)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	391	3,600	19.2	(14.2 - 24.2)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	117	1,700	25.4	(16.6 - 34.2)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	177	1,100	18.6	(12.6 - 24.7)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	223	900	9.9	(5.4 - 14.4)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	638	7,600	21.7	(17.6 - 25.9)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	307	5,000	30.0	(23.3 - 36.7)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	177	2,000	18.7	(11.3 - 26.1)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	181	800	8.3	(3.7 - 13.0)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	215	3,200	32.3	(24.1 - 40.5)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	180	2,200	22.4	(14.4 - 30.5)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	96	700	11.1	(4.6 - 17.5)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	108	1,200	14.5	(6.3 - 22.6)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 54b. Current smoking among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	22.2	(17.6 - 26.8)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	276	24.1	(16.9 - 31.2)	14,559	19.2	(16.3 - 22.1)
Female	391	20.5	(14.7 - 26.2)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	638	22.9	(18.2 - 27.7)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	307	32.5	(24.8 - 40.3)	15,654	22.8	(19.5 - 26.0)
Some College	177	18.8	(10.7 - 26.8)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	181	8.6	(3.4 - 13.7)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	215	35.6	(26.0 - 45.1)	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	180	24.7	(15.5 - 33.9)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	96	11.2	(4.1 - 18.3)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	108	14.0	(5.3 - 22.7)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 55a. Everyday smoking among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	6,100	16.4	(12.7 - 20.1)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	276	3,300	18.5	(12.6 - 24.4)	14,559	848,400	12.0	(10.0 - 14.1)
Female	391	2,700	14.4	(9.9 - 18.8)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	83	2,200	22.3	(12.4 - 32.1)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	117	1,200	18.0	(10.1 - 25.9)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	177	900	14.4	(8.9 - 19.8)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	223	600	7.4	(3.5 - 11.3)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	638	5,900	16.9	(13.1 - 20.7)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	307	4,400	26.7	(20.1 - 33.3)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	177	1,300	12.3	(6.4 - 18.3)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	*	*	*	*	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	215	2,700	27.1	(19.2 - 35.0)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	180	1,400	14.1	(7.3 - 20.9)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	96	500	9.2	(3.2 - 15.2)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	108	1,000	12.8	(4.9 - 20.8)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 55b. Everyday smoking among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	17.5	(13.3 - 21.8)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	276	19.5	(12.8 - 26.2)	14,559	12.1	(10.1 - 14.1)
Female	391	15.6	(10.4 - 20.9)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	638	18.0	(13.6 - 22.4)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	307	29.3	(21.6 - 36.9)	15,654	16.4	(13.8 - 19.0)
Some College	177	12.6	(6.0 - 19.2)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	*	*	*	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	215	30.3	(21.0 - 39.7)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	180	16.2	(8.1 - 24.4)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	96	9.6	(2.8 - 16.4)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	108	12.3	(3.7 - 20.8)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	26,700	72.3	(68.0 - 76.5)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	276	12,000	66.8	(59.7 - 73.9)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	391	14,700	77.4	(72.6 - 82.1)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	*	*	*	*	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	118	4,500	66.6	(57.3 - 75.9)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	177	4,000	66.4	(58.9 - 73.9)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	222	6,500	75.0	(68.5 - 81.5)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	638	25,100	71.6	(67.2 - 76.0)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	306	11,600	69.8	(63.4 - 76.2)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	177	7,200	67.9	(58.6 - 77.3)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	182	7,900	81.0	(74.9 - 87.1)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	213	5,900	60.2	(51.9 - 68.4)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	180	7,100	72.9	(65.0 - 80.7)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	107	6,500	82.3	(73.7 - 91.0)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 56b. Adults living in homes in which smoking is prohibited¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	73.2	(68.4 - 77.9)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	276	67.2	(59.4 - 75.0)	14,577	79.4	(76.7 - 82.2)
Female	391	78.8	(73.7 - 84.0)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	638	72.5	(67.6 - 77.3)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	306	69.8	(62.5 - 77.1)	15,647	76.9	(73.8 - 80.0)
Some College	177	69.7	(59.8 - 79.7)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	182	82.7	(76.5 - 89.0)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	213	59.2	(49.8 - 68.6)	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	180	73.4	(64.7 - 82.1)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	107	83.2	(74.0 - 92.4)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 57a. Binge drinking within the past month among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	6,300	17.3	(13.3 - 21.2)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	274	3,800	21.4	(14.8 - 28.0)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	391	2,500	13.3	(8.8 - 17.8)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	66	1,000	19.0	(9.4 - 28.6)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	117	1,600	23.5	(14.5 - 32.5)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	178	700	11.1	(6.1 - 16.1)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	636	6,300	18.2	(14.0 - 22.4)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	305	1,700	10.2	(6.0 - 14.3)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	176	2,800	26.1	(16.6 - 35.6)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	182	1,900	19.7	(12.0 - 27.4)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	214	1,000	9.9	(3.6 - 16.2)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	179	1,300	13.0	(6.9 - 19.1)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 57b. Binge drinking within the past month among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	19.1	(14.5 - 23.6)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	274	22.8	(15.5 - 30.1)	14,420	24.5	(21.0 - 27.9)
Female	391	15.6	(10.1 - 21.0)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	636	20.1	(15.4 - 24.9)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	305	11.4	(6.5 - 16.2)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	182	21.8	(13.1 - 30.6)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	214	11.7	(4.0 - 19.4)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	179	13.6	(7.1 - 20.1)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 58a. Heavy drinking within the past month among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	1,300	3.7	(2.2 - 5.2)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	272	500	2.7	(1.0 - 4.5)	14,330	333,300	4.8	(3.9 - 5.7)
Female	384	900	4.6	(2.2 - 7.1)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	116	600	8.8	(3.1 - 14.5)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	628	1,300	3.9	(2.3 - 5.5)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	298	500	3.1	(1.0 - 5.2)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	175	500	4.3	(1.4 - 7.2)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	*	*	*	*	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 58b. Heavy drinking within the past month among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	3.5	(2.0 - 5.0)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	272	2.5	(0.8 - 4.2)	14,330	4.9	(3.9 - 5.9)
Female	384	4.5	(1.9 - 7.0)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	628	3.7	(2.1 - 5.3)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	298	3.0	(0.8 - 5.1)	15,411	4.3	(3.2 - 5.3)
Some College	175	4.1	(1.1 - 7.1)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	*	*	*	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	617	21,600	63.8	(58.7 - 68.8)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	248	11,600	73.3	(65.7 - 80.9)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	369	10,000	55.3	(48.8 - 61.9)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	*	*	*	*	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	168	4,600	79.6	(73.3 - 86.0)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	204	6,300	81.8	(76.2 - 87.5)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	590	20,600	64.1	(59.1 - 69.1)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	277	9,600	64.5	(57.2 - 71.8)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	174	5,800	63.2	(54.6 - 71.9)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	189	5,600	67.1	(58.4 - 75.8)	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	173	6,200	65.6	(57.0 - 74.3)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	617	60.1	(54.4 - 65.9)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	248	71.0	(62.4 - 79.6)	13,299	67.9	(64.0 - 71.9)
Female	369	50.6	(43.3 - 57.9)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	590	60.7	(55.0 - 66.3)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	277	60.7	(52.4 - 69.1)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	174	59.0	(49.3 - 68.8)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	173	62.9	(53.1 - 72.7)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	380	21,000	86.4	(82.2 - 90.7)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	161	11,700	93.5	(88.5 - 98.5)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	219	9,400	78.9	(72.3 - 85.6)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	73	7,200	83.2	(74.5 - 91.9)	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	89	2,800	91.2	(85.5 - 96.9)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	105	4,400	97.0	(93.7 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	366	20,200	86.2	(81.9 - 90.6)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	177	9,500	84.0	(77.0 - 91.0)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	100	6,100	87.5	(79.8 - 95.2)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	103	5,400	89.6	(83.3 - 95.8)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	116	5,000	79.8	(70.0 - 89.5)	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	107	5,700	86.2	(77.9 - 94.6)	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	67	4,200	94.3	(87.1 - 100)	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	69	4,900	85.9	(77.3 - 94.5)	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	380	84.6	(79.6 - 89.5)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	161	92.3	(86.5 - 98.2)	9,034	81.1	(77.4 - 84.8)
Female	219	76.5	(68.9 - 84.1)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	366	84.5	(79.4 - 89.5)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	177	81.9	(73.8 - 90.0)	8,879	81.6	(77.4 - 85.7)
Some College	100	85.2	(76.2 - 94.1)	5,953	76.8	(72.0 - 81.6)
≥ College Degree	103	88.8	(81.7 - 96.0)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	107	83.8	(73.8 - 93.8)	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	67	93.6	(85.4 - 100)	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	69	85.1	(76.1 - 94.0)	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	624	31,100	88.6	(85.5 - 91.6)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	259	15,100	88.6	(83.5 - 93.7)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	365	16,000	88.5	(85.0 - 92.0)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	80	8,700	91.1	(83.3 - 99.0)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	67	5,200	95.0	(89.2 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	113	6,100	93.0	(88.6 - 97.3)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	166	4,900	87.9	(82.6 - 93.2)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	198	6,100	77.9	(71.2 - 84.5)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	597	29,400	88.3	(85.1 - 91.5)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	276	13,000	84.4	(79.7 - 89.1)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	171	9,200	88.8	(81.7 - 95.9)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	175	8,800	95.1	(92.4 - 97.9)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	191	7,300	81.9	(75.5 - 88.3)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	175	8,700	90.5	(86.3 - 94.7)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	*	*	*	*	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	103	7,400	96.0	(91.0 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	624	89.9	(86.8 - 93.1)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	259	89.8	(84.5 - 95.2)	13,893	89.1	(86.9 - 91.3)
Female	365	90.0	(86.4 - 93.5)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	597	89.6	(86.3 - 92.9)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	276	86.1	(81.2 - 91.0)	14,507	84.6	(81.8 - 87.4)
Some College	171	90.0	(82.6 - 97.3)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	175	96.3	(94.2 - 98.4)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	191	83.4	(76.4 - 90.3)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	175	92.3	(88.5 - 96.1)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	*	*	*	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	103	96.3	(91.4 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 62a. Overweight among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	13,700	38.4	(33.6 - 43.3)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	277	8,100	44.7	(37.2 - 52.3)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	366	5,600	32.0	(26.3 - 37.7)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	112	2,200	34.5	(24.6 - 44.5)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	168	2,400	40.2	(32.2 - 48.2)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	218	3,000	35.4	(28.3 - 42.6)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	615	13,300	39.3	(34.4 - 44.2)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	297	6,100	37.8	(30.8 - 44.8)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	178	3,500	37.4	(28.8 - 45.9)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	206	2,800	30.2	(22.5 - 37.9)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	175	4,300	44.9	(35.9 - 53.8)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 62b. Overweight among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	38.7	(33.3 - 44.2)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	277	46.1	(37.8 - 54.4)	14,502	43.9	(40.1 - 47.6)
Female	366	31.2	(24.7 - 37.6)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	615	39.7	(34.2 - 45.2)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	297	39.1	(31.1 - 47.1)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	178	38.0	(28.6 - 47.3)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	206	30.4	(21.5 - 39.3)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	175	45.0	(35.0 - 55.0)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 63a. Obesity among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	9,800	27.5	(23.3 - 31.7)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	277	4,800	26.7	(20.5 - 33.0)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	366	5,000	28.2	(22.6 - 33.8)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	112	2,100	33.6	(23.8 - 43.4)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	168	1,800	30.4	(22.9 - 38.0)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	218	2,000	23.5	(17.3 - 29.8)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	615	9,500	28.1	(23.7 - 32.4)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	297	4,500	28.1	(22.1 - 34.2)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	168	3,000	29.3	(20.6 - 38.1)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	178	2,300	24.3	(16.6 - 31.9)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	206	2,800	29.9	(22.1 - 37.8)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	175	2,900	30.6	(22.5 - 38.8)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	102	1,900	24.6	(14.9 - 34.4)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 63b. Obesity among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	27.5	(22.8 - 32.2)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	277	26.0	(19.3 - 32.8)	14,502	21.5	(19.0 - 24.0)
Female	366	29.0	(22.5 - 35.5)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	615	28.2	(23.4 - 33.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	297	28.4	(21.5 - 35.2)	15,079	29.4	(25.4 - 33.3)
Some College	168	28.9	(19.5 - 38.4)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	178	24.3	(15.7 - 32.9)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	206	32.1	(22.8 - 41.3)	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	175	30.6	(21.4 - 39.7)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 64a. Overweight or obesity among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	23,600	65.9	(61.2 - 70.6)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	277	12,900	71.5	(64.8 - 78.2)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	366	10,600	60.2	(53.8 - 66.6)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	112	4,400	68.1	(58.3 - 78.0)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	168	4,100	70.6	(63.4 - 77.9)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	218	5,100	58.9	(51.4 - 66.4)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	615	22,800	67.3	(62.8 - 71.9)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	297	10,600	66.0	(59.0 - 72.9)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	168	7,100	69.7	(59.9 - 79.6)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	178	5,800	61.6	(53.5 - 69.7)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	206	5,600	60.1	(52.0 - 68.2)	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	175	7,200	75.5	(68.4 - 82.6)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 64b. Overweight or obesity among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	66.2	(60.9 - 71.5)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	277	72.1	(64.8 - 79.5)	14,502	65.4	(61.3 - 69.4)
Female	366	60.2	(52.8 - 67.6)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	615	67.9	(62.8 - 73.0)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	297	67.5	(59.7 - 75.2)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	178	62.3	(53.4 - 71.2)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	206	62.5	(53.6 - 71.3)	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	175	75.5	(67.6 - 83.4)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 65a. Received advice about weight by a health professional among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	9,200	25.9	(21.7 - 30.0)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	276	4,900	27.0	(20.7 - 33.3)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	367	4,400	24.7	(19.4 - 30.1)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	80	2,200	22.9	(13.1 - 32.8)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	112	1,800	28.3	(18.8 - 37.8)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	168	1,700	28.7	(21.3 - 36.0)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	218	1,900	22.4	(16.1 - 28.7)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	615	8,900	26.2	(22.0 - 30.5)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	297	4,300	26.7	(20.5 - 32.9)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	169	2,600	25.1	(17.2 - 33.1)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	177	2,400	25.2	(17.6 - 32.9)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	204	2,500	26.7	(19.1 - 34.3)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	175	2,700	28.7	(20.5 - 36.8)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	102	1,800	23.6	(14.2 - 33.1)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 65b. Received advice about weight by a health professional among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	26.3	(21.6 - 30.9)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	276	26.7	(19.7 - 33.6)	14,499	23.4	(20.5 - 26.3)
Female	367	25.8	(19.6 - 32.1)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	615	26.6	(21.8 - 31.4)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	297	27.8	(20.7 - 35.0)	15,116	27.3	(23.4 - 31.2)
Some College	169	25.3	(16.4 - 34.2)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	177	24.6	(16.2 - 33.0)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	204	28.0	(19.1 - 37.0)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	175	29.6	(20.3 - 38.9)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	102	22.9	(13.0 - 32.8)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	165	8,100	87.9	(82.3 - 93.5)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	78	4,500	93.0	(86.5 - 99.4)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	87	3,600	82.2	(73.0 - 91.4)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	158	7,800	88.0	(82.2 - 93.7)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	75	3,600	84.1	(74.8 - 93.4)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	165	87.0	(80.1 - 93.9)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	78	91.6	(82.7 - 100)	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	158	86.9	(79.8 - 94.0)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 67a. No leisure-time physical activity among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	672	8,700	23.5	(19.5 - 27.5)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	279	4,400	24.0	(17.4 - 30.6)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	393	4,400	23.0	(18.4 - 27.7)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	67	800	14.0	(5.3 - 22.7)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	118	1,400	20.2	(12.5 - 28.0)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	180	1,800	28.6	(21.3 - 35.9)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	224	3,100	35.5	(28.5 - 42.5)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	643	8,500	24.2	(20.1 - 28.4)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	308	5,300	31.9	(25.4 - 38.4)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	177	2,100	19.7	(12.0 - 27.4)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	185	1,300	13.2	(8.0 - 18.4)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	216	3,300	33.4	(26.1 - 40.7)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	180	2,100	21.3	(14.3 - 28.4)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	108	1,300	16.4	(6.6 - 26.1)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 67b. No leisure-time physical activity among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	672	21.4	(17.1 - 25.6)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	279	22.9	(15.8 - 29.9)	14,602	20.9	(17.8 - 23.9)
Female	393	19.9	(15.1 - 24.8)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	643	22.1	(17.7 - 26.6)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	308	29.7	(22.5 - 36.8)	15,683	32.3	(28.3 - 36.4)
Some College	177	18.0	(9.8 - 26.1)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	185	10.9	(6.1 - 15.8)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	216	30.8	(22.9 - 38.6)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	180	20.1	(12.5 - 27.7)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	108	14.9	(4.9 - 24.9)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	672	9,100	24.4	(20.5 - 28.4)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	279	3,200	17.7	(12.2 - 23.3)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	393	5,900	30.8	(25.4 - 36.2)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	83	1,400	14.2	(6.4 - 22.0)	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	118	1,800	26.3	(17.3 - 35.3)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	180	1,400	23.1	(16.7 - 29.6)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	224	2,700	30.4	(23.7 - 37.0)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	643	8,600	24.5	(20.5 - 28.5)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	308	3,700	22.5	(16.5 - 28.4)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	177	1,800	16.7	(10.4 - 23.0)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	185	3,500	35.9	(28.0 - 43.8)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	216	2,300	23.3	(16.7 - 29.9)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	180	1,900	19.3	(12.9 - 25.7)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	672	24.2	(19.7 - 28.6)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	279	18.9	(12.2 - 25.6)	14,634	22.7	(19.6 - 25.9)
Female	393	29.2	(23.2 - 35.1)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	643	24.2	(19.6 - 28.7)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	308	23.3	(16.2 - 30.4)	15,726	23.3	(19.3 - 27.3)
Some College	177	16.1	(9.2 - 23.1)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	185	34.6	(25.9 - 43.3)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	216	24.1	(16.3 - 31.9)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	180	17.7	(10.8 - 24.6)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 69a. Had a fall within the past 3 months among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	507	4,100	19.2	(15.4 - 23.1)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	209	2,200	22.3	(15.9 - 28.7)	10,966	489,400	14.4	(11.9 - 16.8)
Female	298	1,800	16.5	(11.9 - 21.0)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	114	1,400	21.7	(13.5 - 29.9)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	171	1,400	23.5	(16.7 - 30.2)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	222	1,300	14.5	(9.1 - 19.8)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	485	4,000	19.6	(15.6 - 23.6)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	239	2,000	20.6	(14.8 - 26.3)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	125	1,100	21.4	(13.1 - 29.7)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	143	1,000	15.5	(8.9 - 22.1)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	177	1,500	22.4	(15.4 - 29.4)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	134	1,200	20.9	(12.8 - 28.9)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	69	500	12.7	(5.0 - 20.5)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 69b. Had a fall within the past 3 months among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	507	19.4	(15.2 - 23.5)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	209	22.4	(15.7 - 29.1)	10,966	15.0	(12.1 - 17.8)
Female	298	16.5	(11.7 - 21.4)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	485	19.7	(15.5 - 24.0)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	239	20.6	(14.6 - 26.7)	12,417	17.4	(13.0 - 21.7)
Some College	125	21.3	(12.4 - 30.1)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	143	16.0	(8.8 - 23.1)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	177	22.7	(15.3 - 30.1)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	134	21.6	(13.0 - 30.3)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	69	12.4	(4.4 - 20.4)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Delaware County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Delaware County and New York State

	Delaware County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	507	1,200	5.4	(3.3 - 7.6)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	209	500	4.7	(1.7 - 7.7)	10,957	120,000	3.5	(2.5 - 4.6)
Female	298	700	6.1	(3.0 - 9.1)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	222	400	4.9	(1.8 - 8.0)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	485	1,100	5.6	(3.4 - 7.8)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	239	800	7.9	(4.1 - 11.7)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	177	400	6.7	(2.9 - 10.5)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Delaware County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Delaware County and New York State - Age-Adjusted²

	Delaware County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	507	5.6	(3.3 - 7.9)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	209	4.7	(1.7 - 7.6)	10,957	3.6	(2.4 - 4.7)
Female	298	6.4	(3.0 - 9.9)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	485	5.7	(3.3 - 8.1)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	239	8.3	(4.1 - 12.5)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	177	6.8	(2.6 - 11.0)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)