New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
New York State

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	54223.6	557.4	2.1	54108.6	450.9	1.7	17509.6	188.5	1.3	17598.8	138.0	0.9
Oral cavity and pharynx	1597.4	15.7	0.4	747.4	6.2	0.2	332.6	3.4	0.2	157.2	1.2	0.1
Esophagus	785.6	8.0	0.3	256.4	2.0	0.1	668.2	6.9	0.2	203.6	1.6	0.1
Stomach	1149.8	12.1	0.3	764.6	6.1	0.2	488.0	5.3	0.2	354.6	2.7	0.1
Colorectal	4575.8	47.9	0.6	4572.6	36.6	0.5	1595.2	17.2	0.4	1634.0	12.3	0.3
Colon excluding rectum	3111.6	33.0	0.5	3415.6	27.1	0.4	1290.2	14.0	0.3	1394.6	10.5	0.3
Rectum & rectosigmoid	1464.2	14.9	0.3	1157.0	9.5	0.3	305.0	3.2	0.2	239.4	1.8	0.1
Liver / intrahepatic bile duct	1374.4	13.3	0.3	544.8	4.4	0.2	893.8	9.0	0.3	451.2	3.5	0.1
Pancreas	1519.4	15.9	0.4	1553.6	12.2	0.3	1220.6	12.9	0.3	1267.4	9.8	0.2
Larynx	618.8	6.2	0.2	163.2	1.3	0.1	197.0	2.0	0.1	57.6	0.5	0.1
Lung and bronchus	6832.0	72.0	0.8	6779.0	54.7	0.6	4689.0	50.1	0.7	4297.2	34.2	0.5
Melanoma of the skin	2196.8	23.0	0.4	1676.6	14.5	0.3	299.6	3.2	0.2	187.6	1.5	0.1
Female breast				15147.4	128.5	0.9				2631.6	20.9	0.4
Cervix uteri				851.8	7.9	0.2				271.4	2.3	0.1
Corpus uterus and NOS				3760.2	30.6	0.4				681.8	5.4	0.2
Ovary				1518.0	12.7	0.3				953.2	7.6	0.2
Prostate	14797.2	145.3	1.1				1702.2	19.7	0.4			
Testis	554.8	5.9	0.2				20.4	0.2	0.0			
Urinary bladder (incl. in situ)	3830.8	41.4	0.6	1344.8	10.6	0.3	679.2	7.7	0.3	299.0	2.2	0.1
Kidney and renal pelvis	2226.2	22.5	0.4	1296.4	10.8	0.3	454.0	4.8	0.2	256.4	2.0	0.1
Brain and other nervous system	743.4	7.7	0.3	616.2	5.5	0.2	436.2	4.5	0.2	373.2	3.1	0.1
Thyroid	952.8	9.7	0.3	2943.6	27.6	0.5	51.4	0.6	0.1	69.4	0.5	0.1
Hodgkin lymphoma	355.6	3.7	0.2	294.8	2.9	0.1	41.6	0.4	0.1	34.0	0.3	0.0
Non-Hodgkin lymphomas	2512.2	26.3	0.5	2187.4	18.0	0.3	667.2	7.3	0.3	572.6	4.4	0.2
Myeloma	930.8	9.7	0.3	800.4	6.4	0.2	345.4	3.7	0.2	325.6	2.5	0.1
Leukemias	1937.6	20.6	0.4	1460.0	12.2	0.3	799.2	8.8	0.3	601.6	4.7	0.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
New York City

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	19204.4	525.6	3.4	20067.2	416.6	2.6	6076.6	177.4	2.0	6367.8	127.1	1.4
Oral cavity and pharynx	558.6	14.7	0.6	271.2	5.6	0.3	135.4	3.7	0.3	62.6	1.3	0.1
Esophagus	223.2	6.2	0.4	88.6	1.8	0.2	173.6	4.9	0.3	66.6	1.3	0.1
Stomach	541.0	15.3	0.6	402.0	8.1	0.4	242.8	7.1	0.4	194.8	3.8	0.2
Colorectal	1781.8	50.0	1.1	1803.0	36.5	0.8	629.6	18.4	0.7	662.0	12.9	0.4
Colon excluding rectum	1226.8	34.9	0.9	1339.2	27.0	0.7	524.4	15.5	0.6	571.0	11.1	0.4
Rectum & rectosigmoid	555.0	15.1	0.6	463.8	9.5	0.4	105.2	2.9	0.3	91.0	1.8	0.2
Liver / intrahepatic bile duct	705.4	18.2	0.6	292.8	5.9	0.3	416.4	11.2	0.5	206.6	4.1	0.3
Pancreas	559.2	15.8	0.6	609.2	12.2	0.4	436.6	12.6	0.5	474.8	9.4	0.4
Larynx	231.4	6.2	0.4	58.4	1.2	0.1	79.6	2.3	0.2	22.8	0.4	0.1
Lung and bronchus	2174.2	62.2	1.2	2080.8	42.5	0.8	1471.0	42.8	1.0	1281.4	25.7	0.6
Melanoma of the skin	501.6	13.9	0.6	428.4	8.9	0.4	64.4	1.8	0.2	48.6	1.0	0.1
Female breast				5619.6	118.6	1.4				1033.2	20.9	0.6
Cervix uteri				425.2	9.3	0.4				135.8	2.8	0.2
Corpus uterus and NOS				1478.0	30.1	0.7				304.2	6.1	0.3
Ovary				581.6	12.1	0.4				346.8	7.0	0.3
Prostate	5565.2	147.4	1.8				697.8	22.3	0.7			
Testis	202.2	4.8	0.3				10.2	0.3	0.1			
Urinary bladder (incl. in situ)	1044.2	30.8	0.9	394.6	7.9	0.4	200.8	6.3	0.4	105.0	2.0	0.2
Kidney and renal pelvis	745.4	20.0	0.7	444.4	9.3	0.4	139.6	4.0	0.3	79.2	1.5	0.2
Brain and other nervous system	253.0	6.7	0.4	225.6	4.9	0.3	127.8	3.5	0.3	125.0	2.6	0.2
Thyroid	374.2	9.5	0.4	1305.2	28.5	0.7	19.8	0.6	0.1	26.4	0.5	0.1
Hodgkin lymphoma	141.8	3.5	0.3	128.4	2.8	0.2	18.8	0.5	0.1	13.0	0.3	0.1
Non-Hodgkin lymphomas	903.6	24.7	0.7	824.2	17.0	0.5	227.0	6.6	0.4	200.8	4.0	0.3
Myeloma	387.4	10.8	0.5	351.8	7.2	0.3	127.0	3.7	0.3	116.8	2.3	0.2
Leukemias	622.4	17.4	0.6	506.2	10.6	0.4	255.0	7.5	0.4	213.4	4.3	0.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
New York State Excl New York City

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	35002.0	575.5	2.8	34027.8	473.9	2.3	11433.0	194.8	1.6	11231.0	145.1	1.2
Oral cavity and pharynx	1038.8	16.3	0.5	475.6	6.5	0.3	197.2	3.2	0.2	94.6	1.2	0.1
Esophagus	562.4	9.1	0.3	167.6	2.2	0.1	494.6	8.1	0.3	137.0	1.7	0.1
Stomach	608.8	10.1	0.4	362.6	4.8	0.2	245.2	4.2	0.2	159.8	2.0	0.1
Colorectal	2793.6	46.7	0.8	2769.2	36.7	0.6	965.6	16.5	0.5	972.0	12.0	0.3
Colon excluding rectum	1884.4	31.8	0.7	2076.0	27.1	0.5	765.8	13.2	0.4	823.6	10.1	0.3
Rectum & rectosigmoid	909.2	14.8	0.4	693.2	9.6	0.3	199.8	3.4	0.2	148.4	1.9	0.1
Liver / intrahepatic bile duct	669.0	10.4	0.4	251.4	3.4	0.2	477.4	7.6	0.3	244.6	3.2	0.2
Pancreas	960.0	15.9	0.5	944.2	12.2	0.4	784.0	13.1	0.4	792.6	10.0	0.3
Larynx	387.0	6.2	0.3	104.8	1.4	0.1	117.4	1.9	0.2	34.8	0.5	0.1
Lung and bronchus	4656.8	77.6	1.0	4697.8	62.8	0.8	3218.0	54.3	0.9	3015.8	39.7	0.6
Melanoma of the skin	1692.4	28.3	0.6	1246.0	18.5	0.5	235.2	4.0	0.2	139.0	1.9	0.1
Female breast				9525.2	135.0	1.2				1598.4	20.9	0.5
Cervix uteri				426.4	7.0	0.3				135.6	2.0	0.2
Corpus uterus and NOS				2281.4	31.0	0.6				377.6	4.9	0.2
Ovary				936.4	13.0	0.4				606.4	7.9	0.3
Prostate	9226.0	143.8	1.3				1004.4	18.1	0.5			
Testis	352.6	6.8	0.3				10.2	0.2	0.1			
Urinary bladder (incl. in situ)	2785.6	47.5	0.8	950.2	12.4	0.4	478.4	8.5	0.3	194.0	2.3	0.1
Kidney and renal pelvis	1480.8	24.1	0.6	851.8	11.9	0.4	314.4	5.3	0.3	177.2	2.2	0.2
Brain and other nervous system	490.0	8.4	0.3	390.6	6.0	0.3	308.4	5.1	0.3	248.2	3.5	0.2
Thyroid	578.0	9.8	0.4	1638.2	27.3	0.6	31.6	0.5	0.1	43.0	0.5	0.1
Hodgkin lymphoma	213.6	3.8	0.2	166.4	2.9	0.2	22.8	0.4	0.1	21.0	0.3	0.1
Non-Hodgkin lymphomas	1607.6	27.1	0.6	1362.2	18.6	0.5	440.2	7.6	0.3	371.8	4.7	0.2
Myeloma	543.2	9.0	0.3	447.6	5.9	0.2	218.4	3.7	0.2	208.8	2.6	0.2
Leukemias	1313.8	22.4	0.6	952.8	13.3	0.4	544.2	9.6	0.4	388.2	5.0	0.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Bronx

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2973.8	555.0	9.2	3045.8	401.9	6.4	997.2	202.6	5.8	1022.8	133.5	3.7
Oral cavity and pharynx	93.2	16.7	1.6	42.0	5.4	0.7	23.8	4.3	0.8	8.2	1.1	0.3
Esophagus	36.6	7.0	1.0	15.8	2.0	0.4	30.6	6.1	1.0	11.6	1.5	0.4
Stomach	79.2	15.8	1.6	71.6	9.4	1.0	35.0	7.3	1.1	37.4	4.8	0.7
Colorectal	261.4	50.5	2.8	286.6	37.5	2.0	105.6	21.5	1.9	110.2	14.1	1.2
Colon excluding rectum	185.6	36.6	2.4	206.0	27.0	1.7	85.6	17.8	1.7	96.2	12.3	1.1
Rectum & rectosigmoid	75.8	13.9	1.4	80.6	10.5	1.0	20.0	3.7	0.8	14.0	1.8	0.4
Liver / intrahepatic bile duct	162.0	28.1	2.0	63.6	8.3	0.9	89.6	16.4	1.6	38.0	4.9	0.7
Pancreas	80.4	15.7	1.6	96.8	12.6	1.1	61.4	12.3	1.4	69.2	9.1	1.0
Larynx	42.0	7.7	1.1	11.8	1.5	0.4	18.2	3.4	0.7	5.4	0.7	0.3
Lung and bronchus	329.2	65.1	3.2	311.8	41.2	2.1	236.0	47.2	2.8	195.4	25.7	1.6
Melanoma of the skin	31.6	6.4	1.0	27.4	3.6	0.6	5.8	1.2	0.4	4.6	0.6	0.2
Female breast				818.4	108.7	3.4				172.2	22.6	1.5
Cervix uteri				69.8	9.4	1.0				23.6	3.2	0.6
Corpus uterus and NOS				241.8	31.5	1.8				58.8	7.8	0.9
Ovary				81.2	10.7	1.0				41.8	5.4	0.7
Prostate	948.8	172.4	5.0				117.8	27.7	2.3			
Testis	23.8	3.7	0.7				2.4	0.4	0.2			
Urinary bladder (incl. in situ)	122.4	25.6	2.1	50.8	6.6	0.8	26.0	6.0	1.1	15.2	1.9	0.4
Kidney and renal pelvis	119.8	21.8	1.8	80.2	10.6	1.0	25.4	5.2	0.9	12.8	1.6	0.4
Brain and other nervous system	34.6	5.9	0.9	31.8	4.2	0.7	17.2	3.2	0.7	17.4	2.3	0.5
Thyroid	34.6	6.1	0.9	158.4	21.3	1.5	2.0	0.5	0.3	3.0	0.4	0.2
Hodgkin lymphoma	25.0	3.8	0.7	24.6	3.2	0.6	3.0	0.6	0.3	1.8	0.3	0.2
Non-Hodgkin lymphomas	137.2	24.7	1.9	126.4	16.7	1.3	36.0	7.0	1.1	33.4	4.3	0.7
Myeloma	70.2	13.6	1.5	66.4	8.9	1.0	22.6	4.8	0.9	24.6	3.2	0.6
Leukemias	90.6	16.9	1.6	80.2	10.6	1.0	35.8	6.9	1.1	29.6	3.9	0.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Kings (Brooklyn)

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	5572.4	525.1	6.3	5958.8	416.0	4.8	1801.6	181.0	3.8	1943.6	131.9	2.7
Oral cavity and pharynx	156.6	14.2	1.0	77.4	5.3	0.5	43.0	3.9	0.5	19.0	1.3	0.3
Esophagus	63.0	6.0	0.7	25.6	1.7	0.3	48.6	4.7	0.6	17.0	1.1	0.2
Stomach	171.0	16.9	1.2	132.8	9.1	0.7	79.0	8.1	0.8	59.6	4.0	0.5
Colorectal	566.0	54.6	2.1	555.4	38.2	1.4	201.2	20.3	1.3	203.6	13.6	0.8
Colon excluding rectum	386.2	37.8	1.7	418.4	28.6	1.2	168.8	17.2	1.2	176.6	11.7	0.8
Rectum & rectosigmoid	179.8	16.7	1.1	137.0	9.6	0.7	32.4	3.0	0.5	27.0	1.8	0.3
Liver / intrahepatic bile duct	188.0	16.9	1.1	80.0	5.5	0.5	111.2	10.3	0.9	61.6	4.2	0.5
Pancreas	167.4	16.4	1.1	191.4	13.0	0.8	132.6	13.2	1.0	148.6	10.1	0.7
Larynx	63.0	5.8	0.7	16.8	1.2	0.3	23.2	2.3	0.4	6.4	0.4	0.2
Lung and bronchus	648.4	64.1	2.3	569.4	39.4	1.5	440.0	44.2	1.9	365.6	25.0	1.2
Melanoma of the skin	119.8	11.4	0.9	107.0	7.5	0.6	19.6	1.9	0.4	14.2	1.0	0.2
Female breast				1632.2	116.0	2.6				330.0	22.7	1.1
Cervix uteri				140.4	10.2	0.8				44.6	3.1	0.4
Corpus uterus and NOS				450.6	30.9	1.3				101.6	6.9	0.6
Ovary				167.6	11.8	0.8				101.8	7.0	0.6
Prostate	1618.4	147.9	3.3				216.4	23.7	1.4			
Testis	55.8	4.4	0.5				2.8	0.2	0.1			
Urinary bladder (incl. in situ)	291.4	29.7	1.6	110.8	7.5	0.6	52.0	5.6	0.7	33.2	2.2	0.3
Kidney and renal pelvis	212.8	19.6	1.2	140.8	9.9	0.7	42.0	4.1	0.6	26.6	1.7	0.3
Brain and other nervous system	80.6	7.1	0.7	68.6	4.8	0.5	37.0	3.4	0.5	36.4	2.5	0.4
Thyroid	110.4	9.6	0.8	420.0	30.1	1.3	7.4	0.8	0.3	9.8	0.7	0.2
Hodgkin lymphoma	40.6	3.4	0.5	35.6	2.5	0.4	5.6	0.5	0.2	3.8	0.3	0.1
Non-Hodgkin lymphomas	248.6	23.3	1.3	243.0	16.8	1.0	65.6	6.5	0.7	65.4	4.4	0.5
Myeloma	109.2	10.5	0.9	113.0	7.8	0.7	35.8	3.5	0.5	34.8	2.3	0.4
Leukemias	180.4	16.9	1.1	150.0	10.4	0.8	71.4	7.1	0.8	63.0	4.3	0.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
New York (Manhattan)

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3987.6	523.6	7.4	4229.0	431.3	6.0	1217.8	169.4	4.3	1305.4	124.3	3.1
Oral cavity and pharynx	128.0	16.3	1.3	58.8	5.9	0.7	31.2	4.2	0.7	14.0	1.4	0.3
Esophagus	50.4	6.8	0.8	23.2	2.3	0.4	39.6	5.4	0.8	18.6	1.8	0.4
Stomach	94.0	12.5	1.1	62.0	6.0	0.7	38.6	5.4	0.8	30.6	2.8	0.5
Colorectal	310.2	41.5	2.1	322.6	31.8	1.6	106.6	14.8	1.3	119.8	10.9	0.9
Colon excluding rectum	215.0	29.1	1.8	238.2	23.2	1.3	86.0	12.0	1.1	101.4	9.1	0.8
Rectum & rectosigmoid	95.2	12.5	1.1	84.4	8.7	0.8	20.6	2.8	0.5	18.4	1.8	0.4
Liver / intrahepatic bile duct	142.0	17.9	1.3	62.8	6.1	0.7	90.0	11.8	1.1	43.0	4.0	0.6
Pancreas	120.8	16.3	1.3	118.4	11.3	0.9	87.4	12.0	1.1	99.4	9.3	0.8
Larynx	48.0	6.2	0.8	11.4	1.1	0.3	15.0	2.1	0.5	5.2	0.5	0.2
Lung and bronchus	407.8	55.6	2.4	483.8	47.2	1.9	270.4	37.4	2.0	290.0	27.6	1.4
Melanoma of the skin	188.4	24.5	1.6	148.6	14.7	1.1	15.2	2.0	0.5	11.4	1.1	0.3
Female breast				1277.4	134.4	3.4				210.8	20.5	1.3
Cervix uteri				67.6	7.3	0.8				23.0	2.4	0.4
Corpus uterus and NOS				286.6	28.7	1.5				55.8	5.3	0.6
Ovary				128.2	13.2	1.0				76.2	7.4	0.8
Prostate	1100.0	140.7	3.8				154.4	22.9	1.6			
Testis	60.8	6.7	0.8				1.2	0.1	0.1			
Urinary bladder (incl. in situ)	222.8	31.2	1.9	81.8	7.8	0.8	47.8	6.9	0.9	17.8	1.6	0.3
Kidney and renal pelvis	142.2	18.7	1.4	74.6	7.7	0.8	22.6	3.1	0.6	11.6	1.1	0.3
Brain and other nervous system	50.0	6.7	0.9	47.4	5.2	0.7	27.4	3.7	0.6	28.0	2.7	0.5
Thyroid	89.2	10.9	1.0	261.0	28.2	1.6	4.4	0.6	0.3	4.4	0.4	0.2
Hodgkin lymphoma	34.6	4.1	0.6	29.0	3.0	0.5	5.0	0.7	0.3	4.2	0.4	0.2
Non-Hodgkin lymphomas	213.0	28.2	1.7	179.0	18.2	1.2	50.8	7.1	0.9	35.0	3.3	0.5
Myeloma	77.8	10.3	1.0	63.4	6.3	0.7	27.6	3.9	0.7	24.6	2.3	0.4
Leukemias	136.6	18.9	1.4	104.4	11.1	1.0	53.6	7.7	0.9	49.2	4.9	0.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Queens

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	5325.6	501.5	6.1	5440.4	400.4	4.8	1656.6	165.1	3.6	1691.6	118.2	2.6
Oral cavity and pharynx	146.2	13.1	1.0	77.4	5.7	0.6	30.4	2.8	0.5	17.4	1.3	0.3
Esophagus	59.2	5.5	0.6	20.2	1.4	0.3	42.8	4.0	0.5	15.4	1.1	0.2
Stomach	172.6	16.6	1.1	119.0	8.4	0.7	78.4	7.7	0.8	60.0	4.2	0.5
Colorectal	525.2	50.5	2.0	518.4	36.6	1.4	175.0	17.5	1.2	186.2	12.5	0.8
Colon excluding rectum	357.4	34.9	1.6	385.2	27.1	1.2	148.6	14.9	1.1	160.8	10.8	0.8
Rectum & rectosigmoid	167.8	15.6	1.1	133.2	9.5	0.7	26.4	2.6	0.5	25.4	1.7	0.3
Liver / intrahepatic bile duct	172.6	15.4	1.0	71.0	5.1	0.5	99.4	9.2	0.8	52.0	3.7	0.5
Pancreas	155.6	15.0	1.1	165.2	11.6	0.8	126.2	12.6	1.0	126.6	8.7	0.7
Larynx	60.2	5.6	0.6	13.0	0.9	0.2	18.6	1.8	0.4	4.2	0.3	0.1
Lung and bronchus	608.4	59.6	2.2	552.6	39.7	1.5	404.8	40.3	1.8	324.6	22.8	1.1
Melanoma of the skin	112.0	10.7	0.9	105.2	7.7	0.7	18.6	1.8	0.4	15.6	1.1	0.2
Female breast				1510.6	113.0	2.6				257.6	18.2	1.0
Cervix uteri				128.4	10.2	0.8				38.2	2.8	0.4
Corpus uterus and NOS				396.0	28.6	1.3				73.6	5.1	0.5
Ovary				169.4	12.6	0.9				101.6	7.2	0.6
Prostate	1568.6	142.5	3.2				177.2	19.1	1.3			
Testis	48.4	4.1	0.5				3.2	0.3	0.1			
Urinary bladder (incl. in situ)	311.8	31.4	1.6	119.6	8.5	0.7	58.6	6.1	0.7	32.2	2.1	0.3
Kidney and renal pelvis	208.0	19.1	1.2	116.8	8.6	0.7	39.2	3.8	0.5	21.8	1.5	0.3
Brain and other nervous system	70.6	6.6	0.7	62.4	4.9	0.6	37.0	3.5	0.5	34.8	2.6	0.4
Thyroid	96.8	8.5	0.8	339.2	27.1	1.3	5.2	0.5	0.2	8.6	0.6	0.2
Hodgkin lymphoma	32.4	2.9	0.4	29.4	2.5	0.4	4.0	0.4	0.2	3.0	0.2	0.1
Non-Hodgkin lymphomas	245.2	23.2	1.3	219.4	15.9	1.0	58.2	5.8	0.7	55.2	3.8	0.5
Myeloma	103.8	9.9	0.9	89.8	6.4	0.6	35.2	3.5	0.5	27.8	1.9	0.3
Leukemias	163.0	16.0	1.1	132.6	9.9	0.8	76.6	7.8	0.8	59.0	4.2	0.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Richmond (Staten Island)

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1345.0	577.1	14.3	1393.2	487.5	11.7	403.4	186.9	8.4	404.4	137.4	6.1
Oral cavity and pharynx	34.6	13.9	2.1	15.6	5.3	1.2	7.0	2.9	1.0	4.0	1.4	0.6
Esophagus	14.0	6.0	1.5	3.8	1.3	0.6	12.0	5.0	1.3	4.0	1.4	0.6
Stomach	24.2	10.7	2.0	16.6	5.8	1.3	11.8	5.5	1.5	7.2	2.3	0.8
Colorectal	119.0	53.3	4.4	120.0	41.0	3.3	41.2	19.7	2.8	42.2	14.2	1.9
Colon excluding rectum	82.6	37.5	3.7	91.4	31.3	2.9	35.4	17.2	2.6	36.0	12.2	1.8
Rectum & rectosigmoid	36.4	15.8	2.4	28.6	9.7	1.6	5.8	2.5	1.0	6.2	2.0	0.7
Liver / intrahepatic bile duct	40.8	15.9	2.3	15.4	5.1	1.2	26.2	11.0	1.9	12.0	4.0	1.0
Pancreas	35.0	15.0	2.3	37.4	12.7	1.9	29.0	12.5	2.1	31.0	10.5	1.7
Larynx	18.2	7.4	1.6	5.4	1.8	0.7	4.6	2.1	0.9	1.6	0.5	0.4
Lung and bronchus	180.4	80.3	5.4	163.2	56.5	3.9	119.8	55.6	4.6	105.8	36.3	3.2
Melanoma of the skin	49.8	21.7	2.8	40.2	14.5	2.1	5.2	2.3	0.9	2.8	1.0	0.5
Female breast				381.0	131.8	6.0				62.6	21.2	2.4
Cervix uteri				19.0	7.1	1.4				6.4	2.1	0.7
Corpus uterus and NOS				103.0	34.5	3.0				14.4	4.9	1.2
Ovary				35.2	12.1	1.8				25.4	8.4	1.5
Prostate	329.4	132.8	6.6				32.0	17.4	2.7			
Testis	13.4	6.1	1.5				0.6	0.3	0.3			
Urinary bladder (incl. in situ)	95.8	43.6	4.0	31.6	10.8	1.7	16.4	7.9	1.8	6.6	2.1	0.7
Kidney and renal pelvis	62.6	25.3	2.9	32.0	11.3	1.8	10.4	4.4	1.2	6.4	2.2	0.8
Brain and other nervous system	17.2	7.5	1.6	15.4	5.9	1.4	9.2	4.0	1.2	8.4	3.1	1.0
Thyroid	43.2	17.5	2.4	126.6	48.1	3.8	0.8	0.3	0.3	0.6	0.2	0.2
Hodgkin lymphoma	9.2	3.9	1.1	9.8	4.0	1.1	1.2	0.5	0.4	0.2	0.1	0.1
Non-Hodgkin lymphomas	59.6	26.4	3.1	56.4	19.8	2.4	16.4	7.6	1.7	11.8	4.2	1.1
Myeloma	26.4	11.6	2.0	19.2	6.5	1.3	5.8	2.6	1.0	5.0	1.7	0.7
Leukemias	51.8	23.1	2.9	39.0	13.9	2.0	17.6	8.4	1.8	12.6	4.5	1.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Albany

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	895.6	571.5	17.2	911.2	469.1	14.1	317.2	211.4	10.6	319.0	152.9	7.8
Oral cavity and pharynx	31.2	18.4	3.0	12.4	6.4	1.6	6.4	3.7	1.3	3.0	1.5	0.8
Esophagus	15.4	9.3	2.1	5.4	2.6	1.0	13.0	8.2	2.0	4.0	1.8	0.8
Stomach	15.2	10.2	2.3	8.8	4.4	1.3	6.6	4.4	1.5	4.8	2.2	0.9
Colorectal	74.4	47.8	5.0	71.2	34.6	3.7	23.2	16.0	3.0	29.2	12.4	2.1
Colon excluding rectum	48.8	31.9	4.1	52.6	24.7	3.1	17.4	12.0	2.6	23.6	10.1	1.9
Rectum & rectosigmoid	25.6	15.9	2.8	18.6	9.9	2.1	5.8	4.0	1.5	5.6	2.3	0.9
Liver / intrahepatic bile duct	23.2	13.8	2.6	8.2	4.2	1.3	14.0	8.5	2.1	7.2	3.4	1.1
Pancreas	27.0	17.7	3.1	22.0	10.6	2.1	19.2	12.6	2.6	20.8	9.9	2.0
Larynx	9.6	6.1	1.8	4.0	2.0	0.9	3.6	2.2	1.0	1.8	0.9	0.6
Lung and bronchus	128.2	83.3	6.6	129.6	65.7	5.2	92.4	61.6	5.7	88.4	43.9	4.2
Melanoma of the skin	39.6	26.2	3.7	29.6	15.9	2.7	5.8	3.7	1.4	6.6	3.4	1.2
Female breast				269.6	142.2	7.9				44.0	22.1	3.0
Cervix uteri				7.4	4.4	1.5				1.8	0.9	0.6
Corpus uterus and NOS				56.6	28.4	3.4				11.0	5.1	1.4
Ovary				21.4	10.6	2.1				12.4	6.1	1.5
Prostate	212.2	127.0	7.9				28.6	19.8	3.3			
Testis	8.8	6.6	2.0				0.2	0.2	0.3			
Urinary bladder (incl. in situ)	69.8	46.9	5.0	27.4	13.1	2.3	11.4	8.0	2.1	3.8	1.7	0.8
Kidney and renal pelvis	35.2	22.3	3.4	22.0	11.9	2.3	8.6	5.8	1.8	7.0	3.5	1.2
Brain and other nervous system	13.0	8.5	2.1	11.2	6.5	1.8	8.4	5.4	1.7	7.0	3.6	1.2
Thyroid	11.0	7.5	2.0	40.4	24.7	3.5	1.4	0.9	0.7	0.8	0.5	0.5
Hodgkin lymphoma	4.8	3.3	1.4	3.2	1.8	0.9	0.6	0.4	0.5	0.8	0.3	0.3
Non-Hodgkin lymphomas	45.8	29.4	3.9	32.8	16.5	2.6	12.0	8.3	2.1	8.4	3.8	1.2
Myeloma	16.2	10.2	2.3	13.6	6.6	1.6	6.0	4.2	1.5	6.6	3.0	1.1
Leukemias	34.2	23.0	3.5	23.0	11.7	2.2	14.8	10.1	2.3	9.0	4.2	1.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Allegany

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	156.6	559.7	40.2	140.6	475.3	36.5	58.4	210.4	24.5	46.8	148.9	19.7
Oral cavity and pharynx	4.8	17.1	7.0	1.4	5.2	4.0	1.2	4.4	3.6	0.2	0.6	1.1
Esophagus	2.8	10.2	5.4	1.2	4.2	3.6	2.6	9.1	5.0	1.4	5.0	3.9
Stomach	3.0	11.0	5.6	0.8	3.1	3.3	1.4	5.1	3.8	0.0	0.0	0.0
Colorectal	15.0	54.5	12.6	13.2	41.2	10.2	5.6	20.7	7.9	5.0	14.6	5.8
Colon excluding rectum	8.4	30.6	9.4	8.8	27.4	8.3	4.6	17.2	7.2	4.6	13.5	5.6
Rectum & rectosigmoid	6.6	23.9	8.4	4.4	13.8	5.9	1.0	3.5	3.1	0.4	1.1	1.5
Liver / intrahepatic bile duct	2.4	8.8	5.2	0.8	2.6	2.6	0.8	2.8	2.8	0.6	1.8	2.0
Pancreas	4.0	14.1	6.2	2.6	7.5	4.1	2.8	9.7	5.2	2.2	6.2	3.7
Larynx	2.0	7.3	4.7	0.4	1.8	2.6	0.8	2.5	2.5	0.0	0.0	0.0
Lung and bronchus	25.6	88.7	15.6	20.6	66.9	13.1	17.8	62.5	13.1	12.0	38.6	9.9
Melanoma of the skin	5.6	20.1	7.7	4.0	14.5	6.6	0.8	2.8	2.7	0.6	2.0	2.3
Female breast				39.8	135.2	19.6				6.0	21.0	7.9
Cervix uteri				2.4	10.1	6.2				0.6	1.7	1.9
Corpus uterus and NOS				10.2	35.1	10.0				0.8	2.5	2.4
Ovary				6.6	23.5	8.4				3.4	11.0	5.5
Prostate	33.4	110.7	17.0				5.0	19.3	7.6			
Testis	2.4	12.4	7.3				0.2	0.9	1.8			
Urinary bladder (incl. in situ)	14.8	52.5	12.1	2.6	7.8	4.3	2.6	9.2	5.1	0.8	2.6	2.5
Kidney and renal pelvis	5.8	20.6	7.6	4.6	15.5	6.5	2.2	8.2	4.9	1.4	4.1	3.0
Brain and other nervous system	2.8	11.5	6.3	1.2	3.2	2.6	1.6	5.3	3.7	1.4	5.5	4.5
Thyroid	1.8	7.3	5.0	5.0	22.3	9.2	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.0	4.2	3.8	0.8	2.9	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	6.4	23.3	8.2	7.0	23.5	8.1	1.6	6.3	4.5	1.2	3.4	2.7
Myeloma	2.8	10.3	5.5	1.4	4.1	3.1	1.0	3.8	3.4	0.8	2.3	2.3
Leukemias	7.6	28.5	9.3	3.0	10.1	5.3	2.6	9.8	5.5	1.2	4.1	3.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Broome

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	638.2	557.6	19.7	624.0	466.1	17.2	219.0	193.0	11.6	219.8	142.9	8.8
Oral cavity and pharynx	21.8	19.4	3.7	10.4	7.3	2.1	5.0	4.5	1.8	4.2	2.7	1.2
Esophagus	14.0	12.3	2.9	2.4	1.5	0.9	11.0	9.6	2.6	3.0	1.7	0.9
Stomach	11.6	10.2	2.7	5.0	3.3	1.4	5.0	4.5	1.8	3.8	2.2	1.0
Colorectal	49.6	44.4	5.6	57.4	39.3	4.8	17.4	15.4	3.3	22.2	13.5	2.6
Colon excluding rectum	33.0	29.4	4.5	44.0	29.4	4.1	13.2	11.6	2.8	18.0	10.9	2.3
Rectum & rectosigmoid	16.6	15.0	3.3	13.4	9.9	2.5	4.2	3.8	1.7	4.2	2.7	1.2
Liver / intrahepatic bile duct	10.6	9.4	2.6	3.2	2.2	1.1	8.0	6.8	2.2	3.4	2.2	1.1
Pancreas	15.8	14.2	3.2	20.0	12.8	2.6	13.0	11.3	2.8	17.2	10.9	2.4
Larynx	8.6	7.5	2.3	2.6	1.9	1.0	3.6	3.2	1.5	0.6	0.4	0.5
Lung and bronchus	81.6	70.9	7.0	78.4	55.6	5.7	57.6	50.6	5.9	52.4	35.8	4.5
Melanoma of the skin	34.6	30.5	4.7	23.8	19.9	3.8	3.0	2.6	1.4	2.0	1.4	0.9
Female breast				171.4	132.3	9.3				27.8	19.5	3.4
Cervix uteri				6.8	5.8	2.0				2.8	2.0	1.1
Corpus uterus and NOS				47.0	35.5	4.7				5.8	3.8	1.4
Ovary				15.4	11.8	2.8				11.8	7.6	2.0
Prostate	169.0	140.0	9.6				22.0	19.8	3.7			
Testis	6.6	6.8	2.4				0.8	0.7	0.7			
Urinary bladder (incl. in situ)	51.8	46.0	5.7	17.8	12.2	2.6	9.4	8.6	2.5	4.2	2.5	1.1
Kidney and renal pelvis	23.8	21.0	3.9	15.4	12.3	2.9	8.6	7.5	2.3	4.2	2.9	1.3
Brain and other nervous system	9.0	8.1	2.5	5.6	4.4	1.7	6.0	5.4	2.0	5.0	3.5	1.4
Thyroid	12.2	11.4	2.9	30.6	31.6	5.3	0.4	0.3	0.4	0.6	0.4	0.4
Hodgkin lymphoma	2.4	2.2	1.3	2.0	1.8	1.2	0.4	0.4	0.5	0.4	0.3	0.4
Non-Hodgkin lymphomas	25.0	22.9	4.1	24.2	16.3	3.0	5.6	4.6	1.7	8.6	5.0	1.6
Myeloma	8.0	7.0	2.2	7.2	5.2	1.8	2.8	2.5	1.3	4.2	2.5	1.1
Leukemias	25.0	22.5	4.0	19.2	14.3	3.1	10.6	9.5	2.6	8.2	5.2	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Cattaraugus

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	273.0	573.6	31.2	252.6	489.3	28.0	91.4	195.9	18.4	76.8	139.2	14.2
Oral cavity and pharynx	9.0	18.0	5.5	5.2	9.9	3.9	3.0	5.9	3.1	1.2	2.3	1.9
Esophagus	6.4	13.2	4.7	1.4	2.4	1.8	3.8	7.6	3.5	0.6	1.0	1.2
Stomach	3.8	7.6	3.5	1.6	3.0	2.2	1.6	3.2	2.3	0.8	1.2	1.2
Colorectal	22.8	48.6	9.1	26.4	50.2	8.9	7.2	15.8	5.3	8.4	15.3	4.8
Colon excluding rectum	14.4	31.3	7.4	21.2	39.6	7.8	5.4	11.8	4.6	7.6	14.0	4.6
Rectum & rectosigmoid	8.4	17.3	5.3	5.2	10.5	4.2	1.8	3.9	2.6	0.8	1.3	1.3
Liver / intrahepatic bile duct	3.6	7.3	3.4	1.6	3.0	2.1	2.6	5.8	3.2	2.0	3.7	2.3
Pancreas	5.6	13.2	5.0	4.4	7.6	3.2	6.0	13.8	5.1	4.2	7.1	3.1
Larynx	3.2	6.5	3.3	1.4	2.3	1.7	1.0	2.2	2.0	0.6	1.1	1.2
Lung and bronchus	43.4	90.4	12.3	33.8	63.9	9.9	29.2	61.3	10.2	22.0	41.0	7.8
Melanoma of the skin	13.0	27.1	6.8	5.2	10.7	4.3	2.0	3.7	2.3	0.4	0.6	0.9
Female breast				73.4	144.0	15.3				9.8	18.1	5.2
Cervix uteri				2.6	5.4	3.0				1.0	1.9	1.7
Corpus uterus and NOS				15.6	28.7	6.5				2.0	3.4	2.1
Ovary				8.0	16.1	5.1				6.4	11.8	4.1
Prostate	71.4	140.4	14.9				5.6	13.2	4.9			
Testis	3.0	8.2	4.3				0.2	0.3	0.6			
Urinary bladder (incl. in situ)	21.0	44.4	8.7	6.2	10.5	3.7	2.6	6.0	3.3	1.6	2.4	1.7
Kidney and renal pelvis	9.0	19.9	6.0	6.8	13.3	4.7	1.6	3.5	2.5	1.0	1.5	1.3
Brain and other nervous system	3.6	7.9	3.8	1.8	3.3	2.2	3.0	5.9	3.0	0.6	1.0	1.2
Thyroid	1.8	4.1	2.8	9.6	22.0	6.5	0.2	0.3	0.6	0.0	0.0	0.0
Hodgkin lymphoma	1.0	2.4	2.2	1.8	5.2	3.5	0.2	0.5	0.9	0.2	0.4	0.8
Non-Hodgkin lymphomas	12.6	29.0	7.4	11.4	21.2	5.7	5.2	10.6	4.2	3.0	5.6	2.9
Myeloma	3.4	7.4	3.6	3.4	6.7	3.3	1.2	2.8	2.2	1.6	2.5	1.7
Leukemias	11.6	24.7	6.5	4.8	9.6	4.0	3.8	8.5	3.9	2.2	3.7	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Cayuga

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	258.8	549.7	30.6	228.8	447.4	27.1	89.6	195.6	18.5	72.8	131.3	14.1
Oral cavity and pharynx	6.2	11.7	4.2	2.8	4.7	2.5	2.2	4.5	2.7	0.8	1.0	1.0
Esophagus	5.0	10.3	4.1	0.4	0.7	1.0	5.0	10.0	4.0	0.2	0.5	0.9
Stomach	4.8	9.7	4.0	1.0	1.7	1.5	1.4	3.0	2.3	0.8	1.2	1.3
Colorectal	20.6	45.9	9.0	18.2	34.1	7.3	6.2	14.6	5.2	4.0	6.8	3.1
Colon excluding rectum	12.2	28.1	7.2	14.2	26.2	6.3	4.2	9.8	4.3	3.2	5.3	2.7
Rectum & rectosigmoid	8.4	17.8	5.5	4.0	7.9	3.6	2.0	4.7	3.0	0.8	1.5	1.6
Liver / intrahepatic bile duct	5.0	10.4	4.2	1.2	2.4	1.9	3.6	7.4	3.5	1.8	3.1	2.1
Pancreas	7.0	14.1	4.8	5.4	10.3	4.1	5.8	12.2	4.5	5.4	8.9	3.5
Larynx	4.0	7.7	3.4	1.2	2.2	1.8	0.6	1.1	1.2	0.2	0.4	0.7
Lung and bronchus	42.8	90.4	12.4	36.6	67.1	9.9	29.6	63.6	10.5	21.0	38.1	7.5
Melanoma of the skin	13.4	28.3	6.9	12.0	26.7	7.1	1.2	2.7	2.2	0.2	0.5	0.9
Female breast				59.8	120.8	14.4				11.4	19.6	5.3
Cervix uteri				3.6	7.8	3.7				1.6	3.7	2.7
Corpus uterus and NOS				16.4	32.1	7.2				2.6	4.4	2.5
Ovary				5.8	10.7	4.1				3.4	5.8	2.8
Prostate	57.6	116.3	13.7				7.8	18.9	6.0			
Testis	3.0	7.7	3.9				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	20.0	42.6	8.5	6.8	11.8	4.1	3.4	7.8	3.8	1.2	1.8	1.5
Kidney and renal pelvis	10.2	22.3	6.3	5.0	9.6	3.9	1.6	3.5	2.5	1.4	2.4	1.9
Brain and other nervous system	2.6	6.5	3.6	3.0	6.7	3.6	1.6	3.8	2.6	2.0	3.9	2.5
Thyroid	3.2	6.8	3.4	9.8	23.7	6.9	0.2	0.5	0.9	0.0	0.0	0.0
Hodgkin lymphoma	2.0	4.4	2.8	0.2	0.8	1.6	0.2	0.5	0.9	0.2	0.6	1.1
Non-Hodgkin lymphomas	11.0	23.6	6.4	8.6	16.1	4.9	3.0	5.9	3.1	2.0	3.3	2.2
Myeloma	4.4	8.9	3.8	3.0	5.6	3.0	2.0	4.3	2.7	1.6	2.8	2.1
Leukemias	11.4	25.6	6.8	5.4	11.0	4.4	3.6	8.3	3.9	2.6	6.2	3.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Chautauqua

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	544.4	672.1	25.7	426.6	470.5	21.0	158.2	200.8	14.2	148.6	146.0	10.9
Oral cavity and pharynx	15.6	18.9	4.3	7.4	8.1	2.7	2.8	3.3	1.7	1.8	1.7	1.1
Esophagus	8.8	11.1	3.3	2.2	2.0	1.2	7.6	9.4	3.0	1.4	1.3	1.0
Stomach	7.2	8.8	2.9	2.0	1.9	1.2	3.4	4.3	2.1	1.4	1.4	1.0
Colorectal	39.4	49.6	7.1	41.2	41.1	5.9	11.8	15.8	4.1	13.2	11.7	3.0
Colon excluding rectum	27.6	34.7	5.9	31.6	30.8	5.0	10.0	13.0	3.7	12.2	10.8	2.8
Rectum & rectosigmoid	11.8	14.9	3.9	9.6	10.3	3.2	1.8	2.8	1.9	1.0	0.9	0.9
Liver / intrahepatic bile duct	5.8	6.9	2.5	3.2	3.1	1.6	4.8	5.7	2.3	3.4	3.0	1.5
Pancreas	15.0	18.6	4.3	10.0	9.8	2.8	12.2	15.2	3.9	9.6	9.2	2.7
Larynx	6.8	8.3	2.8	2.2	2.5	1.6	1.8	2.1	1.4	0.6	0.6	0.7
Lung and bronchus	63.0	78.4	8.8	58.8	61.0	7.1	46.4	57.8	7.5	41.0	41.3	5.8
Melanoma of the skin	21.2	26.8	5.2	17.0	20.2	4.6	3.2	4.1	2.1	2.0	1.8	1.1
Female breast				110.2	123.0	10.8				21.6	21.8	4.3
Cervix uteri				6.8	9.5	3.4				2.0	2.1	1.3
Corpus uterus and NOS				29.0	31.6	5.3				7.2	7.2	2.4
Ovary				11.6	13.3	3.6				9.0	10.0	3.0
Prostate	216.4	257.1	15.6				14.4	18.9	4.4			
Testis	3.2	4.9	2.4				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	37.6	47.8	6.9	16.8	16.6	3.7	5.2	7.0	2.7	3.2	2.7	1.3
Kidney and renal pelvis	14.8	18.5	4.3	11.2	12.1	3.2	3.4	4.5	2.2	2.2	2.1	1.2
Brain and other nervous system	5.8	8.4	3.2	5.2	6.9	2.8	3.6	5.1	2.5	2.8	2.9	1.5
Thyroid	5.2	7.2	2.9	17.0	24.6	5.5	0.2	0.2	0.4	0.4	0.3	0.4
Hodgkin lymphoma	2.0	3.2	2.1	1.8	3.0	2.1	0.6	0.8	1.0	0.2	0.2	0.5
Non-Hodgkin lymphomas	16.6	21.0	4.6	16.0	17.9	4.1	5.6	7.4	2.8	5.2	5.2	2.1
Myeloma	4.2	5.2	2.3	7.2	7.3	2.4	3.6	4.6	2.1	3.0	2.7	1.4
Leukemias	16.2	20.9	4.6	12.4	13.3	3.5	6.2	8.0	2.8	4.6	4.3	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Chemung

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	303.6	600.6	30.7	280.8	481.3	26.3	108.0	215.2	18.4	104.0	159.2	14.2
Oral cavity and pharynx	10.0	18.9	5.3	3.2	4.8	2.4	2.0	4.1	2.6	0.4	0.5	0.7
Esophagus	6.0	11.4	4.2	1.6	2.5	1.8	4.8	8.8	3.6	1.0	1.6	1.4
Stomach	3.8	7.4	3.4	2.4	4.0	2.3	2.2	4.9	2.9	1.4	2.3	1.7
Colorectal	24.8	49.7	8.9	20.2	33.3	6.8	8.4	17.2	5.3	8.2	11.8	3.7
Colon excluding rectum	18.0	36.5	7.6	14.8	24.8	6.0	6.4	13.0	4.5	6.8	9.7	3.4
Rectum & rectosigmoid	6.8	13.2	4.5	5.4	8.5	3.3	2.0	4.2	2.7	1.4	2.0	1.6
Liver / intrahepatic bile duct	4.0	7.8	3.5	0.6	0.8	1.0	3.2	6.0	3.0	1.2	1.8	1.4
Pancreas	10.0	19.7	5.5	8.4	13.1	4.1	6.0	12.1	4.4	7.2	10.9	3.7
Larynx	3.8	6.8	3.1	0.8	1.4	1.4	0.8	1.6	1.6	0.6	1.0	1.2
Lung and bronchus	45.6	89.8	11.8	42.0	69.1	9.6	35.0	69.2	10.4	29.8	46.5	7.7
Melanoma of the skin	15.4	30.6	7.0	10.2	18.2	5.3	2.2	4.5	2.7	1.8	3.5	2.5
Female breast				71.8	123.2	13.3				12.6	19.5	5.0
Cervix uteri				3.6	9.0	4.3				1.2	2.5	2.0
Corpus uterus and NOS				19.2	32.8	6.8				4.4	6.2	2.6
Ovary				9.8	17.0	5.0				7.2	11.7	3.9
Prostate	68.8	130.9	14.1				8.2	16.8	5.2			
Testis	3.2	7.6	3.8				0.4	0.8	1.1			
Urinary bladder (incl. in situ)	26.8	52.5	9.0	7.4	11.8	3.9	4.2	8.3	3.6	3.2	4.6	2.3
Kidney and renal pelvis	10.4	19.8	5.5	8.8	14.9	4.6	3.4	6.6	3.2	2.4	3.0	1.8
Brain and other nervous system	6.2	12.7	4.6	3.2	5.9	3.0	4.0	7.5	3.4	3.0	5.2	2.8
Thyroid	2.2	5.2	3.1	9.4	22.1	6.6	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.6	3.8	2.7	1.4	2.9	2.2	0.0	0.0	0.0	0.2	0.3	0.6
Non-Hodgkin lymphomas	11.0	22.9	6.2	10.0	16.4	4.7	4.8	9.7	3.9	3.8	5.3	2.5
Myeloma	4.8	9.7	3.9	3.6	5.9	2.8	1.8	3.3	2.2	1.0	1.4	1.3
Leukemias	9.6	20.0	5.7	8.2	14.4	4.6	3.6	7.7	3.6	3.2	4.6	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Chenango

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	178.0	552.0	37.4	173.2	515.4	35.8	63.8	204.8	23.0	56.0	158.1	19.1
Oral cavity and pharynx	4.6	13.6	5.8	0.8	2.3	2.2	1.4	3.8	3.0	0.4	1.1	1.5
Esophagus	3.6	11.4	5.4	0.4	1.0	1.4	4.0	12.9	5.8	0.4	1.2	1.7
Stomach	3.0	10.0	5.2	0.0	0.0	0.0	1.2	3.7	3.1	0.0	0.0	0.0
Colorectal	16.2	52.4	11.7	19.2	54.9	11.4	3.8	12.5	5.7	6.0	16.0	5.8
Colon excluding rectum	11.6	37.2	9.8	14.2	40.3	9.7	3.6	11.7	5.5	5.2	13.8	5.4
Rectum & rectosigmoid	4.6	15.2	6.3	5.0	14.5	5.9	0.2	0.7	1.4	0.8	2.2	2.2
Liver / intrahepatic bile duct	1.4	4.0	3.0	0.6	1.7	1.9	1.6	4.7	3.3	1.4	4.2	3.3
Pancreas	4.8	14.2	5.8	4.6	12.7	5.2	3.8	11.5	5.3	3.6	9.8	4.6
Larynx	2.8	6.8	3.6	0.6	1.5	1.7	0.0	0.0	0.0	0.2	0.6	1.2
Lung and bronchus	25.4	77.4	13.8	24.0	68.1	12.4	19.2	60.3	12.3	15.8	44.7	10.1
Melanoma of the skin	10.6	33.0	9.3	8.0	26.0	8.5	0.8	2.6	2.6	1.0	3.4	3.2
Female breast				42.6	127.3	17.8				6.8	20.0	7.0
Cervix uteri				2.6	11.7	6.5				0.6	2.0	2.4
Corpus uterus and NOS				12.4	35.0	9.0				2.0	5.1	3.2
Ovary				5.0	15.0	6.2				3.2	8.1	4.0
Prostate	39.0	111.0	15.9				6.6	21.6	7.5			
Testis	2.0	9.5	6.0				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	16.2	49.8	11.1	3.0	8.2	4.2	3.2	10.5	5.2	0.8	2.4	2.4
Kidney and renal pelvis	7.0	22.1	7.6	4.6	13.8	5.9	1.8	5.5	3.6	1.2	3.1	2.5
Brain and other nervous system	3.0	11.2	5.9	2.4	8.1	4.7	1.2	4.4	3.8	1.2	4.4	3.7
Thyroid	1.6	6.5	4.7	7.8	30.5	10.1	0.0	0.0	0.0	0.4	1.0	1.4
Hodgkin lymphoma	1.4	4.1	3.2	0.8	2.8	2.8	0.2	0.6	1.2	0.0	0.0	0.0
Non-Hodgkin lymphomas	9.6	32.5	9.6	4.4	12.1	5.1	1.8	5.9	3.9	0.8	2.2	2.2
Myeloma	3.2	10.1	5.1	1.6	4.3	3.0	0.8	2.6	2.6	1.0	2.9	2.5
Leukemias	8.8	27.4	8.3	6.6	19.1	6.8	3.0	10.0	5.1	1.6	4.6	3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Clinton

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	255.6	591.7	33.4	236.6	480.6	28.0	89.2	223.0	21.4	78.0	152.3	15.3
Oral cavity and pharynx	6.4	13.6	4.9	3.8	7.7	3.5	1.2	2.9	2.4	1.4	3.0	2.3
Esophagus	5.8	14.7	5.5	1.0	2.0	1.7	4.4	11.0	4.8	1.6	3.2	2.2
Stomach	4.2	10.1	4.5	3.4	6.5	3.1	2.0	5.6	3.6	0.4	0.9	1.2
Colorectal	18.4	42.6	8.9	17.6	34.5	7.3	7.6	18.9	6.2	7.4	14.6	4.7
Colon excluding rectum	13.4	31.9	7.8	14.2	27.6	6.5	5.4	12.9	5.0	6.8	13.4	4.5
Rectum & rectosigmoid	5.0	10.7	4.3	3.4	6.9	3.3	2.2	6.0	3.7	0.6	1.2	1.4
Liver / intrahepatic bile duct	6.0	12.8	4.7	1.8	3.3	2.2	3.2	7.3	3.7	1.8	3.5	2.3
Pancreas	7.4	16.1	5.3	6.4	11.5	4.0	5.6	12.7	4.8	4.6	8.4	3.4
Larynx	4.2	9.8	4.3	2.4	5.0	2.9	0.2	0.5	1.1	0.2	0.5	0.9
Lung and bronchus	43.6	103.5	14.1	46.0	91.5	11.9	27.4	67.4	11.6	22.8	45.2	8.4
Melanoma of the skin	9.4	22.0	6.5	8.0	17.1	5.5	1.6	4.2	3.0	0.6	1.3	1.4
Female breast				53.8	110.4	13.4				8.8	17.4	5.2
Cervix uteri				4.2	10.2	4.5				1.6	3.2	2.2
Corpus uterus and NOS				13.2	27.5	6.9				1.8	3.5	2.3
Ovary				5.8	11.6	4.4				4.2	8.0	3.4
Prostate	56.2	121.7	14.7				6.6	19.5	6.8			
Testis	3.6	9.1	4.3				0.2	0.3	0.6			
Urinary bladder (incl. in situ)	21.8	51.8	10.1	8.0	16.0	5.0	3.8	9.8	4.6	1.6	3.0	2.1
Kidney and renal pelvis	16.2	36.0	8.1	8.8	18.9	5.8	1.4	3.1	2.3	1.0	2.0	1.8
Brain and other nervous system	1.8	4.1	2.7	3.0	5.8	3.0	2.8	6.4	3.4	1.4	2.7	2.0
Thyroid	3.2	7.0	3.5	7.8	20.1	6.6	0.2	0.7	1.4	0.2	0.4	0.9
Hodgkin lymphoma	1.0	2.3	2.0	1.0	1.8	1.5	0.0	0.0	0.0	0.2	0.4	0.8
Non-Hodgkin lymphomas	13.0	31.1	7.8	10.0	19.9	5.6	4.4	11.1	4.8	2.6	5.2	2.8
Myeloma	4.8	11.2	4.7	3.4	6.9	3.3	2.0	4.4	2.8	2.0	4.2	2.6
Leukemias	9.2	22.9	6.8	5.0	9.6	3.8	3.6	9.2	4.4	1.8	3.3	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Columbia

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	223.4	512.7	31.2	205.8	451.8	29.1	85.4	201.5	19.6	71.0	142.8	15.2
Oral cavity and pharynx	6.2	13.8	5.1	2.6	5.2	2.9	1.2	2.9	2.6	0.4	0.9	1.2
Esophagus	4.2	8.6	3.7	0.2	0.4	0.7	2.8	6.5	3.4	0.4	1.1	1.5
Stomach	3.4	8.4	4.0	0.6	1.6	1.9	2.6	6.3	3.5	0.6	1.6	1.9
Colorectal	21.6	50.4	9.9	21.0	43.9	8.7	8.8	20.7	6.2	8.0	16.4	5.2
Colon excluding rectum	13.8	34.0	8.4	15.2	31.5	7.3	6.8	16.3	5.6	6.2	12.4	4.5
Rectum & rectosigmoid	7.8	16.4	5.3	5.8	12.3	4.8	2.0	4.4	2.8	1.8	4.0	2.6
Liver / intrahepatic bile duct	3.6	7.3	3.4	1.4	2.6	2.0	3.6	7.1	3.3	1.6	3.1	2.2
Pancreas	5.6	13.0	4.9	5.2	10.3	4.0	5.0	11.5	4.6	3.6	6.9	3.2
Larynx	3.6	7.7	3.6	0.2	0.5	0.9	0.4	0.9	1.3	0.2	0.3	0.6
Lung and bronchus	38.0	87.5	12.8	35.6	72.7	10.8	28.4	65.1	10.9	23.4	47.7	8.8
Melanoma of the skin	9.8	23.4	6.9	6.0	16.7	6.5	2.8	7.5	4.1	0.4	0.7	1.0
Female breast				49.0	107.6	14.1				6.8	13.8	4.8
Cervix uteri				3.2	10.1	5.2				0.6	1.8	2.1
Corpus uterus and NOS				15.4	31.5	7.4				2.0	3.4	2.2
Ovary				4.4	11.8	5.2				2.2	4.1	2.5
Prostate	49.4	103.0	13.1				8.0	19.9	6.2			
Testis	1.8	7.0	4.7				0.2	1.0	1.9			
Urinary bladder (incl. in situ)	17.6	40.5	8.6	8.6	16.5	5.0	2.4	6.3	3.8	1.6	3.0	2.1
Kidney and renal pelvis	7.2	16.5	5.6	6.6	14.4	5.2	2.0	4.5	2.9	1.6	3.0	2.1
Brain and other nervous system	3.2	8.9	4.6	3.0	7.5	4.2	1.2	2.6	2.2	2.6	5.4	3.0
Thyroid	2.0	5.1	3.3	7.8	21.3	7.2	0.0	0.0	0.0	0.2	0.3	0.6
Hodgkin lymphoma	1.6	6.3	4.5	0.6	2.4	2.8	0.2	0.5	1.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.8	21.1	6.5	8.0	17.8	5.9	2.8	7.0	3.7	3.0	6.0	3.1
Myeloma	3.6	7.7	3.6	2.6	4.9	2.7	1.4	3.4	2.6	1.6	2.9	2.0
Leukemias	9.2	21.6	6.5	7.2	16.2	5.6	3.6	8.2	3.9	1.8	3.5	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Cortland

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	142.4	564.1	42.4	141.8	488.2	37.1	50.4	212.0	26.7	48.4	158.8	20.5
Oral cavity and pharynx	4.6	17.2	7.1	1.6	6.3	4.6	0.4	1.4	2.0	0.2	0.6	1.2
Esophagus	2.8	11.7	6.3	0.8	2.4	2.4	4.4	17.6	7.5	0.4	1.1	1.5
Stomach	2.6	9.9	5.5	1.0	2.9	2.6	0.8	3.6	3.6	0.4	1.1	1.5
Colorectal	12.0	50.3	13.0	14.0	45.0	10.8	4.2	17.4	7.6	4.0	12.9	5.8
Colon excluding rectum	9.8	41.6	11.9	12.0	39.0	10.1	3.0	12.9	6.7	3.4	11.1	5.4
Rectum & rectosigmoid	2.2	8.7	5.2	2.0	6.1	3.8	1.2	4.6	3.7	0.6	1.8	2.1
Liver / intrahepatic bile duct	3.2	12.0	6.0	0.8	3.3	3.3	1.6	5.8	4.2	1.2	4.2	3.4
Pancreas	3.0	12.8	6.5	5.0	15.7	6.3	2.4	9.4	5.5	4.8	15.1	6.1
Larynx	2.4	9.1	5.3	0.6	1.9	2.2	0.6	2.4	2.7	0.2	0.5	0.9
Lung and bronchus	23.4	94.6	17.5	19.8	67.8	13.6	16.2	67.9	15.1	15.6	50.6	11.5
Melanoma of the skin	4.4	18.0	7.7	3.0	12.2	6.4	0.8	3.8	3.8	0.2	0.5	1.1
Female breast				39.2	138.3	20.0				5.4	19.3	7.4
Cervix uteri				1.0	4.0	3.6				0.2	0.5	1.1
Corpus uterus and NOS				10.2	34.6	9.7				1.6	5.7	4.0
Ovary				3.4	11.1	5.4				2.2	6.9	4.2
Prostate	34.8	126.0	19.1				3.8	17.8	8.1			
Testis	1.6	6.6	4.7				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	14.0	58.9	14.1	4.4	14.0	5.9	2.2	10.2	6.1	1.2	3.3	2.7
Kidney and renal pelvis	4.8	18.3	7.6	2.6	9.6	5.5	0.4	1.7	2.4	0.8	2.8	2.8
Brain and other nervous system	2.0	8.2	5.2	1.4	5.0	3.8	1.8	7.7	5.1	0.8	2.9	2.9
Thyroid	1.0	3.6	3.2	6.4	24.5	8.9	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.2	5.2	4.4	0.8	2.9	3.0	0.4	1.6	2.2	0.0	0.0	0.0
Non-Hodgkin lymphomas	5.6	24.2	9.1	5.0	17.6	7.1	2.2	9.5	5.7	1.4	5.0	3.7
Myeloma	2.4	9.4	5.4	1.8	6.4	4.4	1.2	4.7	3.8	0.8	2.7	2.6
Leukemias	4.0	16.8	7.5	3.8	13.3	6.2	1.6	7.1	5.0	1.2	3.7	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Delaware

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	173.2	504.3	35.0	152.8	436.5	32.9	62.6	184.7	21.1	51.6	135.0	17.1
Oral cavity and pharynx	5.8	17.0	6.6	2.4	7.9	5.0	0.8	2.0	2.0	0.8	2.1	2.1
Esophagus	4.8	13.2	5.4	0.8	2.0	2.0	3.6	10.4	4.9	1.0	2.3	2.0
Stomach	2.4	6.2	3.6	1.4	4.4	3.5	1.4	4.2	3.2	0.2	0.6	1.2
Colorectal	16.8	48.1	10.6	15.4	41.8	9.9	5.2	14.5	5.7	4.4	10.2	4.3
Colon excluding rectum	11.6	33.8	9.0	12.0	30.3	7.9	4.0	11.3	5.0	4.2	9.6	4.2
Rectum & rectosigmoid	5.2	14.3	5.6	3.4	11.5	6.0	1.2	3.2	2.6	0.2	0.6	1.2
Liver / intrahepatic bile duct	3.2	8.7	4.4	0.8	1.9	1.9	2.0	5.2	3.3	0.6	1.5	1.7
Pancreas	4.8	13.4	5.5	4.4	11.7	4.9	3.6	10.6	4.9	4.0	10.5	4.7
Larynx	2.6	6.8	3.9	0.4	1.0	1.5	0.8	2.0	2.0	0.4	1.0	1.5
Lung and bronchus	28.8	79.2	13.2	22.4	61.2	11.7	18.4	53.7	11.3	14.0	37.6	9.0
Melanoma of the skin	8.8	27.4	8.5	5.4	15.2	5.9	1.6	5.1	3.6	0.6	1.3	1.5
Female breast				37.4	105.4	16.0				7.2	18.5	6.2
Cervix uteri				0.8	2.4	2.4				0.4	0.8	1.1
Corpus uterus and NOS				12.0	36.8	10.1				0.8	2.1	2.1
Ovary				6.0	18.0	6.8				3.8	10.0	4.7
Prostate	32.4	89.1	14.1				5.2	16.4	6.4			
Testis	0.8	4.9	4.8				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	16.8	50.0	10.9	3.8	10.1	4.8	4.2	12.3	5.3	0.8	1.9	1.9
Kidney and renal pelvis	8.4	24.2	7.6	3.6	9.2	4.3	1.8	4.7	3.1	0.4	0.9	1.3
Brain and other nervous system	2.8	10.6	6.0	2.4	8.3	5.1	1.6	5.8	4.4	1.0	2.8	2.6
Thyroid	2.4	9.3	5.7	6.2	25.0	9.5	0.0	0.0	0.0	0.6	1.3	1.5
Hodgkin lymphoma	0.6	2.1	2.4	0.6	2.4	3.0	0.0	0.0	0.0	0.8	2.7	2.9
Non-Hodgkin lymphomas	6.2	18.1	6.6	6.8	17.4	6.0	2.4	7.4	4.3	2.4	6.4	3.9
Myeloma	2.2	6.5	3.9	1.6	3.9	2.7	1.0	3.2	2.9	0.8	2.1	2.1
Leukemias	6.0	17.8	6.8	3.8	11.3	5.5	2.4	6.4	3.7	1.2	3.4	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Dutchess

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	876.4	544.2	16.5	853.4	466.0	14.3	298.8	198.2	10.3	262.0	136.9	7.6
Oral cavity and pharynx	25.2	14.9	2.7	9.8	5.3	1.5	4.8	3.1	1.3	1.4	0.8	0.6
Esophagus	14.4	8.7	2.1	2.8	1.4	0.8	13.2	8.6	2.1	3.6	1.9	0.9
Stomach	13.6	8.8	2.1	9.8	5.3	1.5	5.8	3.8	1.4	3.4	1.8	0.9
Colorectal	69.0	44.0	4.8	71.8	38.8	4.1	26.2	17.2	3.0	25.4	12.9	2.3
Colon excluding rectum	45.4	29.6	3.9	55.2	30.0	3.6	21.6	14.3	2.8	21.0	10.8	2.1
Rectum & rectosigmoid	23.6	14.4	2.7	16.6	8.8	1.9	4.6	2.8	1.2	4.4	2.1	0.9
Liver / intrahepatic bile duct	23.8	13.6	2.5	6.2	3.3	1.2	15.2	9.2	2.1	5.4	2.9	1.1
Pancreas	25.4	15.9	2.8	23.6	12.2	2.2	22.0	14.1	2.7	21.6	11.1	2.1
Larynx	7.4	4.3	1.4	0.6	0.3	0.4	2.6	1.7	0.9	0.0	0.0	0.0
Lung and bronchus	113.4	71.9	6.0	112.2	59.6	5.0	79.6	51.6	5.2	70.8	37.4	4.0
Melanoma of the skin	40.0	25.5	3.6	27.0	15.0	2.6	4.8	3.2	1.3	2.8	1.5	0.8
Female breast				251.6	135.9	7.7				39.8	20.6	2.9
Cervix uteri				11.2	7.2	2.0				3.8	2.2	1.0
Corpus uterus and NOS				59.8	31.8	3.7				7.4	3.6	1.2
Ovary				22.6	12.6	2.4				11.0	5.7	1.5
Prostate	227.4	132.7	7.9				31.4	22.9	3.6			
Testis	9.0	6.4	1.9				0.2	0.2	0.3			
Urinary bladder (incl. in situ)	74.0	48.7	5.1	22.6	12.2	2.3	14.4	10.2	2.4	3.0	1.6	0.8
Kidney and renal pelvis	38.6	22.7	3.3	21.0	11.7	2.3	5.8	3.7	1.4	2.8	1.4	0.7
Brain and other nervous system	12.0	7.4	1.9	10.0	5.9	1.7	7.4	4.5	1.5	4.6	2.5	1.1
Thyroid	15.0	9.5	2.2	44.8	27.7	3.7	0.8	0.5	0.5	1.4	0.7	0.5
Hodgkin lymphoma	5.6	3.7	1.4	3.6	2.5	1.2	0.4	0.2	0.3	0.6	0.2	0.3
Non-Hodgkin lymphomas	34.0	21.9	3.4	32.6	17.7	2.8	9.8	6.7	1.9	8.2	4.4	1.4
Myeloma	15.6	9.5	2.2	10.4	5.3	1.5	6.8	4.5	1.5	5.4	2.8	1.1
Leukemias	31.8	20.4	3.3	24.4	13.6	2.5	14.6	9.8	2.3	9.4	5.0	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Erie

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3188.2	632.3	10.0	3107.4	499.8	8.2	1072.6	216.6	5.9	1105.4	160.4	4.4
Oral cavity and pharynx	94.6	18.1	1.7	43.0	6.7	0.9	25.0	4.9	0.9	10.2	1.4	0.4
Esophagus	59.4	11.4	1.3	17.0	2.5	0.5	49.8	9.7	1.2	14.2	2.1	0.5
Stomach	54.2	10.7	1.3	37.8	5.6	0.8	24.6	4.9	0.9	16.8	2.3	0.5
Colorectal	237.8	47.6	2.8	244.2	37.1	2.2	83.8	16.9	1.6	88.6	12.0	1.2
Colon excluding rectum	155.4	31.2	2.2	178.6	26.6	1.8	64.2	13.0	1.4	74.6	10.1	1.1
Rectum & rectosigmoid	82.4	16.3	1.6	65.6	10.5	1.2	19.6	3.9	0.8	14.0	1.9	0.5
Liver / intrahepatic bile duct	53.0	10.0	1.2	19.4	2.9	0.6	43.4	8.3	1.1	20.4	3.0	0.6
Pancreas	83.8	16.9	1.6	84.8	12.1	1.2	69.8	14.0	1.5	75.0	10.6	1.1
Larynx	35.6	6.9	1.0	9.8	1.6	0.5	14.4	2.9	0.7	3.2	0.5	0.2
Lung and bronchus	439.6	87.8	3.7	446.8	68.5	2.9	315.8	63.3	3.2	301.2	44.8	2.3
Melanoma of the skin	159.4	32.2	2.3	124.2	22.1	1.8	23.2	4.8	0.9	10.4	1.6	0.4
Female breast				877.2	144.6	4.4				173.4	25.6	1.8
Cervix uteri				35.8	7.1	1.1				10.4	1.9	0.5
Corpus uterus and NOS				192.6	30.8	2.0				31.8	4.7	0.7
Ovary				79.4	12.8	1.3				50.4	7.7	1.0
Prostate	905.2	172.3	5.1				92.8	19.3	1.8			
Testis	26.8	6.3	1.1				1.0	0.3	0.2			
Urinary bladder (incl. in situ)	255.8	52.1	2.9	100.0	14.6	1.3	43.6	9.1	1.2	19.4	2.6	0.5
Kidney and renal pelvis	120.0	24.1	2.0	74.6	12.0	1.3	27.6	5.6	1.0	15.0	2.1	0.5
Brain and other nervous system	43.2	8.9	1.2	37.0	6.9	1.0	27.6	5.5	0.9	25.8	4.2	0.8
Thyroid	42.2	8.9	1.2	128.2	25.9	2.1	2.0	0.4	0.2	4.2	0.6	0.3
Hodgkin lymphoma	18.8	4.1	0.8	16.4	3.3	0.7	2.4	0.5	0.3	2.6	0.4	0.3
Non-Hodgkin lymphomas	131.2	26.7	2.1	118.0	18.4	1.5	37.4	7.8	1.1	40.0	5.6	0.8
Myeloma	47.6	9.5	1.2	42.0	6.3	0.9	20.2	4.1	0.8	21.6	3.0	0.6
Leukemias	106.4	22.1	1.9	78.4	12.4	1.3	45.4	9.5	1.3	37.2	5.1	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Essex

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	134.8	506.1	39.2	120.6	426.0	36.0	47.6	175.9	22.8	48.6	155.5	20.3
Oral cavity and pharynx	3.8	14.7	6.8	2.6	9.1	5.1	1.4	5.1	3.8	1.2	3.7	3.1
Esophagus	3.6	12.1	5.7	0.4	1.4	1.9	3.6	12.4	5.9	0.2	0.6	1.1
Stomach	1.2	4.6	3.7	0.6	2.1	2.4	0.4	1.5	2.1	0.2	0.8	1.5
Colorectal	13.6	51.2	12.4	11.4	37.9	10.5	4.8	17.9	7.3	4.4	13.4	5.9
Colon excluding rectum	9.2	34.5	10.2	9.6	31.4	9.6	4.4	16.6	7.0	3.4	10.4	5.3
Rectum & rectosigmoid	4.4	16.8	7.2	1.8	6.5	4.3	0.4	1.3	1.8	1.0	3.0	2.7
Liver / intrahepatic bile duct	3.2	11.3	5.7	0.8	2.3	2.3	2.8	9.5	5.1	0.6	1.9	2.1
Pancreas	3.8	14.4	6.6	3.4	10.8	5.2	3.6	13.1	6.2	3.0	9.5	4.9
Larynx	1.0	3.4	3.0	0.2	1.0	1.9	0.8	2.5	2.5	0.0	0.0	0.0
Lung and bronchus	20.4	74.9	14.8	19.2	64.2	13.3	13.2	47.2	11.6	14.4	45.5	10.9
Melanoma of the skin	6.0	22.7	8.4	6.6	25.4	9.4	1.0	4.1	3.6	0.8	2.3	2.4
Female breast				30.8	110.6	18.4				6.0	19.7	7.2
Cervix uteri				1.6	5.3	3.8				1.0	3.0	2.6
Corpus uterus and NOS				5.8	18.3	6.7				2.4	7.3	4.1
Ovary				3.0	10.1	5.1				2.0	6.6	4.2
Prostate	30.4	104.9	16.9				2.8	11.1	5.9			
Testis	2.4	12.7	7.3				0.2	1.0	1.9			
Urinary bladder (incl. in situ)	10.2	38.4	10.6	3.2	9.7	4.8	1.6	6.3	4.4	0.6	1.8	2.0
Kidney and renal pelvis	3.8	15.0	6.9	2.8	10.0	5.3	0.4	1.3	1.9	0.4	1.3	1.8
Brain and other nervous system	2.6	11.4	6.3	1.6	6.9	5.3	1.4	5.9	4.5	1.2	4.7	4.0
Thyroid	1.2	5.0	4.0	5.0	28.2	11.7	0.0	0.0	0.0	0.4	1.4	1.9
Hodgkin lymphoma	0.4	1.7	2.4	0.4	2.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.8	34.5	10.6	2.6	9.6	5.5	2.2	8.0	4.8	1.6	5.3	3.7
Myeloma	2.0	7.5	4.8	3.0	9.9	5.1	1.4	5.3	4.0	1.4	4.4	3.3
Leukemias	5.8	23.4	8.8	3.2	12.0	6.4	1.4	5.5	4.2	1.2	3.4	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Franklin

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	153.6	546.0	39.8	124.4	415.8	33.4	55.8	213.0	25.8	48.4	155.2	19.9
Oral cavity and pharynx	5.4	17.2	6.7	3.2	10.2	5.0	1.0	2.9	2.5	0.6	1.8	2.0
Esophagus	2.8	9.7	5.2	0.6	2.4	2.7	1.8	5.9	4.0	0.6	2.1	2.3
Stomach	2.0	7.7	4.9	0.6	2.1	2.4	0.2	0.8	1.6	0.4	1.4	1.9
Colorectal	16.2	59.9	13.5	10.0	32.8	9.3	5.8	23.0	8.6	4.2	14.3	6.3
Colon excluding rectum	11.2	42.2	11.4	6.4	21.0	7.5	5.4	21.4	8.3	3.2	10.6	5.4
Rectum & rectosigmoid	5.0	17.7	7.2	3.6	11.8	5.5	0.4	1.6	2.3	1.0	3.8	3.4
Liver / intrahepatic bile duct	3.4	11.0	5.4	0.8	2.5	2.4	2.2	7.3	4.5	0.6	1.7	2.0
Pancreas	3.8	13.8	6.4	2.4	7.7	4.4	2.8	10.3	5.6	2.8	8.7	4.6
Larynx	2.6	8.3	4.7	1.0	3.2	2.8	1.6	6.0	4.3	0.2	0.5	1.1
Lung and bronchus	24.4	88.1	16.1	21.6	69.8	13.3	18.4	68.2	14.4	14.4	45.7	10.6
Melanoma of the skin	9.0	30.4	9.1	3.4	12.3	6.0	0.6	2.4	2.8	0.8	2.5	2.5
Female breast				34.2	114.6	17.6				5.8	19.1	7.1
Cervix uteri				1.4	4.8	3.6				0.2	0.5	1.1
Corpus uterus and NOS				7.0	24.4	8.3				1.0	3.2	2.9
Ovary				2.2	7.2	4.3				2.0	5.8	3.6
Prostate	39.0	134.3	19.4				4.6	21.3	8.8			
Testis	1.8	5.3	3.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	11.4	43.9	11.7	4.0	12.9	5.7	3.2	13.3	6.6	1.0	3.1	2.8
Kidney and renal pelvis	5.2	18.1	7.2	5.8	19.8	7.4	1.0	2.9	2.6	1.0	3.0	2.7
Brain and other nervous system	1.8	6.7	4.5	2.4	8.4	4.9	1.2	4.6	3.8	1.8	5.6	3.7
Thyroid	1.4	5.1	3.9	2.8	11.1	6.1	0.8	2.9	2.9	0.0	0.0	0.0
Hodgkin lymphoma	0.6	2.7	3.1	0.2	1.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	6.6	23.3	8.2	5.0	15.8	6.2	1.2	5.7	4.6	1.6	5.0	3.5
Myeloma	1.6	5.4	3.9	2.2	6.9	4.1	1.4	4.7	3.6	1.6	4.9	3.4
Leukemias	4.4	15.2	6.5	4.6	16.6	6.9	3.2	12.3	6.2	2.6	9.2	5.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Fulton

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	184.2	560.3	37.0	185.0	497.0	33.3	66.4	208.8	22.9	67.2	165.7	18.4
Oral cavity and pharynx	7.0	20.0	6.8	2.6	6.8	3.9	1.4	4.5	3.4	0.8	1.6	1.6
Esophagus	3.6	10.0	4.7	1.6	3.9	2.8	3.6	11.0	5.3	1.4	3.5	2.7
Stomach	3.8	12.5	5.7	0.8	1.8	1.9	0.2	0.7	1.4	0.4	0.9	1.3
Colorectal	14.0	42.6	10.2	17.6	45.9	9.9	7.4	24.5	8.0	7.2	16.9	5.8
Colon excluding rectum	9.4	29.0	8.5	13.6	35.0	8.5	6.8	22.8	7.8	5.8	13.1	4.9
Rectum & rectosigmoid	4.6	13.6	5.6	4.0	10.9	5.0	0.6	1.7	1.9	1.4	3.8	3.0
Liver / intrahepatic bile duct	4.0	11.0	4.9	0.2	0.5	0.9	2.0	5.6	3.5	2.0	4.4	2.8
Pancreas	6.4	19.2	6.8	5.8	14.2	5.3	5.6	16.8	6.3	5.6	13.9	5.3
Larynx	2.8	8.0	4.3	0.4	1.0	1.5	0.6	1.6	1.8	0.0	0.0	0.0
Lung and bronchus	28.4	87.1	14.6	30.0	75.1	12.3	18.2	55.2	11.6	17.0	43.5	9.4
Melanoma of the skin	5.8	18.6	6.9	4.2	11.9	5.4	0.8	2.6	2.5	0.4	0.7	1.0
Female breast				47.0	129.6	17.2				7.4	18.6	6.2
Cervix uteri				2.2	7.1	4.4				0.4	1.9	2.6
Corpus uterus and NOS				11.6	31.4	8.4				1.8	4.6	3.0
Ovary				5.8	15.3	5.8				4.4	10.8	4.6
Prostate	41.4	118.6	16.5				6.2	21.0	7.4			
Testis	1.4	5.4	4.0				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	17.6	56.0	11.9	5.8	14.4	5.4	2.8	9.3	4.9	0.6	1.3	1.5
Kidney and renal pelvis	6.4	18.0	6.4	5.6	15.4	6.0	1.8	5.4	3.6	1.2	2.6	2.1
Brain and other nervous system	2.4	7.3	4.2	1.8	5.4	3.8	1.2	3.8	3.1	2.0	5.4	3.5
Thyroid	2.8	9.5	5.2	6.8	24.7	8.6	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.8	6.4	4.3	0.4	1.3	1.8	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	6.6	21.6	7.5	4.8	12.7	5.3	2.2	7.2	4.3	2.6	6.4	3.8
Myeloma	3.6	10.6	5.0	2.2	4.9	3.0	0.8	2.3	2.3	1.0	2.0	1.8
Leukemias	6.2	19.4	7.0	6.8	18.7	6.7	3.6	11.5	5.5	1.6	4.2	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Genesee

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	205.0	587.0	36.6	197.0	492.2	31.9	76.0	225.4	23.0	65.6	151.7	17.0
Oral cavity and pharynx	8.2	21.9	6.8	3.2	7.6	3.8	1.2	3.1	2.5	0.4	0.7	1.0
Esophagus	2.0	5.3	3.3	0.6	1.5	1.7	2.2	6.3	3.8	0.6	1.5	1.7
Stomach	4.2	12.5	5.5	2.2	5.5	3.4	2.2	6.4	3.8	0.2	0.3	0.6
Colorectal	16.6	48.0	10.6	16.0	38.7	8.7	5.8	17.5	6.5	6.8	15.2	5.4
Colon excluding rectum	8.8	26.1	7.9	11.8	27.5	7.2	4.4	13.3	5.6	5.6	12.4	4.8
Rectum & rectosigmoid	7.8	21.9	7.0	4.2	11.2	5.0	1.4	4.2	3.2	1.2	2.9	2.3
Liver / intrahepatic bile duct	2.4	6.5	3.8	2.6	6.6	3.7	2.8	8.6	4.5	2.0	4.5	2.8
Pancreas	5.8	16.2	6.0	6.0	13.0	4.8	5.0	14.8	5.9	5.0	10.9	4.4
Larynx	3.2	8.4	4.2	1.4	3.6	2.7	1.2	3.4	2.8	0.2	0.5	0.9
Lung and bronchus	33.6	96.2	14.8	27.8	67.4	11.5	26.6	77.6	13.4	18.2	43.5	9.1
Melanoma of the skin	12.8	37.1	9.3	6.6	18.3	6.5	1.6	4.6	3.2	0.6	1.5	1.7
Female breast				53.6	134.0	16.5				8.2	18.7	5.9
Cervix uteri				2.2	7.7	4.8				0.4	1.7	2.5
Corpus uterus and NOS				14.6	36.2	8.5				2.6	6.4	3.7
Ovary				7.2	18.1	6.1				3.2	7.5	3.7
Prostate	48.6	134.0	17.1				4.6	14.8	6.1			
Testis	1.4	4.8	3.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	17.2	49.3	10.6	5.0	10.9	4.4	2.8	8.6	4.5	1.2	2.2	1.8
Kidney and renal pelvis	7.0	20.1	6.8	4.8	12.0	5.0	2.0	5.8	3.7	0.8	1.9	1.9
Brain and other nervous system	2.8	8.7	4.7	2.0	5.6	3.7	2.4	6.8	3.9	1.0	2.7	2.4
Thyroid	2.4	6.1	3.5	5.0	16.3	6.7	0.2	0.5	1.0	0.2	0.4	0.8
Hodgkin lymphoma	1.4	5.1	3.8	0.6	2.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.4	24.9	7.7	7.4	17.7	6.0	3.4	10.5	5.0	2.2	5.1	3.2
Myeloma	1.4	4.3	3.2	1.8	4.3	2.9	1.2	3.5	2.8	0.4	0.8	1.2
Leukemias	8.2	24.6	7.7	5.8	14.7	5.8	4.0	12.4	5.5	2.4	5.5	3.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Greene

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	175.6	534.8	36.3	164.0	485.5	34.7	72.0	225.1	23.8	55.4	153.5	18.7
Oral cavity and pharynx	6.8	19.6	6.7	1.8	5.4	3.7	1.2	3.0	2.4	0.4	0.9	1.3
Esophagus	2.4	7.3	4.2	1.2	3.2	2.6	1.8	6.0	4.0	1.6	4.0	2.8
Stomach	3.0	10.1	5.2	1.6	4.3	3.2	2.0	6.8	4.3	0.6	1.3	1.5
Colorectal	11.4	35.8	9.5	16.2	46.2	10.5	6.0	17.9	6.5	5.8	15.2	5.7
Colon excluding rectum	7.4	22.9	7.5	10.8	30.4	8.4	4.0	12.3	5.5	4.6	12.2	5.1
Rectum & rectosigmoid	4.0	12.9	5.9	5.4	15.9	6.3	2.0	5.6	3.5	1.2	3.0	2.4
Liver / intrahepatic bile duct	4.4	13.2	5.6	0.2	0.6	1.2	4.2	12.2	5.3	0.8	2.5	2.5
Pancreas	6.8	21.0	7.2	5.2	15.0	5.9	6.4	21.4	7.5	4.4	12.0	5.1
Larynx	2.0	5.9	3.8	0.4	1.7	2.4	0.2	0.4	0.9	0.2	0.4	0.9
Lung and bronchus	28.8	86.9	14.5	22.6	60.8	11.4	23.0	69.8	13.0	15.6	41.9	9.4
Melanoma of the skin	8.0	24.5	7.8	5.6	17.3	6.8	2.0	6.1	3.9	0.4	1.0	1.4
Female breast				43.6	133.1	18.4				9.2	26.8	8.0
Cervix uteri				2.8	10.9	6.2				1.0	4.0	3.7
Corpus uterus and NOS				13.6	37.3	9.1				1.8	4.9	3.2
Ovary				3.8	12.4	5.9				3.4	10.5	5.3
Prostate	37.2	106.8	15.7				5.4	18.9	7.2			
Testis	2.6	10.3	5.8				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	15.8	47.5	10.7	7.2	20.3	6.8	2.8	8.8	4.7	1.0	2.6	2.3
Kidney and renal pelvis	7.4	22.7	7.5	2.6	7.1	3.9	1.6	5.1	3.6	0.4	1.1	1.5
Brain and other nervous system	2.4	8.0	4.8	1.2	4.7	3.9	2.2	7.1	4.3	0.6	1.5	1.7
Thyroid	1.8	6.7	4.6	5.2	19.7	8.0	0.6	1.7	2.0	0.0	0.0	0.0
Hodgkin lymphoma	1.2	4.2	3.6	0.8	3.5	3.7	0.6	1.8	2.1	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.8	26.6	8.0	7.8	24.6	8.1	1.8	5.7	3.8	1.2	3.2	2.6
Myeloma	2.2	7.1	4.3	2.2	5.9	3.5	1.4	4.5	3.4	0.8	2.2	2.2
Leukemias	7.8	23.3	7.6	3.4	9.8	4.8	3.0	9.3	4.9	1.0	3.3	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Hamilton

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	23.6	530.8	101.1	20.8	514.2	111.8	10.2	258.9	75.3	6.6	140.0	48.3
Oral cavity and pharynx	1.0	20.6	18.7	0.2	5.7	11.1	0.0	0.0	0.0	0.0	0.0	0.0
Esophagus	0.6	10.8	12.4	0.0	0.0	0.0	0.6	10.8	12.4	0.0	0.0	0.0
Stomach	1.0	18.8	16.6	0.0	0.0	0.0	0.2	3.4	6.6	0.2	4.4	8.6
Colorectal	1.8	40.0	27.3	1.4	51.6	46.9	1.0	23.4	20.6	0.2	4.0	7.9
Colon excluding rectum	1.4	29.3	22.8	1.4	51.6	46.9	0.8	18.9	18.7	0.0	0.0	0.0
Rectum & rectosigmoid	0.4	10.7	15.1	0.0	0.0	0.0	0.2	4.4	8.7	0.2	4.0	7.9
Liver / intrahepatic bile duct	0.2	5.8	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pancreas	0.2	5.8	11.5	0.4	9.1	12.7	0.6	16.6	19.0	0.0	0.0	0.0
Larynx	0.2	3.2	6.4	0.0	0.0	0.0	0.2	5.8	11.5	0.0	0.0	0.0
Lung and bronchus	3.8	82.2	37.9	3.2	76.9	39.5	2.6	59.3	33.1	2.4	53.1	30.4
Melanoma of the skin	1.4	32.3	25.0	0.8	14.3	14.1	0.4	7.6	10.6	0.2	5.2	10.3
Female breast				6.0	135.0	55.3				0.8	15.3	15.2
Cervix uteri				0.2	5.2	10.3				0.0	0.0	0.0
Corpus uterus and NOS				1.6	43.5	33.9				0.2	4.0	7.9
Ovary				0.6	12.0	13.7				0.0	0.0	0.0
Prostate	4.6	96.4	41.0				1.2	33.0	27.0			
Testis	0.2	4.4	8.7				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	2.2	56.9	34.8	0.8	14.8	14.7	0.6	20.0	22.7	0.0	0.0	0.0
Kidney and renal pelvis	0.4	9.6	14.0	0.6	13.3	15.1	0.0	0.0	0.0	0.2	5.2	10.3
Brain and other nervous system	0.6	14.1	16.2	0.2	3.4	6.6	0.0	0.0	0.0	0.6	12.1	13.8
Thyroid	0.6	11.2	12.7	0.4	6.9	9.6	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	1.2	31.8	26.4	0.8	19.7	19.4	0.4	10.7	15.0	0.4	8.1	11.2
Myeloma	0.8	16.3	16.1	1.4	36.4	28.0	0.2	5.8	11.5	0.2	4.0	7.9
Leukemias	0.8	29.5	33.2	0.4	9.0	12.4	0.8	31.5	34.4	0.2	4.4	8.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Herkimer

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	211.8	532.4	32.9	202.2	453.1	29.2	65.0	165.6	18.3	67.6	141.0	15.6
Oral cavity and pharynx	8.2	21.4	6.7	4.0	8.7	3.9	0.8	1.7	1.7	0.4	1.1	1.5
Esophagus	3.8	9.9	4.6	1.0	2.0	1.8	2.8	7.3	3.9	1.0	2.0	1.8
Stomach	3.8	9.7	4.5	2.4	4.8	2.8	1.0	2.6	2.3	0.8	1.6	1.6
Colorectal	20.2	52.5	10.5	18.6	37.3	7.8	6.4	16.8	6.0	7.8	15.0	4.9
Colon excluding rectum	13.4	34.4	8.4	13.4	26.8	6.6	5.2	13.1	5.1	6.8	12.7	4.4
Rectum & rectosigmoid	6.8	18.1	6.3	5.2	10.5	4.1	1.2	3.7	3.1	1.0	2.4	2.3
Liver / intrahepatic bile duct	4.2	10.2	4.5	0.4	0.8	1.2	2.8	7.5	4.0	1.0	2.5	2.3
Pancreas	5.8	14.5	5.4	5.8	11.6	4.3	4.8	12.2	5.0	4.0	7.9	3.5
Larynx	1.8	4.7	3.2	0.8	1.6	1.6	0.2	0.4	0.8	0.2	0.5	0.9
Lung and bronchus	32.6	79.2	12.4	30.8	66.6	10.8	20.8	52.6	10.2	17.6	37.6	8.0
Melanoma of the skin	8.6	22.3	6.9	5.6	14.9	6.0	1.0	2.5	2.2	0.2	0.4	0.7
Female breast				48.8	115.1	15.1				8.6	17.8	5.5
Cervix uteri				2.0	5.6	3.7				0.8	2.2	2.2
Corpus uterus and NOS				15.2	34.8	8.1				2.6	5.4	3.0
Ovary				6.0	12.7	4.7				3.2	6.4	3.2
Prostate	55.8	129.9	15.5				4.4	10.9	4.6			
Testis	1.8	5.9	3.9				0.2	0.8	1.6			
Urinary bladder (incl. in situ)	18.0	46.7	9.8	5.0	10.6	4.3	3.6	9.2	4.3	0.8	1.8	1.7
Kidney and renal pelvis	8.0	19.7	6.3	9.2	20.9	6.3	2.8	6.9	3.6	1.6	3.2	2.3
Brain and other nervous system	2.4	6.5	3.8	2.8	6.9	3.8	1.8	4.4	2.9	0.8	1.9	1.9
Thyroid	2.8	10.2	5.5	7.4	22.4	7.5	0.2	0.6	1.2	0.6	1.1	1.3
Hodgkin lymphoma	1.6	4.6	3.3	1.8	5.2	3.5	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	6.4	17.3	6.2	7.6	15.7	5.2	1.0	2.4	2.1	3.2	6.2	3.1
Myeloma	3.0	7.3	3.8	2.4	5.1	2.9	0.8	2.0	2.0	1.6	3.4	2.4
Leukemias	6.6	17.3	6.1	4.4	10.3	4.6	2.2	6.2	3.8	2.6	6.8	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Jefferson

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	283.6	555.5	29.7	273.4	460.1	24.8	97.8	204.2	18.6	96.4	158.7	14.4
Oral cavity and pharynx	10.4	18.5	5.1	5.8	9.8	3.6	2.4	4.5	2.6	1.0	1.6	1.5
Esophagus	7.0	13.9	4.7	1.6	2.9	2.1	5.4	10.5	4.1	1.4	2.5	1.9
Stomach	4.6	8.7	3.7	2.8	4.1	2.2	2.2	4.4	2.7	1.4	2.1	1.6
Colorectal	26.2	53.3	9.4	25.6	41.8	7.4	9.6	20.5	6.0	5.8	9.3	3.5
Colon excluding rectum	19.0	39.9	8.2	20.2	32.9	6.5	8.2	17.7	5.5	5.8	9.3	3.5
Rectum & rectosigmoid	7.2	13.4	4.5	5.4	8.8	3.4	1.4	2.9	2.2	0.0	0.0	0.0
Liver / intrahepatic bile duct	3.0	5.5	2.9	2.4	3.6	2.1	2.4	5.0	2.9	2.4	3.7	2.1
Pancreas	7.2	14.9	5.0	8.4	13.3	4.1	5.6	11.7	4.5	8.2	13.4	4.2
Larynx	4.2	8.4	3.7	0.6	1.1	1.3	0.8	1.8	1.8	1.0	1.8	1.6
Lung and bronchus	44.8	89.3	12.0	43.4	72.5	9.8	28.8	58.2	9.7	26.6	44.4	7.7
Melanoma of the skin	12.0	23.8	6.2	8.2	13.8	4.3	1.4	3.2	2.4	1.2	1.6	1.3
Female breast				67.0	115.2	12.5				11.8	20.3	5.3
Cervix uteri				4.0	7.6	3.4				2.4	4.4	2.5
Corpus uterus and NOS				20.0	34.0	6.8				3.0	5.0	2.6
Ovary				6.6	11.7	4.0				5.2	8.7	3.4
Prostate	71.8	135.6	14.4				7.0	16.5	5.6			
Testis	2.8	4.7	2.5				0.2	0.4	0.8			
Urinary bladder (incl. in situ)	22.4	48.3	9.1	10.0	15.4	4.3	4.4	10.1	4.3	2.6	4.0	2.2
Kidney and renal pelvis	11.2	20.1	5.4	7.8	13.2	4.2	2.4	4.3	2.5	2.4	4.0	2.3
Brain and other nervous system	4.2	7.3	3.2	4.2	7.0	3.1	3.2	6.0	3.0	2.6	4.1	2.3
Thyroid	2.0	3.3	2.1	9.4	17.2	5.0	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	2.6	4.3	2.4	1.4	2.5	1.9	0.2	0.2	0.4	0.2	0.4	0.8
Non-Hodgkin lymphomas	13.0	24.7	6.1	9.4	16.0	4.6	3.0	6.5	3.3	1.6	2.3	1.6
Myeloma	2.4	5.0	2.9	2.6	4.3	2.4	2.0	4.3	2.7	1.0	1.6	1.4
Leukemias	8.8	17.1	5.2	7.6	12.8	4.1	3.4	6.8	3.3	3.8	6.3	2.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Lewis

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	82.0	504.6	49.8	73.8	433.9	45.6	33.8	211.3	32.3	25.0	138.5	24.8
Oral cavity and pharynx	3.0	19.4	10.2	1.6	9.1	6.4	1.2	6.7	5.5	0.0	0.0	0.0
Esophagus	1.6	9.7	6.8	0.0	0.0	0.0	0.8	5.3	5.2	0.2	2.0	3.8
Stomach	0.8	4.9	4.8	1.0	5.9	5.5	0.6	4.4	5.0	0.2	0.8	1.7
Colorectal	9.8	62.5	17.9	8.2	48.1	15.1	4.8	31.3	12.7	3.0	17.2	9.0
Colon excluding rectum	6.6	41.4	14.4	6.0	33.6	12.2	3.8	25.6	11.7	2.6	15.1	8.5
Rectum & rectosigmoid	3.2	21.1	10.6	2.2	14.5	8.9	1.0	5.7	5.1	0.4	2.1	3.0
Liver / intrahepatic bile duct	0.8	4.7	4.6	0.2	1.2	2.4	0.2	0.9	1.8	0.6	3.2	3.7
Pancreas	1.6	9.8	6.9	2.0	11.3	7.1	1.8	11.1	7.4	2.0	10.6	6.7
Larynx	0.6	3.5	4.0	0.6	4.5	5.2	0.6	2.8	3.2	0.0	0.0	0.0
Lung and bronchus	14.0	86.3	20.5	7.8	42.4	13.4	10.6	66.8	18.3	7.0	39.5	13.3
Melanoma of the skin	4.2	25.4	11.1	4.6	30.7	13.2	0.8	4.9	4.9	0.6	3.1	3.5
Female breast				15.8	94.0	21.2				3.4	19.7	9.6
Cervix uteri				1.2	8.2	6.8				0.0	0.0	0.0
Corpus uterus and NOS				5.2	31.2	12.4				1.2	6.6	5.3
Ovary				2.8	16.3	8.8				1.6	8.6	6.0
Prostate	18.0	106.2	22.2				2.8	17.6	9.4			
Testis	0.8	6.4	6.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	6.4	41.0	14.4	1.2	6.5	5.2	0.4	2.4	3.3	0.2	1.0	2.0
Kidney and renal pelvis	2.6	15.0	8.3	3.0	16.5	8.6	1.2	7.3	5.9	1.0	5.4	5.1
Brain and other nervous system	1.0	6.0	5.4	1.4	8.3	6.4	0.4	2.3	3.3	0.8	4.2	4.1
Thyroid	1.4	8.1	6.2	3.0	21.4	11.2	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	0.2	1.1	2.2	0.4	3.1	4.4	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	4.0	23.1	10.3	3.2	16.9	8.3	1.2	6.4	5.3	1.2	5.9	4.8
Myeloma	1.2	6.7	5.4	0.0	0.0	0.0	0.8	4.9	4.8	0.0	0.0	0.0
Leukemias	2.8	18.3	9.7	2.2	12.4	7.4	1.4	9.7	7.2	1.2	6.5	5.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Livingston

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	181.6	507.2	33.9	178.8	456.6	31.1	70.0	203.0	21.8	64.0	150.6	16.8
Oral cavity and pharynx	4.0	10.4	4.7	2.8	6.8	3.7	1.8	4.9	3.3	0.8	1.7	1.7
Esophagus	4.4	12.0	5.1	0.8	1.6	1.6	3.4	9.2	4.5	0.8	1.5	1.5
Stomach	1.8	4.4	2.9	2.6	6.0	3.3	1.4	3.5	2.7	1.0	2.2	1.9
Colorectal	16.6	47.9	10.6	17.0	40.1	8.8	7.2	20.6	6.9	6.2	14.3	5.2
Colon excluding rectum	11.6	35.2	9.3	12.2	28.6	7.3	6.2	17.9	6.5	4.8	11.3	4.7
Rectum & rectosigmoid	5.0	12.7	5.1	4.8	11.4	4.9	1.0	2.7	2.5	1.4	3.0	2.2
Liver / intrahepatic bile duct	2.4	6.6	3.8	2.4	6.4	3.8	3.0	8.4	4.4	1.8	4.5	3.0
Pancreas	3.2	8.9	4.5	3.6	8.3	3.9	2.6	7.3	4.1	4.0	8.8	3.9
Larynx	2.6	7.6	4.3	0.6	1.6	1.8	0.8	2.5	2.5	0.6	1.2	1.4
Lung and bronchus	28.0	77.9	13.2	23.6	57.3	10.5	19.4	52.6	10.7	16.6	39.5	8.6
Melanoma of the skin	9.8	28.8	8.3	7.8	23.0	7.6	2.2	6.6	4.0	0.4	1.0	1.4
Female breast				51.6	134.9	17.0				8.4	19.8	6.1
Cervix uteri				2.4	9.1	5.4				0.8	2.1	2.2
Corpus uterus and NOS				11.8	28.3	7.3				1.4	3.4	2.6
Ovary				5.4	12.9	5.0				5.0	11.8	4.7
Prostate	50.4	129.0	16.3				5.4	18.1	6.9			
Testis	1.4	5.2	3.9				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	14.8	44.4	10.4	4.2	10.5	4.7	4.4	14.2	6.0	1.4	2.7	2.1
Kidney and renal pelvis	7.2	18.9	6.3	5.6	16.3	6.4	1.6	4.0	2.9	1.0	2.8	2.5
Brain and other nervous system	1.8	5.2	3.4	2.2	5.7	3.4	1.8	4.9	3.3	2.2	5.5	3.3
Thyroid	2.4	7.2	4.2	5.6	18.4	7.2	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.0	2.8	2.5	0.4	1.2	1.8	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	6.8	19.9	6.9	6.6	15.2	5.3	1.6	5.2	3.6	1.4	3.1	2.3
Myeloma	1.8	5.0	3.3	1.8	4.0	2.6	1.4	4.5	3.3	1.0	2.4	2.2
Leukemias	6.6	20.2	7.0	5.4	12.7	5.0	2.2	6.7	4.0	3.6	8.4	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Madison

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	232.6	577.3	34.2	205.6	453.5	28.6	76.0	203.9	21.1	73.2	150.9	15.7
Oral cavity and pharynx	10.2	24.3	6.8	2.4	4.8	2.8	0.4	1.0	1.4	0.2	0.4	0.8
Esophagus	3.8	9.4	4.3	0.6	1.3	1.5	4.6	11.2	4.7	1.2	2.5	2.0
Stomach	3.2	8.5	4.3	1.4	3.0	2.2	0.4	1.1	1.5	0.2	0.3	0.7
Colorectal	17.6	45.4	9.8	19.6	42.7	8.6	7.0	19.8	6.7	8.8	18.1	5.4
Colon excluding rectum	10.6	27.2	7.5	13.8	29.5	7.1	4.6	13.4	5.6	7.8	15.8	5.0
Rectum & rectosigmoid	7.0	18.2	6.3	5.8	13.1	4.9	2.4	6.4	3.8	1.0	2.2	2.0
Liver / intrahepatic bile duct	1.8	4.3	2.9	1.2	2.4	2.0	2.8	6.8	3.6	1.6	3.3	2.3
Pancreas	5.2	13.2	5.2	4.4	9.4	4.0	5.0	12.3	5.0	4.8	10.1	4.1
Larynx	1.4	3.5	2.7	0.8	1.5	1.5	0.0	0.0	0.0	0.2	0.4	0.8
Lung and bronchus	36.2	93.2	13.9	33.0	69.8	10.8	23.2	60.4	11.3	25.4	52.6	9.3
Melanoma of the skin	9.6	22.6	6.6	8.6	20.3	6.3	1.8	4.2	2.8	0.2	0.4	0.7
Female breast				55.2	121.1	14.7				6.8	13.7	4.7
Cervix uteri				2.2	6.0	3.7				0.8	1.9	1.9
Corpus uterus and NOS				14.6	31.1	7.3				1.4	2.6	2.0
Ovary				6.0	13.1	4.9				3.6	7.7	3.7
Prostate	68.8	156.7	17.0				6.2	18.5	6.6			
Testis	2.6	8.0	4.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	19.0	50.6	10.4	7.0	14.5	4.8	3.8	11.0	5.1	1.6	3.1	2.2
Kidney and renal pelvis	11.6	27.6	7.3	3.2	7.4	3.7	3.8	9.8	4.5	0.2	0.3	0.7
Brain and other nervous system	2.0	4.5	2.9	1.2	2.7	2.3	1.6	4.0	2.8	0.4	1.0	1.4
Thyroid	3.0	7.3	3.8	8.6	24.6	7.7	0.0	0.0	0.0	0.2	0.4	0.7
Hodgkin lymphoma	0.8	1.9	2.0	0.8	2.0	2.0	0.0	0.0	0.0	0.2	0.4	0.8
Non-Hodgkin lymphomas	9.2	23.8	7.2	8.4	18.0	5.6	3.2	8.9	4.5	2.4	5.2	3.0
Myeloma	2.6	7.4	4.1	2.0	4.6	3.0	1.0	3.0	2.7	0.4	0.8	1.1
Leukemias	8.0	21.5	6.8	7.6	16.3	5.3	4.4	12.8	5.5	3.4	6.8	3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Monroe

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2163.6	564.1	10.9	2187.0	464.3	9.0	745.0	199.8	6.5	760.8	149.5	4.9
Oral cavity and pharynx	63.6	15.9	1.8	38.8	7.8	1.1	11.8	3.0	0.8	8.8	1.6	0.5
Esophagus	34.2	8.7	1.3	10.4	1.9	0.5	35.6	9.3	1.4	8.4	1.6	0.5
Stomach	39.4	10.5	1.5	22.8	4.8	0.9	16.6	4.5	1.0	11.2	2.3	0.6
Colorectal	164.8	43.0	3.0	174.8	35.3	2.4	54.8	14.5	1.8	66.8	12.5	1.4
Colon excluding rectum	104.0	27.5	2.4	129.0	25.4	2.0	43.6	11.7	1.6	55.8	10.2	1.3
Rectum & rectosigmoid	60.8	15.5	1.8	45.8	9.9	1.3	11.2	2.8	0.8	11.0	2.2	0.6
Liver / intrahepatic bile duct	44.0	10.8	1.5	17.6	3.7	0.8	32.4	8.3	1.3	19.4	3.8	0.8
Pancreas	62.0	15.9	1.8	59.8	11.6	1.4	53.0	13.7	1.7	56.4	10.6	1.3
Larynx	23.8	6.2	1.1	5.2	1.0	0.4	9.2	2.4	0.7	3.4	0.7	0.3
Lung and bronchus	283.2	74.8	4.0	286.0	58.3	3.1	213.4	57.0	3.5	190.6	38.5	2.5
Melanoma of the skin	108.2	29.2	2.5	94.4	22.2	2.1	12.4	3.4	0.9	9.6	1.9	0.5
Female breast				655.6	142.4	5.0				106.6	21.2	1.9
Cervix uteri				26.6	6.3	1.1				9.4	2.1	0.6
Corpus uterus and NOS				148.6	30.6	2.2				31.2	6.0	1.0
Ovary				58.8	12.5	1.5				44.6	9.0	1.2
Prostate	595.0	148.8	5.5				64.6	18.1	2.0			
Testis	21.4	6.2	1.2				0.6	0.1	0.2			
Urinary bladder (incl. in situ)	161.8	44.4	3.1	50.0	9.9	1.3	32.0	8.9	1.4	8.6	1.4	0.4
Kidney and renal pelvis	97.4	25.3	2.3	53.4	11.1	1.4	21.0	5.5	1.1	10.2	1.9	0.5
Brain and other nervous system	23.4	6.3	1.2	26.2	6.4	1.1	17.4	4.7	1.0	16.8	3.7	0.8
Thyroid	31.6	8.3	1.3	76.4	19.0	2.0	2.2	0.6	0.3	4.0	0.7	0.3
Hodgkin lymphoma	11.8	3.2	0.8	13.0	3.3	0.8	0.6	0.2	0.2	1.4	0.3	0.2
Non-Hodgkin lymphomas	101.0	27.0	2.4	86.4	17.8	1.7	29.4	8.1	1.3	23.8	4.4	0.8
Myeloma	34.4	8.9	1.4	24.2	4.9	0.9	17.6	4.7	1.0	13.0	2.5	0.6
Leukemias	79.4	21.4	2.1	65.0	13.9	1.6	38.4	10.6	1.5	32.2	6.4	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Montgomery

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	161.6	556.0	39.3	172.2	497.7	35.0	58.4	199.4	23.3	55.8	149.5	18.3
Oral cavity and pharynx	6.6	22.7	7.9	1.6	4.9	3.5	1.6	5.2	3.7	0.2	0.5	1.1
Esophagus	2.0	6.6	4.2	1.0	2.4	2.2	3.0	11.4	5.8	0.6	1.1	1.3
Stomach	2.8	10.0	5.4	0.8	2.3	2.3	0.8	2.9	2.9	1.2	2.9	2.4
Colorectal	16.8	59.1	12.9	14.8	37.5	9.2	5.6	19.3	7.3	6.2	14.7	5.5
Colon excluding rectum	10.4	37.7	10.5	12.6	31.3	8.4	4.4	14.6	6.2	5.0	11.8	4.9
Rectum & rectosigmoid	6.4	21.4	7.6	2.2	6.2	3.9	1.2	4.7	3.8	1.2	2.9	2.4
Liver / intrahepatic bile duct	2.0	5.8	3.6	1.2	3.9	3.2	1.4	4.2	3.1	0.4	0.8	1.2
Pancreas	4.6	16.3	6.8	5.4	14.3	5.6	3.6	12.0	5.7	3.4	9.4	4.6
Larynx	1.4	4.7	3.5	0.8	1.8	1.8	0.6	1.8	2.0	0.6	1.2	1.4
Lung and bronchus	26.0	88.3	15.5	27.4	77.2	13.4	18.4	63.2	13.2	15.6	41.9	9.6
Melanoma of the skin	6.0	22.3	8.2	4.8	16.9	7.1	1.2	4.7	3.8	0.8	2.6	2.6
Female breast				41.4	124.1	17.7				6.2	16.7	6.3
Cervix uteri				2.2	7.5	4.5				1.0	3.5	3.1
Corpus uterus and NOS				12.2	35.1	9.1				2.2	6.5	4.0
Ovary				4.0	12.4	5.8				2.2	5.8	3.5
Prostate	27.4	88.8	15.2				6.4	22.4	7.9			
Testis	1.4	5.5	4.2				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	19.2	66.8	13.7	5.8	15.0	5.8	3.0	9.8	5.0	0.6	2.0	2.3
Kidney and renal pelvis	6.6	23.1	8.1	4.0	11.9	5.6	1.6	4.9	3.5	1.2	2.9	2.4
Brain and other nervous system	2.4	10.0	5.8	2.2	7.2	4.5	0.8	2.8	2.8	1.2	4.3	3.6
Thyroid	2.2	8.5	5.2	7.0	24.8	8.6	0.4	1.3	1.8	0.2	0.6	1.1
Hodgkin lymphoma	0.8	3.1	3.1	1.0	3.8	3.5	0.0	0.0	0.0	0.2	0.4	0.8
Non-Hodgkin lymphomas	5.8	20.1	7.5	7.4	22.2	7.5	1.0	3.3	2.9	1.6	4.3	3.3
Myeloma	3.4	10.9	5.3	2.0	4.4	2.8	1.2	4.1	3.4	1.8	4.4	3.0
Leukemias	8.2	29.4	9.2	5.0	12.8	5.4	2.2	8.4	5.1	1.6	4.2	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Nassau

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4293.4	579.1	7.9	4370.6	482.5	6.6	1226.8	167.3	4.3	1301.2	129.8	3.3
Oral cavity and pharynx	105.0	13.6	1.2	63.4	6.8	0.8	17.6	2.3	0.5	10.6	1.0	0.3
Esophagus	52.2	6.9	0.9	19.8	2.0	0.4	43.8	5.8	0.8	13.2	1.2	0.3
Stomach	83.6	11.6	1.1	57.2	6.2	0.7	33.4	4.6	0.7	24.2	2.4	0.5
Colorectal	328.8	44.6	2.2	336.6	34.2	1.7	108.0	14.7	1.3	112.0	10.4	0.9
Colon excluding rectum	226.8	31.0	1.8	243.6	24.2	1.4	89.0	12.1	1.1	100.0	9.2	0.8
Rectum & rectosigmoid	102.0	13.6	1.2	93.0	9.9	0.9	19.0	2.6	0.5	12.0	1.2	0.3
Liver / intrahepatic bile duct	79.0	10.0	1.0	29.2	3.1	0.5	58.4	7.6	0.9	26.8	2.6	0.5
Pancreas	136.6	18.5	1.4	130.6	13.0	1.0	105.8	14.4	1.2	103.0	10.1	0.9
Larynx	36.6	4.8	0.7	10.0	1.1	0.3	8.8	1.2	0.4	3.4	0.4	0.2
Lung and bronchus	459.4	63.1	2.6	533.2	55.7	2.2	286.8	39.0	2.1	312.4	31.4	1.6
Melanoma of the skin	229.4	31.5	1.9	166.6	19.3	1.4	27.4	3.8	0.6	17.4	1.8	0.4
Female breast				1276.4	145.3	3.7				193.4	19.9	1.3
Cervix uteri				49.8	6.5	0.8				15.0	1.7	0.4
Corpus uterus and NOS				294.4	31.8	1.7				46.2	4.7	0.6
Ovary				115.4	12.7	1.1				76.6	8.0	0.8
Prostate	1179.0	152.1	4.0				116.6	16.1	1.3			
Testis	37.6	6.2	0.9				1.4	0.2	0.2			
Urinary bladder (incl. in situ)	330.6	45.3	2.2	116.8	12.0	1.0	58.0	8.0	0.9	27.4	2.5	0.4
Kidney and renal pelvis	199.8	26.9	1.7	102.2	11.0	1.0	33.6	4.5	0.7	22.8	2.2	0.4
Brain and other nervous system	55.0	7.9	0.9	43.6	5.3	0.7	35.4	4.9	0.7	30.2	3.3	0.5
Thyroid	93.4	13.2	1.2	232.0	31.0	1.9	3.6	0.5	0.2	6.0	0.6	0.2
Hodgkin lymphoma	26.6	4.1	0.7	21.8	3.2	0.6	3.2	0.5	0.2	2.0	0.2	0.1
Non-Hodgkin lymphomas	213.0	29.2	1.8	191.8	20.9	1.4	51.2	7.1	0.9	44.4	4.4	0.6
Myeloma	81.6	11.1	1.1	67.2	6.9	0.8	28.6	4.0	0.7	29.4	2.8	0.5
Leukemias	170.2	23.7	1.6	129.6	14.3	1.2	69.8	9.6	1.0	45.2	4.4	0.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Niagara

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	754.2	601.6	19.6	693.4	469.8	16.2	263.8	213.8	11.7	242.0	152.0	8.8
Oral cavity and pharynx	29.0	22.2	3.7	10.4	7.2	2.0	7.0	5.3	1.8	1.6	1.0	0.7
Esophagus	15.6	11.6	2.6	4.2	2.7	1.2	13.0	10.0	2.5	2.8	1.6	0.8
Stomach	10.6	8.4	2.3	7.6	4.6	1.5	3.4	2.7	1.3	3.6	1.8	0.9
Colorectal	63.4	51.4	5.8	59.0	38.1	4.5	18.6	15.0	3.1	21.2	12.9	2.6
Colon excluding rectum	41.0	33.4	4.7	40.4	25.4	3.6	13.4	11.1	2.7	18.4	11.2	2.4
Rectum & rectosigmoid	22.4	18.0	3.4	18.6	12.8	2.7	5.2	3.9	1.5	2.8	1.7	0.9
Liver / intrahepatic bile duct	13.4	10.3	2.5	6.4	4.2	1.5	8.2	6.3	2.0	5.8	3.4	1.3
Pancreas	18.2	13.7	2.9	15.0	9.2	2.1	17.4	13.3	2.9	12.2	7.4	1.9
Larynx	8.6	6.3	1.9	2.4	1.5	0.8	3.2	2.5	1.3	1.0	0.6	0.5
Lung and bronchus	119.6	95.5	7.8	107.6	69.2	6.0	83.4	67.7	6.6	75.0	47.9	5.0
Melanoma of the skin	33.4	26.7	4.1	25.8	19.6	3.5	5.0	3.9	1.6	2.0	1.4	0.9
Female breast				187.2	129.6	8.6				34.0	21.4	3.3
Cervix uteri				8.8	7.2	2.2				1.2	0.8	0.7
Corpus uterus and NOS				44.4	29.8	4.0				6.8	4.6	1.6
Ovary				19.0	13.1	2.8				12.0	8.1	2.1
Prostate	188.8	143.0	9.3				21.4	18.3	3.5			
Testis	6.6	6.4	2.2				0.4	0.3	0.5			
Urinary bladder (incl. in situ)	70.6	58.2	6.2	23.2	14.8	2.8	11.0	9.1	2.4	4.6	2.6	1.1
Kidney and renal pelvis	28.2	22.5	3.8	19.0	12.2	2.5	6.8	5.4	1.9	4.0	2.6	1.2
Brain and other nervous system	8.6	7.5	2.3	8.2	6.0	1.9	6.2	4.6	1.7	5.2	3.2	1.3
Thyroid	9.6	8.3	2.4	27.2	23.8	4.2	0.8	0.6	0.6	0.6	0.4	0.5
Hodgkin lymphoma	2.6	2.5	1.4	2.4	1.9	1.1	0.4	0.3	0.5	0.2	0.2	0.3
Non-Hodgkin lymphomas	31.4	26.2	4.2	28.4	18.1	3.1	11.0	9.4	2.5	7.4	4.5	1.5
Myeloma	8.2	6.8	2.1	8.2	5.4	1.7	3.2	2.6	1.3	4.8	3.1	1.3
Leukemias	23.6	20.0	3.7	15.4	10.3	2.4	10.6	9.3	2.5	7.6	4.4	1.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Oneida

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	790.8	578.3	18.3	705.2	450.5	15.6	282.6	209.1	11.1	256.2	146.6	8.4
Oral cavity and pharynx	23.6	16.5	3.0	9.6	6.1	1.8	4.6	3.2	1.3	1.6	0.7	0.5
Esophagus	12.0	9.0	2.3	3.8	2.2	1.0	10.8	8.0	2.2	3.0	1.8	0.9
Stomach	15.2	11.1	2.5	7.6	4.6	1.6	5.2	4.0	1.6	3.2	1.8	0.9
Colorectal	57.6	43.3	5.1	54.6	32.2	4.0	23.4	17.6	3.2	21.4	11.7	2.3
Colon excluding rectum	37.2	28.1	4.1	42.2	24.8	3.5	20.2	15.2	3.0	18.0	9.6	2.1
Rectum & rectosigmoid	20.4	15.2	3.0	12.4	7.4	1.9	3.2	2.4	1.2	3.4	2.1	1.1
Liver / intrahepatic bile duct	12.6	9.2	2.3	5.8	3.4	1.3	11.2	8.0	2.1	5.4	3.0	1.2
Pancreas	18.4	13.4	2.8	19.8	11.6	2.4	15.8	11.6	2.6	18.0	10.2	2.2
Larynx	9.2	6.7	2.0	5.0	3.3	1.3	2.6	2.0	1.1	1.4	0.8	0.6
Lung and bronchus	127.0	92.1	7.3	117.6	71.0	5.9	86.6	63.3	6.1	75.2	44.3	4.6
Melanoma of the skin	26.6	19.8	3.4	19.4	13.5	2.8	5.8	4.5	1.7	2.6	1.4	0.8
Female breast				172.6	115.5	8.1				33.6	19.1	3.1
Cervix uteri				8.2	6.3	2.0				3.4	2.5	1.3
Corpus uterus and NOS				46.8	29.6	3.9				5.4	3.3	1.3
Ovary				21.6	14.1	2.8				10.8	6.3	1.7
Prostate	210.6	147.5	9.0				22.8	16.8	3.1			
Testis	6.6	5.8	2.0				0.2	0.2	0.3			
Urinary bladder (incl. in situ)	66.4	49.0	5.3	21.0	11.7	2.3	10.4	7.7	2.1	5.6	2.8	1.1
Kidney and renal pelvis	32.8	24.4	3.8	19.2	12.4	2.6	9.2	6.6	1.9	3.4	1.7	0.8
Brain and other nervous system	9.4	7.8	2.3	9.2	6.0	1.8	6.6	5.0	1.7	5.6	3.3	1.3
Thyroid	9.2	7.2	2.1	37.8	30.1	4.5	0.2	0.2	0.3	1.0	0.5	0.5
Hodgkin lymphoma	4.8	4.1	1.7	3.0	2.7	1.4	1.4	1.0	0.8	0.4	0.4	0.6
Non-Hodgkin lymphomas	37.2	28.5	4.2	28.0	17.3	3.1	10.6	7.9	2.2	9.0	5.0	1.6
Myeloma	10.2	7.3	2.0	8.0	4.9	1.5	5.2	3.7	1.4	3.8	1.9	0.9
Leukemias	30.8	23.2	3.7	18.2	11.7	2.5	15.6	12.1	2.7	10.6	5.7	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Onondaga

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1495.8	611.9	14.2	1387.2	467.8	11.4	513.6	216.9	8.5	494.4	154.0	6.3
Oral cavity and pharynx	43.4	17.2	2.3	21.8	7.3	1.4	6.0	2.5	0.9	5.0	1.4	0.6
Esophagus	19.0	7.8	1.6	6.2	1.9	0.7	23.8	9.9	1.8	7.0	2.1	0.7
Stomach	23.8	10.1	1.9	14.2	4.4	1.1	7.4	3.1	1.0	6.2	1.9	0.7
Colorectal	105.2	44.1	3.8	110.6	35.6	3.1	40.0	17.2	2.4	36.6	10.8	1.6
Colon excluding rectum	67.0	28.4	3.1	84.8	26.9	2.7	30.8	13.4	2.2	31.0	9.1	1.5
Rectum & rectosigmoid	38.2	15.7	2.3	25.8	8.7	1.5	9.2	3.8	1.1	5.6	1.7	0.7
Liver / intrahepatic bile duct	32.4	12.4	2.0	11.6	3.8	1.0	26.4	10.6	1.8	10.0	3.2	0.9
Pancreas	39.4	16.4	2.3	42.2	13.1	1.8	33.8	14.0	2.1	34.4	10.3	1.6
Larynx	17.6	7.1	1.5	4.2	1.3	0.6	3.8	1.6	0.7	1.0	0.3	0.2
Lung and bronchus	218.2	89.9	5.4	214.0	69.9	4.3	148.2	62.2	4.6	140.4	45.4	3.4
Melanoma of the skin	54.0	22.7	2.8	40.8	15.1	2.1	8.8	3.8	1.1	6.4	2.1	0.8
Female breast				383.8	132.1	6.1				59.4	18.7	2.2
Cervix uteri				13.6	5.4	1.3				5.8	2.0	0.8
Corpus uterus and NOS				85.2	28.2	2.7				16.2	5.0	1.1
Ovary				41.2	14.2	2.0				31.6	10.1	1.6
Prostate	445.6	174.6	7.4				45.0	19.6	2.6			
Testis	16.4	7.9	1.8				0.8	0.4	0.4			
Urinary bladder (incl. in situ)	114.0	48.1	4.0	35.2	11.2	1.7	20.0	8.7	1.7	8.6	2.5	0.8
Kidney and renal pelvis	57.0	23.0	2.7	32.6	11.1	1.8	12.8	5.3	1.3	7.6	2.3	0.8
Brain and other nervous system	23.0	9.8	1.8	17.6	6.7	1.5	13.8	5.6	1.4	10.8	3.6	1.0
Thyroid	21.6	9.1	1.8	64.6	25.2	2.8	2.0	0.9	0.6	2.0	0.7	0.4
Hodgkin lymphoma	7.6	3.3	1.1	6.4	2.7	1.0	0.4	0.2	0.3	0.6	0.2	0.3
Non-Hodgkin lymphomas	70.2	28.7	3.1	57.0	18.7	2.2	22.0	9.4	1.8	17.8	5.2	1.1
Myeloma	16.2	6.8	1.5	18.0	5.9	1.3	10.2	4.4	1.2	9.4	2.8	0.8
Leukemias	56.8	24.0	2.8	42.6	14.2	2.0	27.2	11.8	2.0	16.2	5.0	1.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Ontario

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	351.8	550.6	26.6	337.6	462.6	23.0	115.2	188.9	15.8	112.4	145.5	12.5
Oral cavity and pharynx	11.4	17.1	4.6	4.6	6.0	2.5	2.0	3.0	1.9	0.6	0.8	0.9
Esophagus	5.8	8.5	3.2	3.4	4.7	2.3	3.4	5.1	2.5	2.2	3.1	1.9
Stomach	3.6	6.1	2.9	2.6	3.3	1.8	1.4	2.8	2.1	2.4	3.3	1.9
Colorectal	19.4	30.3	6.2	26.4	34.5	6.1	6.6	11.0	3.8	9.0	10.6	3.2
Colon excluding rectum	13.4	21.0	5.2	19.2	25.1	5.2	5.0	8.4	3.4	8.0	9.4	3.0
Rectum & rectosigmoid	6.0	9.3	3.4	7.2	9.4	3.2	1.6	2.6	1.8	1.0	1.3	1.1
Liver / intrahepatic bile duct	4.8	7.2	2.9	2.4	3.0	1.8	3.8	6.2	2.8	2.4	2.8	1.6
Pancreas	6.8	10.2	3.6	10.4	12.8	3.5	6.6	9.4	3.3	8.6	11.5	3.5
Larynx	3.2	5.4	2.7	1.6	1.8	1.3	1.2	2.0	1.7	0.8	1.0	1.0
Lung and bronchus	49.6	77.5	9.9	52.0	69.7	8.7	35.6	57.2	8.6	30.8	41.5	6.8
Melanoma of the skin	23.8	35.5	6.6	16.6	25.5	5.8	2.6	3.7	2.1	1.6	1.9	1.4
Female breast				90.2	124.6	12.0				13.2	18.0	4.6
Cervix uteri				3.4	5.4	2.7				1.0	1.4	1.2
Corpus uterus and NOS				26.8	34.5	6.0				3.0	3.7	1.9
Ovary				10.2	13.9	3.9				9.0	11.4	3.4
Prostate	98.2	143.5	13.0				12.2	21.9	5.6			
Testis	4.6	10.6	4.5				0.2	0.5	0.9			
Urinary bladder (incl. in situ)	28.8	47.4	7.9	8.8	11.5	3.5	4.4	7.5	3.2	2.2	2.5	1.5
Kidney and renal pelvis	14.4	21.9	5.2	8.0	10.8	3.5	4.2	7.1	3.1	1.8	2.0	1.4
Brain and other nervous system	6.6	11.9	4.2	4.0	6.5	3.0	4.0	6.7	3.0	3.0	3.9	2.1
Thyroid	4.2	7.1	3.2	11.8	20.3	5.5	0.2	0.2	0.5	0.0	0.0	0.0
Hodgkin lymphoma	1.8	3.6	2.4	1.2	2.1	1.7	0.4	0.4	0.6	0.4	0.6	0.8
Non-Hodgkin lymphomas	15.0	23.1	5.4	11.6	15.3	4.0	3.6	6.1	2.9	2.4	2.8	1.7
Myeloma	3.6	6.3	3.0	2.8	4.0	2.1	1.6	2.2	1.6	2.2	2.8	1.7
Leukemias	16.0	26.7	6.0	9.0	12.1	3.7	7.0	12.2	4.1	4.0	5.4	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Orange

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	954.4	556.4	16.4	947.8	470.8	13.7	309.4	200.2	10.3	310.0	151.2	7.7
Oral cavity and pharynx	29.0	16.1	2.7	9.6	4.6	1.3	5.4	3.3	1.3	1.8	0.8	0.6
Esophagus	15.6	9.6	2.2	4.6	2.1	0.9	12.8	7.7	2.0	3.2	1.5	0.7
Stomach	15.4	9.4	2.2	11.2	5.5	1.5	4.8	3.2	1.3	4.0	2.0	0.9
Colorectal	81.2	48.4	4.9	83.2	41.3	4.0	28.4	18.5	3.2	26.2	12.5	2.2
Colon excluding rectum	56.0	34.4	4.2	60.0	29.5	3.4	22.0	14.8	2.9	20.8	9.8	1.9
Rectum & rectosigmoid	25.2	14.0	2.5	23.2	11.8	2.2	6.4	3.7	1.3	5.4	2.6	1.0
Liver / intrahepatic bile duct	27.0	14.7	2.6	9.2	4.5	1.3	12.8	7.0	1.8	8.0	4.0	1.3
Pancreas	24.4	14.3	2.6	27.6	13.7	2.3	17.8	10.7	2.3	21.8	10.8	2.1
Larynx	13.0	7.9	2.0	3.8	1.9	0.9	4.2	2.8	1.2	0.8	0.4	0.4
Lung and bronchus	123.0	75.3	6.2	125.2	62.3	5.0	88.4	56.4	5.5	76.0	38.0	3.9
Melanoma of the skin	40.6	23.5	3.4	27.8	13.8	2.3	6.6	4.2	1.5	2.6	1.4	0.8
Female breast				257.4	127.8	7.1				50.8	24.3	3.0
Cervix uteri				14.8	7.9	1.8				5.6	2.7	1.0
Corpus uterus and NOS				68.0	32.4	3.5				12.2	5.9	1.5
Ovary				29.0	14.0	2.3				17.4	8.6	1.8
Prostate	246.6	135.3	7.9				25.2	19.0	3.4			
Testis	13.0	7.5	1.9				0.2	0.1	0.2			
Urinary bladder (incl. in situ)	75.6	48.5	5.1	27.6	13.5	2.3	15.0	11.1	2.6	6.6	3.1	1.1
Kidney and renal pelvis	42.4	23.2	3.3	22.2	11.3	2.1	9.0	5.6	1.7	4.6	2.3	1.0
Brain and other nervous system	15.0	8.5	2.0	9.8	5.1	1.4	9.8	5.5	1.6	5.6	2.7	1.0
Thyroid	20.2	10.9	2.2	68.2	36.1	3.9	0.8	0.6	0.6	0.8	0.3	0.3
Hodgkin lymphoma	7.4	4.1	1.3	4.6	2.6	1.1	1.2	0.7	0.6	0.2	0.1	0.2
Non-Hodgkin lymphomas	42.4	24.5	3.4	33.4	16.2	2.5	11.8	8.2	2.1	9.6	4.6	1.3
Myeloma	13.8	8.0	2.0	11.8	5.7	1.5	4.8	3.3	1.4	5.8	2.7	1.0
Leukemias	33.8	20.5	3.2	20.2	10.0	2.0	14.0	9.0	2.2	7.8	3.8	1.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Orleans

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	130.6	549.3	43.2	130.6	485.1	38.0	47.6	207.5	27.0	47.8	169.1	21.8
Oral cavity and pharynx	3.2	12.1	6.1	1.4	4.9	3.7	0.6	3.1	3.7	0.2	0.7	1.4
Esophagus	1.2	5.1	4.2	0.8	3.3	3.3	2.2	9.7	5.9	0.4	1.4	2.0
Stomach	3.8	15.9	7.3	1.0	3.4	3.0	1.2	5.4	4.4	0.4	1.4	2.0
Colorectal	13.4	54.8	13.5	13.0	46.9	11.6	4.4	18.9	8.1	4.4	15.6	6.6
Colon excluding rectum	8.6	35.2	10.9	9.8	34.7	9.9	4.0	17.4	7.8	3.6	12.9	6.1
Rectum & rectosigmoid	4.8	19.6	8.0	3.2	12.2	6.1	0.4	1.5	2.1	0.8	2.7	2.7
Liver / intrahepatic bile duct	0.8	2.6	2.5	1.0	3.6	3.2	1.4	5.2	3.9	1.0	3.5	3.1
Pancreas	3.4	14.7	7.1	3.6	13.3	6.3	2.8	12.5	6.6	3.0	10.9	5.6
Larynx	1.6	6.4	4.5	0.8	2.6	2.5	0.4	1.7	2.4	0.2	0.7	1.3
Lung and bronchus	23.8	99.7	18.4	23.0	83.3	15.5	16.6	69.5	15.3	17.4	61.9	13.2
Melanoma of the skin	5.6	24.6	9.3	6.0	25.0	9.2	0.8	3.6	3.6	1.0	4.5	4.2
Female breast				33.6	123.5	19.0				4.8	17.1	6.9
Cervix uteri				1.2	4.6	3.8				0.2	0.5	1.1
Corpus uterus and NOS				8.8	33.2	10.0				1.2	3.8	3.1
Ovary				3.8	13.6	6.2				2.4	7.9	4.5
Prostate	30.0	120.0	19.6				2.6	12.1	6.7			
Testis	1.2	5.6	4.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	10.2	45.0	12.6	2.0	7.0	4.4	0.6	3.2	3.6	1.4	4.8	3.6
Kidney and renal pelvis	5.6	25.4	9.7	2.6	9.7	5.4	0.8	3.6	3.6	0.2	0.7	1.4
Brain and other nervous system	1.4	5.3	4.1	1.6	7.1	5.1	2.0	7.5	4.7	1.0	3.7	3.3
Thyroid	1.8	6.7	4.4	4.8	19.7	8.1	0.6	3.1	3.5	0.0	0.0	0.0
Hodgkin lymphoma	0.6	3.0	3.4	1.0	4.3	3.9	0.2	1.0	2.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	5.0	22.2	8.9	5.4	19.5	7.6	1.6	7.9	5.5	1.6	5.4	3.8
Myeloma	0.4	1.7	2.4	1.4	5.2	3.9	0.4	1.7	2.4	0.8	3.0	3.0
Leukemias	6.4	28.5	10.1	2.6	11.7	6.7	2.6	11.8	6.5	1.2	3.6	2.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Oswego

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	379.6	602.7	28.1	339.4	483.7	23.6	136.0	233.4	18.1	120.4	165.2	13.5
Oral cavity and pharynx	14.8	21.7	5.1	3.8	5.3	2.4	2.8	4.2	2.3	0.4	0.6	0.8
Esophagus	7.4	10.3	3.4	1.2	1.7	1.3	7.6	12.2	4.0	0.6	0.8	0.9
Stomach	8.6	13.3	4.1	2.6	3.8	2.1	2.0	3.5	2.2	0.4	0.5	0.7
Colorectal	26.2	43.0	7.6	29.0	40.6	6.8	11.4	20.3	5.4	8.6	11.3	3.4
Colon excluding rectum	17.0	28.8	6.3	21.6	30.2	5.8	8.8	16.4	5.0	5.6	7.3	2.7
Rectum & rectosigmoid	9.2	14.2	4.2	7.4	10.3	3.4	2.6	3.9	2.2	3.0	4.0	2.0
Liver / intrahepatic bile duct	5.6	8.8	3.4	1.8	2.6	1.7	5.4	9.7	3.8	2.6	3.4	1.9
Pancreas	9.0	15.0	4.5	11.2	15.5	4.1	6.2	10.8	3.9	9.8	13.7	3.9
Larynx	6.8	10.5	3.6	2.0	2.7	1.7	0.6	1.0	1.1	0.6	0.8	0.9
Lung and bronchus	63.8	102.0	11.6	61.8	86.2	9.8	47.4	78.3	10.3	40.0	56.3	7.9
Melanoma of the skin	13.4	23.2	5.7	12.2	18.7	4.8	2.8	4.8	2.6	1.4	1.7	1.3
Female breast				77.4	109.4	11.2				15.8	21.7	4.9
Cervix uteri				4.6	6.8	2.9				1.4	1.6	1.2
Corpus uterus and NOS				23.6	32.4	6.0				2.2	2.8	1.7
Ovary				9.2	12.8	3.8				4.2	5.7	2.5
Prostate	92.8	135.4	12.7				8.6	17.8	5.4			
Testis	4.4	8.4	3.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	28.2	49.5	8.4	10.4	14.5	4.0	5.2	9.8	3.8	2.6	3.5	1.9
Kidney and renal pelvis	18.6	28.5	6.0	11.0	15.6	4.2	3.6	5.8	2.8	2.2	3.1	1.8
Brain and other nervous system	8.0	13.0	4.2	4.8	8.0	3.2	4.4	7.5	3.2	2.6	3.9	2.2
Thyroid	4.8	7.7	3.2	15.8	26.2	5.9	0.0	0.0	0.0	0.6	0.8	0.9
Hodgkin lymphoma	3.2	5.0	2.5	1.6	2.5	1.8	0.6	0.7	0.8	0.0	0.0	0.0
Non-Hodgkin lymphomas	17.4	27.7	6.0	15.6	21.8	5.0	3.6	6.0	2.9	4.6	6.1	2.5
Myeloma	4.0	6.5	2.9	2.6	3.4	1.9	2.2	3.7	2.3	2.2	3.0	1.8
Leukemias	13.4	22.5	5.6	8.4	11.6	3.6	5.4	9.9	3.8	3.8	5.3	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Otsego

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	195.0	517.1	33.5	198.4	472.9	31.1	73.2	200.4	20.9	68.6	150.4	16.6
Oral cavity and pharynx	7.6	19.4	6.3	2.8	7.2	4.1	1.0	2.6	2.3	0.8	1.9	1.9
Esophagus	4.2	10.0	4.4	0.6	1.0	1.1	2.8	6.6	3.5	0.4	1.2	1.9
Stomach	2.8	7.5	4.0	1.8	5.0	3.5	1.0	2.8	2.4	0.6	1.1	1.2
Colorectal	16.0	44.2	10.0	16.0	36.1	8.3	5.2	14.8	5.7	4.8	9.5	3.9
Colon excluding rectum	11.2	31.5	8.4	13.2	29.7	7.6	4.0	11.2	5.0	4.6	9.2	3.9
Rectum & rectosigmoid	4.8	12.6	5.3	2.8	6.3	3.5	1.2	3.6	2.9	0.2	0.3	0.6
Liver / intrahepatic bile duct	3.0	6.9	3.6	1.6	3.6	2.5	2.0	4.6	2.9	0.8	1.9	1.9
Pancreas	5.6	14.4	5.4	4.4	9.1	3.9	4.4	11.5	4.9	4.0	8.0	3.6
Larynx	3.4	9.3	4.5	0.0	0.0	0.0	0.8	2.3	2.3	0.0	0.0	0.0
Lung and bronchus	30.2	79.4	12.9	24.8	57.1	10.4	22.6	60.1	11.2	19.4	44.8	9.3
Melanoma of the skin	10.2	28.5	8.2	7.0	17.0	5.9	1.4	3.8	2.9	0.4	1.1	1.5
Female breast				53.8	131.9	16.6				10.8	23.9	6.6
Cervix uteri				2.6	8.3	4.7				1.0	2.6	2.4
Corpus uterus and NOS				17.8	41.7	9.1				2.2	4.7	2.8
Ovary				5.4	13.2	5.3				4.6	9.8	4.1
Prostate	41.4	101.5	14.1				6.8	19.1	6.5			
Testis	1.2	4.9	4.2				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	14.0	36.8	8.7	4.2	8.8	3.9	2.8	7.8	4.1	1.6	3.2	2.2
Kidney and renal pelvis	8.0	21.6	7.0	6.2	13.0	4.6	2.8	7.3	3.9	1.0	2.0	1.8
Brain and other nervous system	3.4	10.3	5.3	2.6	7.4	4.4	1.8	5.3	3.7	1.4	2.9	2.2
Thyroid	2.2	7.0	4.5	7.8	24.5	8.3	0.0	0.0	0.0	0.2	0.7	1.3
Hodgkin lymphoma	1.4	5.5	4.3	1.0	3.3	3.0	0.2	0.9	1.7	0.2	0.5	1.0
Non-Hodgkin lymphomas	9.6	26.8	7.8	8.2	19.0	6.0	3.6	10.5	5.0	1.8	4.0	2.7
Myeloma	2.8	7.0	3.8	1.6	3.3	2.3	1.4	3.8	2.9	1.6	3.5	2.8
Leukemias	9.4	26.1	7.7	7.4	16.0	5.6	4.4	13.2	5.7	2.4	5.3	3.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Putnam

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	306.6	581.1	30.7	294.4	489.1	25.7	84.0	177.6	17.9	82.6	137.7	13.6
Oral cavity and pharynx	8.4	13.5	4.3	2.8	4.3	2.3	1.4	2.7	2.1	0.6	0.8	0.9
Esophagus	5.2	8.7	3.5	1.6	2.6	1.8	4.6	9.1	4.0	1.0	1.8	1.6
Stomach	7.2	12.8	4.4	2.8	5.0	2.7	3.0	6.0	3.3	1.8	3.1	2.1
Colorectal	23.2	47.2	9.1	24.0	39.0	7.2	5.8	11.8	4.5	6.4	10.8	3.9
Colon excluding rectum	14.4	30.5	7.4	19.2	31.2	6.4	5.0	10.1	4.2	5.6	9.6	3.6
Rectum & rectosigmoid	8.8	16.7	5.2	4.8	7.8	3.2	0.8	1.6	1.7	0.8	1.3	1.3
Liver / intrahepatic bile duct	5.0	8.2	3.4	3.2	5.2	2.6	3.2	6.8	3.6	3.6	6.3	3.0
Pancreas	9.0	17.7	5.5	7.4	12.4	4.1	7.0	13.6	4.8	5.0	8.5	3.4
Larynx	2.8	4.6	2.6	0.4	0.7	1.0	1.0	1.6	1.5	0.0	0.0	0.0
Lung and bronchus	38.2	78.0	11.7	38.8	64.0	9.2	24.4	50.9	9.5	23.0	38.6	7.2
Melanoma of the skin	14.0	26.2	6.5	11.2	18.5	5.0	1.6	3.2	2.3	0.6	0.8	0.9
Female breast				86.6	141.0	13.6				14.2	23.2	5.6
Cervix uteri				3.2	5.7	3.0				0.6	1.1	1.3
Corpus uterus and NOS				16.8	25.8	5.6				1.4	2.5	1.9
Ovary				9.4	15.7	4.6				4.2	7.0	3.1
Prostate	84.0	145.2	14.6				7.0	18.0	6.1			
Testis	4.0	8.1	3.7				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	23.2	48.6	9.3	8.0	13.6	4.3	3.2	7.4	3.9	0.8	1.2	1.2
Kidney and renal pelvis	13.8	25.2	6.2	8.2	14.7	4.6	3.6	8.1	3.9	0.8	1.2	1.2
Brain and other nervous system	4.4	8.6	3.7	3.2	6.1	3.1	2.0	3.6	2.4	1.6	2.3	1.6
Thyroid	5.0	9.8	4.0	18.6	33.5	7.1	0.2	0.5	1.0	0.2	0.3	0.5
Hodgkin lymphoma	2.6	5.0	2.8	1.6	3.3	2.4	0.4	0.8	1.2	0.2	0.3	0.5
Non-Hodgkin lymphomas	13.0	23.6	6.1	8.2	13.4	4.2	2.2	4.2	2.6	3.4	5.9	2.9
Myeloma	4.2	7.9	3.6	5.0	8.3	3.3	0.8	1.6	1.7	1.4	2.1	1.6
Leukemias	12.4	24.8	6.5	8.8	16.0	4.9	2.8	6.8	3.7	3.0	4.9	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Rensselaer

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	499.2	600.1	24.2	479.6	481.4	19.8	185.0	230.8	15.3	163.4	158.5	11.1
Oral cavity and pharynx	15.0	17.4	4.1	7.0	6.5	2.2	3.2	3.9	2.0	0.6	0.5	0.6
Esophagus	7.4	9.1	3.0	3.4	3.5	1.7	7.0	8.2	2.8	3.0	3.0	1.6
Stomach	7.8	9.5	3.1	4.8	4.8	2.0	3.2	3.9	2.0	2.8	2.7	1.4
Colorectal	42.6	52.5	7.2	41.4	39.3	5.5	14.0	18.2	4.4	12.6	11.6	2.9
Colon excluding rectum	29.6	36.9	6.1	32.8	30.8	4.9	10.8	14.1	3.8	11.2	10.3	2.8
Rectum & rectosigmoid	13.0	15.6	3.9	8.6	8.5	2.6	3.2	4.1	2.0	1.4	1.3	1.0
Liver / intrahepatic bile duct	12.2	13.8	3.6	3.2	3.0	1.5	9.6	10.7	3.1	4.0	4.0	1.8
Pancreas	14.6	17.2	4.1	10.8	10.4	2.8	12.4	14.4	3.7	9.0	8.5	2.5
Larynx	6.4	6.8	2.4	1.8	1.5	1.0	2.6	3.0	1.7	0.8	0.7	0.7
Lung and bronchus	78.4	94.9	9.7	78.2	77.2	7.8	56.4	68.6	8.2	50.6	50.0	6.3
Melanoma of the skin	23.8	29.5	5.5	14.8	15.3	3.6	4.0	5.1	2.3	1.6	1.5	1.1
Female breast				122.8	124.7	10.1				20.8	20.4	4.0
Cervix uteri				6.6	7.0	2.5				2.4	2.3	1.3
Corpus uterus and NOS				33.8	32.6	5.0				5.4	5.3	2.0
Ovary				13.8	13.4	3.3				7.0	6.3	2.1
Prostate	110.4	124.0	10.7				14.0	19.1	4.5			
Testis	4.6	6.1	2.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	45.4	57.5	7.6	18.0	17.4	3.7	5.6	7.2	2.7	1.6	1.5	1.1
Kidney and renal pelvis	23.4	28.1	5.2	15.6	15.5	3.6	5.0	6.1	2.5	3.8	3.9	1.8
Brain and other nervous system	5.2	6.6	2.6	5.2	6.1	2.4	3.2	3.8	1.9	3.8	4.4	2.1
Thyroid	6.2	6.9	2.5	19.8	22.9	4.7	0.6	0.9	1.0	0.4	0.4	0.6
Hodgkin lymphoma	3.8	4.6	2.1	3.4	4.4	2.1	0.6	0.7	0.9	0.2	0.2	0.5
Non-Hodgkin lymphomas	24.0	29.4	5.4	17.6	18.4	4.0	7.2	9.5	3.2	5.2	5.1	2.0
Myeloma	7.8	9.8	3.2	7.2	6.9	2.3	3.0	3.6	1.9	3.2	2.9	1.4
Leukemias	18.4	22.5	4.7	9.0	9.5	2.9	9.2	12.0	3.5	4.8	4.9	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Rockland

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	901.2	577.0	17.1	861.2	458.4	14.0	229.6	154.9	9.1	253.8	126.9	7.1
Oral cavity and pharynx	20.0	12.1	2.4	11.8	6.3	1.6	3.4	2.1	1.0	1.4	0.7	0.5
Esophagus	12.2	7.8	2.0	4.8	2.3	0.9	9.8	6.5	1.9	1.8	0.9	0.6
Stomach	16.6	10.9	2.4	11.0	5.5	1.5	5.2	3.5	1.4	4.6	2.2	0.9
Colorectal	68.8	46.0	4.9	61.8	31.2	3.6	23.6	16.0	2.9	21.0	10.4	2.0
Colon excluding rectum	48.6	32.6	4.2	49.2	24.5	3.1	18.0	12.0	2.5	18.2	9.0	1.9
Rectum & rectosigmoid	20.2	13.4	2.7	12.6	6.7	1.7	5.6	4.0	1.5	2.8	1.5	0.8
Liver / intrahepatic bile duct	16.4	10.3	2.3	7.0	3.5	1.2	8.2	5.2	1.6	7.0	3.4	1.2
Pancreas	21.6	14.6	2.8	26.0	13.1	2.3	17.6	11.9	2.5	18.4	9.0	1.9
Larynx	9.8	6.3	1.8	1.0	0.6	0.5	3.8	2.6	1.2	0.4	0.2	0.3
Lung and bronchus	85.8	56.6	5.4	90.8	45.9	4.3	57.2	38.6	4.5	55.8	27.9	3.3
Melanoma of the skin	34.0	21.8	3.3	26.6	14.8	2.6	6.8	4.4	1.5	4.2	2.1	0.9
Female breast				260.0	140.2	7.8				39.4	19.6	2.8
Cervix uteri				15.2	9.1	2.1				4.2	2.3	1.0
Corpus uterus and NOS				57.6	30.0	3.5				9.8	5.0	1.4
Ovary				21.6	11.5	2.2				14.4	7.3	1.7
Prostate	291.0	176.4	9.2				16.2	11.6	2.5			
Testis	8.8	6.5	1.9				0.2	0.1	0.2			
Urinary bladder (incl. in situ)	65.8	44.3	4.9	19.8	9.6	1.9	8.8	6.1	1.8	4.4	2.0	0.9
Kidney and renal pelvis	43.0	27.2	3.7	23.4	12.7	2.4	7.6	5.0	1.6	4.0	2.0	0.9
Brain and other nervous system	11.8	7.5	1.9	7.8	4.4	1.4	5.6	3.5	1.3	5.0	2.8	1.1
Thyroid	20.0	12.8	2.6	56.4	35.0	4.2	1.2	0.7	0.6	2.2	1.0	0.6
Hodgkin lymphoma	5.8	3.9	1.5	4.6	3.1	1.3	0.4	0.3	0.4	0.8	0.4	0.4
Non-Hodgkin lymphomas	42.6	28.4	3.9	38.6	19.9	2.9	9.6	6.3	1.8	8.4	4.1	1.3
Myeloma	14.0	8.7	2.1	14.0	7.1	1.7	4.4	2.9	1.2	5.0	2.5	1.0
Leukemias	36.0	23.8	3.5	24.8	13.1	2.4	12.2	8.4	2.1	10.4	5.4	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
St. Lawrence

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	350.4	575.9	27.7	280.8	422.1	22.7	120.4	209.0	17.1	110.6	159.3	13.5
Oral cavity and pharynx	10.6	15.6	4.3	3.2	4.4	2.2	1.6	2.5	1.8	0.8	1.1	1.0
Esophagus	6.0	9.9	3.6	1.8	2.4	1.6	5.6	9.2	3.5	1.4	2.1	1.6
Stomach	6.0	9.7	3.6	1.6	2.0	1.4	2.0	3.1	2.0	0.4	0.5	0.7
Colorectal	31.6	55.1	8.8	23.6	33.8	6.3	9.2	16.2	4.8	9.2	12.9	3.8
Colon excluding rectum	19.2	33.4	6.8	17.0	23.9	5.2	6.8	11.7	4.0	7.0	9.7	3.3
Rectum & rectosigmoid	12.4	21.6	5.5	6.6	9.9	3.5	2.4	4.6	2.6	2.2	3.2	1.9
Liver / intrahepatic bile duct	3.6	5.2	2.5	2.4	3.5	2.1	2.0	3.4	2.1	3.0	4.4	2.3
Pancreas	8.6	14.6	4.5	8.6	11.9	3.6	7.4	12.1	4.0	7.6	10.2	3.3
Larynx	3.8	5.6	2.6	1.2	1.8	1.4	1.2	2.1	1.7	0.8	1.1	1.1
Lung and bronchus	59.0	98.1	11.5	48.6	70.0	8.9	43.4	73.0	10.0	33.6	48.6	7.5
Melanoma of the skin	15.0	25.2	5.8	14.2	25.1	6.0	1.2	1.9	1.6	2.0	3.0	1.9
Female breast				67.2	101.8	11.2				14.2	20.8	5.0
Cervix uteri				3.0	5.0	2.7				1.6	2.7	1.9
Corpus uterus and NOS				19.6	29.4	6.0				4.0	5.8	2.5
Ovary				7.0	10.4	3.5				3.6	4.8	2.3
Prostate	99.0	154.9	14.0				9.6	19.5	5.6			
Testis	2.6	4.4	2.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	29.6	50.9	8.4	9.4	13.2	3.8	3.0	5.9	3.0	2.0	2.7	1.7
Kidney and renal pelvis	10.8	17.7	4.8	9.0	13.9	4.1	2.4	4.2	2.5	2.0	3.0	1.9
Brain and other nervous system	4.2	6.7	2.9	3.0	4.8	2.5	3.4	5.7	2.8	2.6	3.9	2.1
Thyroid	3.6	6.1	2.9	9.8	18.4	5.3	0.2	0.4	0.7	0.4	0.6	0.9
Hodgkin lymphoma	1.8	2.9	1.9	0.8	1.7	1.7	0.0	0.0	0.0	0.4	0.8	1.2
Non-Hodgkin lymphomas	15.2	24.5	5.7	12.2	17.4	4.5	4.4	7.7	3.3	4.4	6.0	2.5
Myeloma	5.2	8.4	3.3	2.2	2.9	1.7	1.8	3.4	2.3	1.8	2.3	1.5
Leukemias	10.0	17.3	4.9	6.6	9.9	3.4	6.0	11.2	4.1	3.2	4.9	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Saratoga

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	674.4	567.9	19.8	652.0	469.7	16.5	232.0	209.1	12.4	212.2	149.3	9.2
Oral cavity and pharynx	22.4	17.6	3.4	8.8	6.3	1.9	4.0	3.2	1.4	2.2	1.4	0.8
Esophagus	9.8	8.3	2.4	3.0	1.9	1.0	10.4	9.0	2.5	2.4	1.7	1.0
Stomach	9.2	7.7	2.3	5.2	3.4	1.3	4.4	4.0	1.7	3.6	2.4	1.1
Colorectal	56.0	48.3	5.8	56.4	40.0	4.8	15.0	13.5	3.1	16.8	11.3	2.5
Colon excluding rectum	37.2	32.5	4.8	40.8	29.1	4.1	10.8	10.1	2.8	14.2	9.7	2.3
Rectum & rectosigmoid	18.8	15.8	3.3	15.6	10.9	2.5	4.2	3.4	1.5	2.6	1.6	0.9
Liver / intrahepatic bile duct	10.8	8.7	2.4	3.6	3.0	1.4	7.8	6.6	2.1	4.6	3.2	1.4
Pancreas	15.4	13.6	3.1	18.8	13.5	2.8	14.2	12.2	2.9	14.4	10.5	2.5
Larynx	7.0	5.7	1.9	2.8	1.8	1.0	2.8	2.3	1.2	0.2	0.1	0.2
Lung and bronchus	95.8	82.2	7.6	92.0	64.9	6.0	69.4	60.6	6.6	65.6	46.5	5.1
Melanoma of the skin	39.6	33.6	4.8	23.6	17.6	3.3	5.4	4.4	1.7	2.8	2.1	1.1
Female breast				186.4	133.7	8.8				31.4	21.7	3.5
Cervix uteri				7.8	6.4	2.1				2.0	1.6	1.0
Corpus uterus and NOS				42.2	28.0	3.9				4.8	3.3	1.3
Ovary				14.0	9.6	2.3				10.0	6.6	1.9
Prostate	149.2	115.9	8.6				18.8	18.9	3.9			
Testis	10.6	10.0	2.8				0.2	0.1	0.2			
Urinary bladder (incl. in situ)	54.4	48.1	5.9	20.6	14.3	2.8	8.4	8.4	2.6	5.2	3.5	1.4
Kidney and renal pelvis	32.2	25.9	4.1	17.6	13.0	2.8	7.8	6.7	2.2	3.4	2.2	1.1
Brain and other nervous system	14.4	12.3	2.9	8.6	6.6	2.0	7.0	6.0	2.0	3.4	2.7	1.3
Thyroid	13.6	11.4	2.8	34.8	28.4	4.3	0.4	0.4	0.5	0.2	0.1	0.3
Hodgkin lymphoma	2.8	2.6	1.4	2.0	1.6	1.0	0.2	0.2	0.4	0.6	0.5	0.6
Non-Hodgkin lymphomas	36.6	32.3	4.8	29.0	21.5	3.6	9.2	9.0	2.7	6.4	4.8	1.7
Myeloma	10.2	8.6	2.4	5.4	3.8	1.5	5.4	5.1	2.0	3.0	2.3	1.2
Leukemias	24.0	20.2	3.7	17.6	13.5	2.9	10.4	9.3	2.6	6.6	5.0	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Schenectady

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	440.2	532.0	22.8	456.4	452.1	19.3	178.2	218.8	14.7	164.4	145.5	10.4
Oral cavity and pharynx	15.8	18.5	4.2	6.6	6.3	2.2	2.2	2.5	1.5	0.8	0.7	0.7
Esophagus	8.0	9.7	3.1	3.2	3.1	1.6	7.6	9.1	3.0	3.4	3.3	1.6
Stomach	8.8	10.4	3.1	5.4	5.0	1.9	4.0	4.9	2.2	1.8	1.4	1.0
Colorectal	34.4	42.2	6.5	36.6	35.3	5.3	15.8	19.2	4.3	16.0	12.9	3.0
Colon excluding rectum	21.8	27.2	5.2	27.2	25.8	4.5	12.8	15.5	3.9	13.2	10.5	2.7
Rectum & rectosigmoid	12.6	14.9	3.8	9.4	9.5	2.8	3.0	3.7	1.9	2.8	2.4	1.3
Liver / intrahepatic bile duct	8.8	9.8	3.0	3.8	3.6	1.7	6.2	7.5	2.7	3.2	2.9	1.5
Pancreas	14.4	17.7	4.2	13.6	12.7	3.1	9.8	12.1	3.5	10.2	9.7	2.8
Larynx	4.2	4.9	2.2	1.6	1.7	1.2	1.4	1.9	1.4	0.2	0.2	0.4
Lung and bronchus	69.0	84.1	9.1	66.0	60.7	6.8	51.8	64.0	8.0	42.0	38.2	5.3
Melanoma of the skin	17.6	21.4	4.6	13.4	13.6	3.4	3.4	4.4	2.1	1.6	1.4	1.0
Female breast				127.6	129.5	10.4				25.0	22.9	4.2
Cervix uteri				5.0	6.4	2.6				0.8	1.0	1.0
Corpus uterus and NOS				28.6	28.5	4.8				4.4	4.1	1.8
Ovary				11.0	10.6	2.9				8.0	7.1	2.3
Prostate	87.6	100.6	9.7				17.4	21.5	4.6			
Testis	4.0	5.6	2.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	41.8	51.1	7.1	12.8	11.8	3.0	8.6	10.2	3.1	3.6	2.7	1.3
Kidney and renal pelvis	20.2	24.5	4.9	8.6	8.5	2.6	5.6	6.8	2.6	2.4	2.1	1.3
Brain and other nervous system	7.2	9.2	3.0	6.2	6.8	2.4	4.0	5.0	2.3	3.6	3.5	1.7
Thyroid	5.0	6.2	2.5	20.6	25.2	5.0	0.2	0.3	0.5	0.2	0.2	0.3
Hodgkin lymphoma	2.8	3.7	2.0	2.8	3.6	1.9	0.4	0.4	0.6	0.0	0.0	0.0
Non-Hodgkin lymphomas	23.2	28.7	5.4	19.0	17.5	3.7	5.8	7.5	2.8	6.6	5.4	1.9
Myeloma	9.6	11.0	3.2	4.4	4.4	1.9	2.2	2.8	1.7	3.0	2.5	1.3
Leukemias	14.6	19.1	4.5	14.2	14.3	3.5	8.2	10.7	3.4	5.8	5.1	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Schoharie

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	108.2	529.2	46.2	95.8	450.1	41.9	42.6	218.9	30.1	30.4	132.4	21.5
Oral cavity and pharynx	4.6	24.3	10.4	1.4	6.9	5.4	0.4	2.6	3.7	0.2	1.0	1.9
Esophagus	2.6	12.6	6.9	0.4	2.0	2.8	3.2	16.7	8.4	0.6	2.7	3.1
Stomach	2.0	11.8	7.5	1.4	5.6	4.2	0.8	4.5	4.6	0.4	1.9	2.6
Colorectal	10.0	47.4	13.6	8.8	41.1	12.5	2.8	13.6	7.3	2.4	10.9	6.2
Colon excluding rectum	6.6	31.3	11.1	7.4	34.7	11.4	1.4	6.6	5.0	2.0	9.3	5.8
Rectum & rectosigmoid	3.4	16.1	7.9	1.4	6.5	5.1	1.4	7.0	5.3	0.4	1.6	2.2
Liver / intrahepatic bile duct	2.4	11.3	6.5	1.6	6.9	4.9	1.4	7.0	5.3	0.8	3.7	3.6
Pancreas	3.2	16.6	8.3	2.2	9.9	5.9	3.4	18.6	9.0	2.2	9.6	5.8
Larynx	1.2	4.4	3.5	0.0	0.0	0.0	0.4	2.0	3.0	0.0	0.0	0.0
Lung and bronchus	16.2	76.9	17.3	12.4	54.7	13.9	10.4	51.2	14.2	9.0	37.2	11.2
Melanoma of the skin	5.2	28.0	11.2	3.4	18.4	9.3	1.2	5.2	4.2	0.2	0.7	1.3
Female breast				26.0	124.6	22.3				3.0	13.0	6.7
Cervix uteri				1.4	9.0	7.1				0.6	2.4	2.7
Corpus uterus and NOS				9.4	40.1	11.9				1.6	8.3	6.0
Ovary				1.8	7.5	4.9				2.2	9.4	5.8
Prostate	20.6	89.7	17.7				3.2	17.0	8.5			
Testis	1.6	10.0	7.1				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	7.4	36.5	12.0	1.4	6.3	4.7	1.8	8.8	5.9	0.0	0.0	0.0
Kidney and renal pelvis	5.4	26.9	10.7	1.8	8.8	5.9	2.0	10.5	6.6	0.8	3.5	3.5
Brain and other nervous system	1.8	10.3	7.1	1.6	9.1	6.4	1.4	6.4	4.8	0.8	3.8	3.8
Thyroid	2.2	12.9	8.0	3.6	22.4	10.8	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	0.6	3.7	4.4	0.2	0.9	1.8	0.0	0.0	0.0	0.2	0.9	1.8
Non-Hodgkin lymphomas	4.6	23.3	9.9	2.6	10.9	6.0	3.6	19.8	9.6	0.6	2.4	2.8
Myeloma	2.2	10.3	6.2	1.2	5.5	4.5	0.4	2.2	3.1	0.6	2.3	2.6
Leukemias	3.6	18.7	9.0	2.0	8.8	5.5	1.4	7.5	5.8	1.2	5.5	4.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Schuyler

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	62.6	535.5	61.3	63.0	484.4	55.1	23.0	213.2	40.1	22.8	165.1	30.7
Oral cavity and pharynx	3.0	26.4	14.0	1.2	8.7	7.0	0.4	2.5	3.5	0.2	1.6	3.1
Esophagus	1.0	9.0	8.1	0.0	0.0	0.0	1.4	13.3	10.1	0.2	1.4	2.7
Stomach	1.0	8.9	8.3	0.6	5.1	5.8	0.2	1.1	2.3	0.4	3.1	4.3
Colorectal	6.2	53.7	19.6	6.8	50.6	17.4	0.8	6.8	6.7	2.2	15.0	9.1
Colon excluding rectum	4.0	37.3	16.8	5.4	40.1	15.5	0.6	5.1	5.9	1.8	12.1	8.1
Rectum & rectosigmoid	2.2	16.4	10.0	1.4	10.4	7.8	0.2	1.7	3.2	0.4	2.9	4.1
Liver / intrahepatic bile duct	0.8	5.5	5.4	0.0	0.0	0.0	0.6	4.6	5.3	0.2	1.6	3.1
Pancreas	1.6	15.0	10.5	1.0	6.8	6.1	2.0	20.3	12.8	0.6	4.3	4.9
Larynx	1.4	11.5	8.7	0.4	3.2	4.4	0.2	1.1	2.3	0.0	0.0	0.0
Lung and bronchus	9.8	83.2	24.0	8.6	61.5	18.6	6.8	59.3	20.7	8.4	62.2	19.0
Melanoma of the skin	2.8	24.5	13.1	3.6	25.7	12.0	0.8	7.6	7.6	0.2	1.6	3.1
Female breast				12.6	98.6	25.3				2.0	14.6	9.1
Cervix uteri				0.8	8.3	8.5				0.2	1.6	3.2
Corpus uterus and NOS				4.6	34.5	14.3				1.4	9.9	7.4
Ovary				1.4	10.1	7.6				0.8	5.6	5.6
Prostate	14.0	104.8	25.1				1.6	19.1	13.3			
Testis	0.2	3.2	6.3				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	6.0	55.1	20.0	1.2	8.4	6.8	1.4	13.0	9.7	0.4	2.8	3.9
Kidney and renal pelvis	1.8	15.3	10.3	1.8	14.5	10.1	1.0	9.5	8.6	0.2	1.3	2.5
Brain and other nervous system	0.6	6.6	7.7	0.4	5.0	7.1	0.2	1.3	2.5	0.4	2.6	3.6
Thyroid	0.8	5.8	5.7	1.8	17.6	12.1	0.2	1.9	3.7	0.0	0.0	0.0
Hodgkin lymphoma	0.6	5.8	6.8	0.4	5.3	7.4	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	1.6	16.2	11.4	4.2	30.9	13.4	0.8	9.6	9.4	1.0	7.6	6.7
Myeloma	1.2	10.4	8.6	0.8	5.9	5.8	0.4	4.0	5.6	0.4	2.9	4.0
Leukemias	2.2	21.0	12.9	1.6	13.7	10.0	1.6	15.1	10.7	0.6	3.3	3.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Seneca

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	115.6	535.3	44.5	99.4	451.6	41.8	38.0	182.5	26.3	34.8	146.4	22.6
Oral cavity and pharynx	2.6	11.5	6.4	1.2	5.6	4.7	0.2	0.8	1.6	0.2	0.6	1.2
Esophagus	2.0	10.0	6.4	0.4	1.5	2.1	1.2	5.4	4.4	0.8	3.0	3.0
Stomach	2.0	9.0	5.7	1.4	5.1	3.9	0.6	2.9	3.3	1.0	4.3	4.3
Colorectal	10.6	48.6	13.3	7.6	32.1	10.9	3.0	13.4	6.9	2.2	8.8	5.3
Colon excluding rectum	7.4	35.3	11.5	5.2	21.0	8.4	2.2	9.9	5.9	1.8	7.1	4.7
Rectum & rectosigmoid	3.2	13.3	6.6	2.4	11.2	6.9	0.8	3.6	3.6	0.4	1.7	2.4
Liver / intrahepatic bile duct	1.4	6.9	5.2	1.4	7.5	5.8	0.8	4.2	4.1	0.8	4.8	4.9
Pancreas	4.4	22.2	9.4	2.6	11.0	6.4	2.2	11.0	6.6	2.2	8.3	5.0
Larynx	1.4	6.2	4.7	0.6	2.5	2.8	0.4	2.1	2.9	0.0	0.0	0.0
Lung and bronchus	20.6	95.2	18.7	16.4	71.2	15.9	12.2	57.4	14.6	8.4	38.9	12.1
Melanoma of the skin	3.8	17.9	8.2	4.8	26.0	10.9	0.6	2.9	3.3	0.2	1.0	2.0
Female breast				26.2	123.5	22.2				5.8	25.3	9.5
Cervix uteri				1.6	8.0	5.9				0.2	0.9	1.8
Corpus uterus and NOS				6.4	28.9	10.6				1.4	5.5	4.2
Ovary				3.4	16.3	8.1				1.6	6.7	4.9
Prostate	25.2	112.2	20.0				2.6	13.1	7.2			
Testis	1.2	5.7	4.6				0.2	0.8	1.7			
Urinary bladder (incl. in situ)	8.4	38.5	11.9	3.4	13.7	6.8	1.4	6.7	5.0	0.4	1.2	1.7
Kidney and renal pelvis	5.4	22.8	8.8	2.4	10.7	6.3	1.8	7.4	4.9	0.6	2.5	2.8
Brain and other nervous system	2.6	13.8	7.7	2.0	11.2	7.4	1.2	5.9	4.7	1.4	7.0	5.5
Thyroid	1.0	4.8	4.2	2.6	17.5	10.0	0.2	1.2	2.4	0.2	0.8	1.5
Hodgkin lymphoma	0.4	2.7	3.8	0.2	0.6	1.2	0.2	1.5	2.9	0.2	0.6	1.2
Non-Hodgkin lymphomas	5.6	26.2	9.9	3.2	13.4	6.7	1.4	7.5	5.6	1.2	3.7	2.9
Myeloma	2.0	9.5	6.0	1.6	6.6	4.7	0.2	1.1	2.1	1.2	4.8	3.9
Leukemias	6.2	29.0	10.4	2.4	9.9	5.8	3.2	15.0	7.4	1.4	4.8	3.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Steuben

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	316.6	529.1	26.6	290.0	444.3	23.6	121.4	210.6	17.0	104.4	151.3	13.3
Oral cavity and pharynx	7.2	10.8	3.6	6.0	8.7	3.2	1.6	2.8	2.0	0.8	1.1	1.1
Esophagus	5.4	9.3	3.6	1.8	2.5	1.7	6.6	11.2	3.9	1.2	1.6	1.3
Stomach	5.4	9.9	3.8	2.0	3.2	2.0	2.0	3.6	2.3	1.4	2.1	1.6
Colorectal	27.6	46.9	7.9	26.0	38.8	6.9	10.8	19.4	5.2	9.4	12.8	3.7
Colon excluding rectum	19.4	33.0	6.7	21.6	31.8	6.2	8.4	15.2	4.7	8.6	11.8	3.6
Rectum & rectosigmoid	8.2	13.9	4.3	4.4	7.0	3.0	2.4	4.2	2.4	0.8	1.0	0.9
Liver / intrahepatic bile duct	5.8	9.1	3.4	2.8	4.1	2.2	4.6	7.2	3.0	1.8	2.6	1.8
Pancreas	8.2	13.2	4.1	9.6	13.5	3.9	7.6	13.2	4.3	6.8	9.4	3.2
Larynx	4.8	8.1	3.3	0.8	1.2	1.2	2.0	3.3	2.1	0.2	0.2	0.5
Lung and bronchus	56.6	94.9	11.2	47.2	68.8	9.0	42.4	71.6	9.8	34.6	49.9	7.6
Melanoma of the skin	15.6	27.4	6.2	12.2	21.9	5.8	1.6	2.8	2.0	1.2	2.1	1.7
Female breast				72.6	107.9	11.4				13.0	19.2	4.8
Cervix uteri				3.6	6.8	3.3				1.2	1.6	1.3
Corpus uterus and NOS				17.6	25.5	5.5				3.0	4.6	2.4
Ovary				7.2	11.4	3.8				5.0	7.0	2.8
Prostate	70.2	107.6	11.4				7.2	13.6	4.5			
Testis	4.2	8.9	3.9				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	28.8	49.0	8.2	8.6	13.1	4.0	3.6	6.7	3.2	1.2	1.7	1.3
Kidney and renal pelvis	12.0	20.8	5.4	6.0	9.8	3.6	3.0	5.4	2.8	0.6	0.8	0.9
Brain and other nervous system	5.4	9.8	3.8	4.0	7.1	3.2	3.6	6.3	3.0	2.8	4.5	2.5
Thyroid	2.4	3.6	2.1	10.4	21.4	6.0	0.0	0.0	0.0	0.6	0.9	1.0
Hodgkin lymphoma	2.6	5.3	2.9	1.8	4.1	2.7	0.0	0.0	0.0	0.4	1.0	1.4
Non-Hodgkin lymphomas	12.4	20.9	5.3	10.6	15.7	4.3	4.6	7.8	3.2	1.8	2.5	1.7
Myeloma	4.0	6.4	2.9	3.6	5.5	2.6	1.8	2.8	1.9	1.8	2.3	1.6
Leukemias	8.4	14.3	4.4	6.4	9.7	3.5	4.6	8.3	3.4	3.2	5.2	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Suffolk

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4649.2	601.0	7.9	4587.8	495.4	6.5	1390.6	189.4	4.5	1410.4	145.1	3.4
Oral cavity and pharynx	134.4	16.4	1.3	58.6	6.4	0.7	23.0	3.1	0.6	10.8	1.1	0.3
Esophagus	71.2	9.1	1.0	21.6	2.2	0.4	57.2	7.3	0.9	17.8	1.8	0.4
Stomach	80.6	10.5	1.0	50.0	5.4	0.7	30.8	4.1	0.7	17.6	1.8	0.4
Colorectal	386.4	50.9	2.3	346.6	36.2	1.7	134.2	18.5	1.4	121.2	12.2	1.0
Colon excluding rectum	269.8	36.0	2.0	259.8	27.0	1.5	107.8	14.9	1.3	103.8	10.4	0.9
Rectum & rectosigmoid	116.6	14.9	1.2	86.8	9.2	0.9	26.4	3.6	0.6	17.4	1.8	0.4
Liver / intrahepatic bile duct	96.0	11.7	1.1	34.8	3.7	0.6	65.6	8.3	0.9	30.4	3.2	0.5
Pancreas	127.6	16.7	1.3	125.8	12.9	1.0	97.4	12.8	1.2	101.6	10.2	0.9
Larynx	46.8	5.9	0.8	13.4	1.4	0.3	14.2	1.8	0.4	3.8	0.4	0.2
Lung and bronchus	568.6	75.6	2.8	626.4	65.9	2.3	366.2	49.2	2.3	381.8	39.7	1.8
Melanoma of the skin	258.6	33.9	1.9	172.8	19.2	1.3	34.8	4.7	0.7	19.8	2.1	0.4
Female breast				1311.0	142.3	3.5				214.2	22.0	1.3
Cervix uteri				58.4	7.1	0.8				19.8	2.2	0.4
Corpus uterus and NOS				300.2	31.4	1.6				49.4	5.1	0.6
Ovary				132.8	14.2	1.1				75.4	7.7	0.8
Prostate	1172.0	143.1	3.7				115.2	17.2	1.4			
Testis	50.6	7.2	0.9				0.6	0.1	0.1			
Urinary bladder (incl. in situ)	366.8	49.9	2.3	125.8	13.0	1.0	60.8	8.7	1.0	24.0	2.4	0.4
Kidney and renal pelvis	217.0	27.2	1.7	117.0	12.9	1.1	37.0	5.0	0.7	21.0	2.1	0.4
Brain and other nervous system	66.6	8.6	0.9	50.4	5.9	0.7	38.6	4.9	0.7	28.0	3.1	0.5
Thyroid	101.8	12.8	1.1	260.2	31.8	1.8	5.6	0.8	0.3	6.4	0.6	0.2
Hodgkin lymphoma	31.0	4.2	0.7	24.6	3.3	0.6	2.2	0.3	0.2	2.8	0.3	0.2
Non-Hodgkin lymphomas	220.8	29.4	1.8	178.4	19.1	1.3	57.6	7.9	0.9	44.8	4.7	0.6
Myeloma	73.2	9.5	1.0	62.6	6.5	0.7	27.4	3.8	0.6	24.2	2.5	0.4
Leukemias	178.6	23.9	1.6	128.2	14.0	1.1	66.6	9.4	1.0	45.6	4.9	0.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Sullivan

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	244.8	518.4	30.1	213.2	446.8	27.7	89.0	201.3	19.5	77.6	158.0	16.1
Oral cavity and pharynx	6.4	12.3	4.4	2.6	5.5	3.1	1.4	2.8	2.1	0.6	1.1	1.3
Esophagus	5.6	11.5	4.4	0.6	1.1	1.3	3.8	7.7	3.6	0.4	0.8	1.1
Stomach	4.6	10.0	4.3	1.4	2.6	2.0	2.8	5.7	3.1	1.4	2.5	1.9
Colorectal	21.8	46.7	9.1	19.0	38.4	7.9	7.2	16.3	5.6	6.6	13.0	4.5
Colon excluding rectum	16.0	34.8	7.9	14.4	29.0	6.9	5.2	12.0	4.8	5.4	11.0	4.2
Rectum & rectosigmoid	5.8	12.0	4.5	4.6	9.4	4.0	2.0	4.3	2.8	1.2	2.0	1.6
Liver / intrahepatic bile duct	7.0	12.1	4.0	1.6	3.6	2.5	5.4	10.5	4.0	1.4	3.2	2.4
Pancreas	6.2	12.8	4.7	5.0	9.8	3.9	4.4	9.5	4.1	5.0	9.9	4.0
Larynx	3.8	7.3	3.4	0.4	0.9	1.2	1.0	2.2	1.9	0.4	0.9	1.2
Lung and bronchus	37.0	78.6	11.7	33.6	67.5	10.4	25.2	53.9	9.8	24.0	48.2	8.8
Melanoma of the skin	9.4	21.1	6.3	7.8	16.8	5.5	1.4	2.6	2.0	1.0	2.5	2.2
Female breast				53.0	109.5	13.6				9.6	18.5	5.3
Cervix uteri				4.8	12.2	5.1				1.0	2.1	1.9
Corpus uterus and NOS				12.8	25.6	6.5				2.2	4.9	3.0
Ovary				7.0	14.4	4.9				3.8	8.2	3.8
Prostate	53.8	106.1	13.1				8.2	23.2	7.3			
Testis	1.4	3.6	2.8				0.4	0.9	1.3			
Urinary bladder (incl. in situ)	19.8	44.8	9.2	6.0	12.0	4.4	3.0	7.2	3.7	2.4	4.6	2.6
Kidney and renal pelvis	13.6	29.0	7.1	6.0	12.5	4.6	3.4	7.4	3.6	1.8	4.1	2.8
Brain and other nervous system	3.8	8.4	3.9	1.6	3.6	2.5	2.2	4.9	3.0	1.2	2.6	2.1
Thyroid	3.8	7.9	3.6	9.6	23.6	7.0	0.0	0.0	0.0	0.4	0.9	1.2
Hodgkin lymphoma	2.0	5.2	3.3	0.6	1.4	1.7	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	11.4	25.3	6.8	9.0	18.9	5.7	1.6	4.0	2.8	0.8	1.6	1.6
Myeloma	3.4	7.8	3.8	2.6	5.4	3.0	1.6	4.2	3.0	1.0	2.0	1.8
Leukemias	5.2	11.3	4.5	5.2	12.1	4.8	2.2	5.6	3.4	2.4	5.6	3.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Tioga

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	173.0	562.2	38.4	155.2	463.0	33.7	52.8	179.0	22.1	46.6	131.9	17.3
Oral cavity and pharynx	2.8	9.1	4.9	1.8	5.0	3.3	0.6	2.1	2.5	0.2	0.5	1.0
Esophagus	2.4	7.3	4.2	0.0	0.0	0.0	1.6	5.5	3.9	0.4	1.1	1.5
Stomach	2.0	6.6	4.1	1.0	3.4	3.1	1.0	3.2	2.9	0.4	1.1	1.6
Colorectal	16.2	53.6	12.0	13.4	39.2	9.7	3.2	12.0	6.0	3.4	9.2	4.4
Colon excluding rectum	10.4	35.5	9.9	10.6	32.2	9.0	3.0	11.1	5.7	2.6	7.2	4.0
Rectum & rectosigmoid	5.8	18.2	6.8	2.8	7.0	3.7	0.2	0.9	1.8	0.8	2.0	1.9
Liver / intrahepatic bile duct	3.4	11.1	5.4	1.6	4.1	2.8	2.4	7.8	4.5	1.4	3.6	2.7
Pancreas	3.6	11.0	5.1	5.0	13.6	5.5	3.4	10.8	5.2	3.0	8.1	4.3
Larynx	1.6	4.9	3.5	0.6	2.3	2.7	0.0	0.0	0.0	0.2	0.5	0.9
Lung and bronchus	22.0	69.5	13.2	22.0	61.7	11.7	16.2	53.1	11.8	13.6	39.0	9.4
Melanoma of the skin	9.2	33.6	10.0	6.6	23.5	8.5	0.6	1.8	2.0	1.0	3.3	3.0
Female breast				42.8	125.7	17.4				6.2	17.7	6.4
Cervix uteri				1.2	4.7	4.0				0.4	1.0	1.4
Corpus uterus and NOS				9.8	28.2	8.1				0.6	1.7	1.9
Ovary				2.8	8.9	4.8				2.2	6.2	3.7
Prostate	50.4	152.0	19.1				5.0	18.3	7.3			
Testis	2.8	13.0	6.9				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	12.0	38.7	10.0	3.8	10.1	4.6	2.2	8.3	5.0	1.4	3.9	2.9
Kidney and renal pelvis	5.6	18.4	7.0	5.0	15.1	6.1	1.4	4.5	3.4	1.6	4.4	3.1
Brain and other nervous system	3.0	10.9	5.7	1.2	4.0	3.4	2.4	9.0	5.2	1.0	2.8	2.5
Thyroid	3.0	10.5	5.5	6.8	26.6	9.4	0.0	0.0	0.0	0.4	1.1	1.5
Hodgkin lymphoma	1.0	2.9	2.6	0.8	3.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.0	27.1	8.6	5.6	16.2	6.1	3.2	11.1	5.5	1.8	5.1	3.4
Myeloma	2.4	9.1	5.2	3.0	8.4	4.3	1.2	4.5	3.7	0.8	2.3	2.3
Leukemias	5.8	18.7	7.0	4.8	14.0	5.8	1.4	4.2	3.2	2.2	6.6	4.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Tompkins

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	231.6	535.9	32.0	236.2	461.3	27.4	74.4	183.3	19.1	79.0	142.8	14.7
Oral cavity and pharynx	7.0	14.1	4.9	4.2	8.1	3.6	1.6	3.4	2.4	0.4	0.7	0.9
Esophagus	3.4	8.3	4.1	0.6	1.4	1.6	2.4	5.8	3.4	0.4	0.8	1.1
Stomach	2.4	6.3	3.6	1.8	3.2	2.2	1.2	2.9	2.4	0.8	1.6	1.6
Colorectal	18.4	43.1	9.1	20.6	37.2	7.5	7.4	18.5	6.1	8.0	14.1	4.6
Colon excluding rectum	12.0	28.3	7.4	16.0	29.2	6.7	6.4	16.0	5.7	6.4	11.3	4.2
Rectum & rectosigmoid	6.4	14.8	5.3	4.6	8.0	3.4	1.0	2.4	2.2	1.6	2.8	2.0
Liver / intrahepatic bile duct	4.6	10.2	4.3	1.0	1.9	1.8	3.0	7.1	3.7	1.4	2.9	2.2
Pancreas	6.2	15.8	5.7	6.2	11.0	4.1	5.6	14.7	5.6	6.2	9.9	3.6
Larynx	2.2	5.1	3.2	0.4	1.0	1.4	1.2	3.2	2.6	0.2	0.3	0.6
Lung and bronchus	24.4	58.0	10.6	29.4	58.2	9.7	19.0	45.5	9.4	21.2	41.3	8.1
Melanoma of the skin	11.0	27.9	7.6	10.6	21.4	6.0	1.2	3.0	2.5	1.0	1.9	1.7
Female breast				63.2	130.3	14.9				9.8	16.6	4.9
Cervix uteri				3.8	8.0	3.8				0.6	1.0	1.2
Corpus uterus and NOS				18.6	34.8	7.3				3.2	5.9	3.0
Ovary				7.2	13.7	4.7				5.0	8.7	3.5
Prostate	59.2	128.9	15.2				7.6	19.4	6.3			
Testis	4.8	10.1	4.3				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	21.6	52.7	10.3	7.8	14.9	4.8	3.0	7.2	3.7	1.4	2.5	2.0
Kidney and renal pelvis	9.4	22.9	6.8	4.0	7.5	3.4	2.6	6.5	3.6	1.8	3.6	2.4
Brain and other nervous system	5.0	11.4	4.7	2.4	4.7	2.8	2.6	6.2	3.5	1.4	2.8	2.1
Thyroid	3.8	9.0	4.2	9.4	19.3	5.8	0.2	0.4	0.7	0.4	0.7	1.0
Hodgkin lymphoma	2.8	6.3	3.4	1.0	2.1	2.0	0.0	0.0	0.0	0.4	0.6	0.8
Non-Hodgkin lymphomas	11.4	27.4	7.4	10.0	19.6	5.7	3.0	8.2	4.2	2.2	4.0	2.5
Myeloma	4.2	9.3	4.1	2.2	3.8	2.3	1.0	2.7	2.4	1.4	2.9	2.2
Leukemias	10.0	22.5	6.5	9.6	18.2	5.4	3.4	8.8	4.3	4.0	6.6	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Ulster

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	555.4	515.8	19.7	541.2	452.0	17.7	196.4	191.3	12.2	200.2	155.8	9.9
Oral cavity and pharynx	17.8	15.4	3.3	5.6	4.6	1.8	2.8	2.7	1.4	1.2	0.9	0.7
Esophagus	8.8	8.3	2.5	3.8	2.9	1.4	8.4	7.7	2.4	2.4	1.7	1.0
Stomach	12.0	10.4	2.7	3.0	2.3	1.2	3.8	3.6	1.6	1.8	1.4	1.0
Colorectal	49.4	45.3	5.8	45.2	36.1	4.9	17.4	16.6	3.6	17.8	13.5	2.9
Colon excluding rectum	35.0	32.5	4.9	36.4	28.3	4.2	13.6	13.3	3.2	15.0	11.1	2.6
Rectum & rectosigmoid	14.4	12.8	3.0	8.8	7.8	2.4	3.8	3.3	1.5	2.8	2.4	1.3
Liver / intrahepatic bile duct	15.2	12.8	3.0	4.2	3.1	1.4	11.6	10.3	2.7	4.2	3.3	1.4
Pancreas	14.4	13.2	3.1	10.4	7.9	2.2	11.6	10.7	2.8	10.2	7.8	2.2
Larynx	6.2	5.7	2.1	1.0	0.8	0.7	2.2	1.9	1.2	0.8	0.6	0.6
Lung and bronchus	83.4	80.0	7.8	81.0	65.0	6.5	56.4	55.6	6.6	53.8	42.5	5.2
Melanoma of the skin	24.4	23.4	4.3	20.0	17.2	3.5	4.4	4.3	1.8	2.6	2.1	1.1
Female breast				146.6	121.6	9.1				28.0	21.5	3.7
Cervix uteri				11.6	12.2	3.3				3.6	3.0	1.4
Corpus uterus and NOS				39.2	31.6	4.5				7.2	5.5	1.8
Ovary				17.4	14.9	3.2				13.4	11.2	2.8
Prostate	130.2	112.6	8.9				16.4	17.6	3.9			
Testis	5.4	6.3	2.4				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	42.6	41.0	5.6	12.2	9.7	2.5	8.2	8.2	2.6	3.0	2.2	1.2
Kidney and renal pelvis	22.8	22.0	4.1	13.0	10.3	2.6	5.2	5.1	2.0	4.0	3.0	1.4
Brain and other nervous system	5.8	5.6	2.1	8.4	7.8	2.5	4.8	4.5	1.9	6.0	5.1	1.9
Thyroid	5.6	5.2	2.0	23.4	23.9	4.5	0.2	0.2	0.3	0.6	0.5	0.6
Hodgkin lymphoma	4.6	5.1	2.1	1.8	1.7	1.1	0.8	0.9	0.9	0.2	0.1	0.3
Non-Hodgkin lymphomas	26.0	25.5	4.5	24.8	21.3	3.9	8.4	8.6	2.7	6.6	5.0	1.7
Myeloma	8.8	8.6	2.6	6.6	5.5	1.9	2.0	2.2	1.4	2.6	2.0	1.1
Leukemias	22.4	21.5	4.1	11.4	9.7	2.6	9.0	9.6	2.9	7.0	5.5	1.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Warren

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	249.2	598.7	34.2	227.8	480.8	29.3	86.2	213.7	20.6	78.2	151.4	15.5
Oral cavity and pharynx	9.2	20.5	6.1	3.4	7.5	3.8	1.2	2.8	2.3	1.0	1.5	1.3
Esophagus	5.4	12.6	4.8	1.2	2.3	1.9	4.0	9.6	4.3	1.0	1.9	1.7
Stomach	5.2	11.7	4.6	1.6	3.3	2.4	1.6	3.8	2.7	0.8	2.0	2.0
Colorectal	18.0	44.6	9.5	20.2	40.2	8.2	6.4	16.5	5.8	5.2	8.8	3.4
Colon excluding rectum	10.6	26.5	7.3	14.4	28.5	6.8	4.8	12.3	5.0	4.2	7.1	3.1
Rectum & rectosigmoid	7.4	18.1	6.1	5.8	11.7	4.6	1.6	4.2	3.0	1.0	1.7	1.5
Liver / intrahepatic bile duct	2.8	5.9	3.2	1.2	2.6	2.3	1.8	4.2	2.8	1.0	1.9	1.6
Pancreas	7.6	17.9	5.8	4.6	9.1	3.8	6.4	15.6	5.5	5.0	10.1	4.0
Larynx	4.8	11.0	4.5	0.2	0.4	0.7	0.2	0.4	0.7	0.2	0.3	0.6
Lung and bronchus	37.4	89.4	13.1	29.0	57.4	9.6	22.2	54.3	10.4	19.6	39.0	7.9
Melanoma of the skin	13.6	32.6	7.9	8.4	20.3	6.6	1.2	2.5	2.2	1.0	2.1	1.9
Female breast				60.4	125.1	14.7				12.0	23.6	6.1
Cervix uteri				1.4	3.7	2.9				1.0	2.5	2.4
Corpus uterus and NOS				14.6	29.2	6.9				2.8	5.2	2.8
Ovary				5.4	12.7	5.1				3.8	7.4	3.4
Prostate	59.4	134.7	15.6				7.6	20.5	6.6			
Testis	1.6	5.4	3.9				0.2	0.5	0.9			
Urinary bladder (incl. in situ)	21.8	51.0	9.8	6.6	12.7	4.5	4.0	9.5	4.2	0.8	2.1	2.2
Kidney and renal pelvis	9.6	22.8	6.7	6.6	13.5	4.8	3.2	7.7	3.9	2.6	4.7	2.6
Brain and other nervous system	3.4	10.2	5.0	4.2	10.8	4.9	2.6	6.9	3.9	2.4	5.8	3.4
Thyroid	3.8	10.9	5.1	13.0	37.1	9.5	0.2	0.4	0.7	0.4	0.8	1.1
Hodgkin lymphoma	0.6	1.8	2.1	1.2	3.2	2.7	0.2	0.5	1.0	0.2	0.5	0.9
Non-Hodgkin lymphomas	11.0	27.2	7.4	11.2	22.6	6.1	5.2	12.3	4.9	2.2	4.2	2.5
Myeloma	4.6	11.9	4.9	3.0	5.6	2.9	2.6	6.9	3.8	0.6	1.3	1.4
Leukemias	8.8	23.9	7.3	7.6	16.2	5.4	4.2	10.7	4.7	3.6	6.5	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Washington

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	214.6	565.5	34.6	194.4	483.4	31.5	83.4	228.0	22.3	72.8	166.9	17.6
Oral cavity and pharynx	7.0	17.5	5.9	2.6	5.6	3.1	1.4	3.3	2.5	1.0	2.6	2.3
Esophagus	4.2	10.4	4.6	1.4	3.1	2.3	3.2	8.1	4.1	0.6	1.3	1.5
Stomach	3.0	7.1	3.7	2.2	4.7	2.8	1.2	3.3	2.7	1.4	2.9	2.2
Colorectal	14.8	38.3	8.9	16.0	37.1	8.4	5.6	14.7	5.6	7.6	16.3	5.3
Colon excluding rectum	11.2	29.6	7.9	13.6	31.8	7.8	5.0	13.0	5.2	5.8	12.0	4.5
Rectum & rectosigmoid	3.6	8.7	4.1	2.4	5.3	3.0	0.6	1.7	1.9	1.8	4.4	2.9
Liver / intrahepatic bile duct	3.2	7.8	3.9	1.4	3.0	2.2	2.6	6.4	3.6	2.0	4.1	2.6
Pancreas	7.0	18.9	6.4	5.2	12.4	4.9	6.4	17.4	6.2	5.0	11.8	4.8
Larynx	4.4	11.1	4.8	0.8	1.8	1.8	1.4	3.6	2.7	0.0	0.0	0.0
Lung and bronchus	38.4	103.7	14.9	32.2	75.4	11.8	27.2	74.0	12.6	21.4	50.7	9.8
Melanoma of the skin	8.6	23.6	7.2	7.0	19.4	6.8	1.8	5.5	3.7	0.2	0.5	1.1
Female breast				40.0	103.3	14.8				9.0	20.2	6.0
Cervix uteri				3.8	10.4	5.0				0.6	1.2	1.3
Corpus uterus and NOS				15.6	37.2	8.4				2.8	6.0	3.2
Ovary				5.6	14.1	5.4				4.0	9.5	4.3
Prostate	46.6	115.4	15.1				7.4	22.5	7.3			
Testis	3.0	9.7	5.0				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	16.8	45.8	10.0	6.4	15.2	5.4	4.0	11.0	4.9	0.4	1.1	1.5
Kidney and renal pelvis	7.4	18.8	6.2	4.8	10.9	4.5	2.0	5.4	3.4	1.0	2.3	2.0
Brain and other nervous system	3.8	10.3	4.8	2.0	5.9	3.9	3.4	8.3	4.0	1.8	4.6	3.1
Thyroid	5.4	14.0	5.4	14.2	42.5	10.3	0.2	0.6	1.1	0.2	0.3	0.6
Hodgkin lymphoma	1.4	4.0	3.0	0.6	2.6	2.9	0.2	0.4	0.9	0.2	0.8	1.5
Non-Hodgkin lymphomas	12.0	33.3	8.6	7.0	16.4	5.5	5.0	14.4	5.7	1.8	4.1	2.7
Myeloma	3.6	8.7	4.1	2.0	4.5	2.8	1.0	2.9	2.6	0.6	1.3	1.4
Leukemias	6.2	17.3	6.2	5.8	14.9	5.7	1.6	4.5	3.2	2.2	5.3	3.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Wayne

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	312.2	586.6	29.9	283.6	483.3	25.9	106.6	209.4	18.3	91.8	149.9	14.0
Oral cavity and pharynx	8.6	14.0	4.3	3.4	5.6	2.7	1.4	2.6	2.0	0.2	0.3	0.7
Esophagus	6.4	11.4	4.0	1.0	1.6	1.4	6.2	12.1	4.3	0.8	1.2	1.2
Stomach	4.2	8.2	3.6	2.2	3.9	2.3	2.0	3.8	2.4	1.0	1.8	1.6
Colorectal	22.4	41.3	7.9	24.6	42.6	7.7	9.4	17.5	5.1	8.2	13.6	4.2
Colon excluding rectum	15.2	28.3	6.6	19.0	32.3	6.7	7.0	13.5	4.6	6.2	10.4	3.7
Rectum & rectosigmoid	7.2	12.9	4.3	5.6	10.3	4.0	2.4	4.0	2.3	2.0	3.2	2.0
Liver / intrahepatic bile duct	5.0	8.9	3.6	1.0	1.7	1.5	3.8	6.9	3.2	1.2	1.9	1.5
Pancreas	6.2	11.2	4.1	7.6	12.3	4.0	6.6	12.5	4.4	5.8	9.8	3.6
Larynx	2.8	5.0	2.7	0.6	0.9	1.0	0.6	1.1	1.2	0.4	0.5	0.7
Lung and bronchus	42.0	79.5	11.1	42.2	69.1	9.4	33.6	65.1	10.1	28.6	46.9	7.8
Melanoma of the skin	14.0	27.0	6.5	10.6	20.0	5.6	2.0	4.1	2.6	1.4	2.3	1.8
Female breast				79.2	134.4	13.6				13.6	22.3	5.4
Cervix uteri				4.2	8.9	4.0				2.0	3.9	2.5
Corpus uterus and NOS				21.4	33.8	6.6				2.6	3.9	2.1
Ovary				8.4	14.0	4.4				4.0	6.4	2.9
Prostate	94.0	166.6	15.5				11.8	26.2	6.8			
Testis	2.8	6.8	3.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	25.8	52.1	9.2	9.8	16.2	4.7	3.2	6.8	3.4	1.0	1.7	1.5
Kidney and renal pelvis	13.2	24.9	6.2	10.6	17.9	4.9	2.8	5.4	2.9	1.6	2.8	2.0
Brain and other nervous system	4.4	9.7	4.2	3.4	6.5	3.1	3.0	6.3	3.3	2.6	4.4	2.5
Thyroid	3.2	6.1	3.1	7.4	14.8	4.9	0.2	0.3	0.5	0.4	0.6	0.8
Hodgkin lymphoma	2.0	4.8	3.0	2.4	5.9	3.4	0.0	0.0	0.0	0.2	0.5	1.1
Non-Hodgkin lymphomas	11.0	19.7	5.4	8.6	14.2	4.4	3.0	5.4	2.8	3.0	4.5	2.3
Myeloma	2.8	5.1	2.8	4.0	6.4	2.8	1.4	2.6	2.0	1.2	1.8	1.5
Leukemias	12.6	24.7	6.3	7.6	12.8	4.2	4.0	8.0	3.6	3.0	4.5	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Westchester

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2716.4	544.6	9.3	2864.0	458.6	7.7	815.6	168.1	5.2	877.8	127.6	3.9
Oral cavity and pharynx	77.2	14.9	1.5	36.4	5.8	0.9	13.6	2.7	0.7	6.6	0.9	0.3
Esophagus	32.2	6.3	1.0	13.2	1.9	0.5	27.2	5.4	0.9	12.2	1.7	0.4
Stomach	53.2	10.9	1.3	41.6	6.1	0.9	26.6	5.4	0.9	18.0	2.5	0.5
Colorectal	217.4	44.1	2.7	223.4	33.8	2.0	76.0	15.3	1.6	76.8	10.9	1.1
Colon excluding rectum	155.4	31.9	2.3	169.4	25.3	1.8	62.0	12.5	1.4	65.0	9.2	1.0
Rectum & rectosigmoid	62.0	12.2	1.4	54.0	8.5	1.1	14.0	2.8	0.7	11.8	1.7	0.4
Liver / intrahepatic bile duct	58.6	11.0	1.3	25.6	3.9	0.7	37.6	7.4	1.1	23.2	3.4	0.6
Pancreas	76.4	15.5	1.6	86.2	12.8	1.2	62.8	12.9	1.4	68.6	9.7	1.1
Larynx	24.8	4.9	0.9	6.6	1.0	0.3	6.4	1.3	0.4	1.6	0.3	0.2
Lung and bronchus	281.2	57.6	3.1	333.6	50.4	2.5	190.8	39.7	2.6	200.2	29.1	1.8
Melanoma of the skin	136.8	27.6	2.1	96.6	16.0	1.5	17.8	3.7	0.8	14.0	2.0	0.5
Female breast				854.4	139.9	4.3				133.8	19.8	1.5
Cervix uteri				36.2	6.8	1.0				11.2	1.9	0.5
Corpus uterus and NOS				189.0	29.8	1.9				37.4	5.6	0.8
Ovary				80.2	13.1	1.3				54.0	8.1	1.0
Prostate	756.6	146.0	4.7				91.8	19.5	1.8			
Testis	27.6	6.3	1.1				0.6	0.1	0.2			
Urinary bladder (incl. in situ)	193.4	39.8	2.5	70.2	10.3	1.1	35.2	7.3	1.1	12.0	1.5	0.4
Kidney and renal pelvis	111.2	22.1	1.9	57.8	9.1	1.1	20.8	4.3	0.8	10.6	1.4	0.4
Brain and other nervous system	41.2	8.4	1.2	30.6	5.0	0.8	23.6	4.8	0.9	20.4	3.2	0.6
Thyroid	58.6	12.0	1.4	163.2	31.1	2.2	3.4	0.7	0.3	3.0	0.4	0.2
Hodgkin lymphoma	17.6	4.0	0.8	15.8	3.3	0.7	1.8	0.3	0.2	1.8	0.3	0.2
Non-Hodgkin lymphomas	141.2	28.6	2.1	124.6	19.7	1.6	33.0	6.9	1.1	33.8	4.7	0.7
Myeloma	52.6	10.7	1.3	42.2	6.3	0.9	18.0	3.6	0.7	18.0	2.5	0.5
Leukemias	116.8	24.1	2.0	93.2	14.6	1.4	44.0	9.4	1.3	34.8	5.1	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Wyoming

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	151.0	631.8	47.2	124.2	517.9	42.0	46.6	218.8	29.4	40.4	157.1	22.1
Oral cavity and pharynx	6.4	24.3	8.8	1.4	5.7	4.3	1.2	4.4	3.8	0.6	2.0	2.3
Esophagus	3.8	15.7	7.4	0.8	2.7	2.7	2.8	12.5	6.9	0.8	2.8	2.8
Stomach	3.0	13.3	7.1	0.4	1.7	2.4	0.6	2.9	3.4	0.4	1.7	2.4
Colorectal	15.2	68.6	16.2	10.6	42.0	11.7	3.6	18.6	8.9	5.4	19.7	7.6
Colon excluding rectum	11.0	48.9	13.5	8.8	35.0	10.7	3.2	15.9	8.1	5.2	19.1	7.5
Rectum & rectosigmoid	4.2	19.7	8.9	1.8	7.0	4.7	0.4	2.7	3.7	0.2	0.6	1.2
Liver / intrahepatic bile duct	2.0	8.7	5.7	0.6	2.3	2.7	2.4	10.8	6.4	0.6	2.2	2.6
Pancreas	5.0	22.7	9.2	1.8	7.0	4.6	5.4	23.3	9.2	1.6	6.2	4.3
Larynx	1.6	6.2	4.5	0.4	1.9	2.6	0.6	2.1	2.5	0.0	0.0	0.0
Lung and bronchus	17.8	75.4	16.4	16.4	64.2	14.2	12.6	59.9	15.4	13.0	50.3	12.4
Melanoma of the skin	6.6	25.8	9.1	6.8	33.2	11.6	0.4	1.8	2.4	0.8	3.8	3.8
Female breast				35.8	149.5	22.5				4.2	16.2	7.1
Cervix uteri				1.4	6.6	5.0				0.0	0.0	0.0
Corpus uterus and NOS				10.2	38.9	10.8				1.6	6.2	4.3
Ovary				3.8	14.4	6.6				2.0	7.9	4.9
Prostate	39.8	157.7	22.9				4.4	25.5	10.9			
Testis	1.0	3.9	3.4				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	15.0	68.9	16.3	3.2	14.7	7.3	2.4	11.8	7.0	0.4	1.3	1.8
Kidney and renal pelvis	5.2	21.4	8.7	3.8	14.6	6.7	1.2	4.9	4.2	0.6	2.3	2.6
Brain and other nervous system	2.8	12.5	6.7	1.8	8.8	5.9	1.2	5.6	4.6	0.8	3.8	3.9
Thyroid	1.0	4.7	4.3	5.6	29.2	11.2	0.2	1.3	2.6	0.4	1.6	2.3
Hodgkin lymphoma	0.6	2.6	3.0	0.4	2.1	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	5.0	18.8	7.7	4.4	18.1	7.8	1.2	4.2	3.6	1.2	4.7	3.8
Myeloma	2.6	11.9	6.6	1.0	3.8	3.4	1.0	4.9	4.4	0.6	2.4	2.7
Leukemias	4.6	19.0	8.1	3.2	14.0	7.1	1.4	6.7	5.2	1.0	4.6	4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 2009-2013
Yates

	Incidence						Mortality					
	Males			Females			Males			Females		
Site of cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	83.0	538.5	53.7	77.0	459.9	48.1	30.4	200.5	32.7	29.0	159.0	26.8
Oral cavity and pharynx	1.2	8.7	7.3	0.8	3.9	3.8	0.0	0.0	0.0	0.4	2.0	2.8
Esophagus	1.2	7.1	5.9	1.0	4.9	4.4	1.0	6.5	5.8	0.4	1.9	2.6
Stomach	0.8	5.5	5.5	0.2	1.0	2.0	0.2	1.0	2.0	0.2	1.3	2.5
Colorectal	7.4	47.7	15.9	6.0	36.3	13.7	2.8	16.9	9.1	2.2	13.6	8.7
Colon excluding rectum	5.0	33.7	13.7	3.6	22.4	11.1	2.2	13.9	8.4	1.8	11.4	8.1
Rectum & rectosigmoid	2.4	14.0	8.1	2.4	13.9	8.0	0.6	3.0	3.4	0.4	2.2	3.1
Liver / intrahepatic bile duct	0.8	4.1	4.1	0.6	3.1	3.5	0.6	3.7	4.3	0.8	3.6	3.5
Pancreas	1.4	8.9	6.7	1.6	8.2	5.7	2.2	14.1	8.4	2.0	10.9	6.8
Larynx	1.0	6.4	5.7	0.0	0.0	0.0	0.2	1.5	2.9	0.0	0.0	0.0
Lung and bronchus	14.0	91.6	21.8	10.8	59.5	16.3	9.0	57.9	17.2	9.4	50.6	14.9
Melanoma of the skin	5.2	35.3	13.9	4.2	32.1	14.7	0.8	5.3	5.3	0.4	2.6	3.6
Female breast				21.0	128.9	25.7				2.8	16.3	9.2
Cervix uteri				1.4	9.5	7.4				0.2	1.0	2.0
Corpus uterus and NOS				6.2	33.8	12.1				1.2	6.6	5.4
Ovary				3.0	16.4	8.4				2.4	13.9	8.0
Prostate	18.2	105.0	21.9				2.6	18.8	10.3			
Testis	0.4	4.2	5.9				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	6.8	41.7	14.5	1.4	7.3	5.5	1.2	7.4	6.1	0.4	1.7	2.3
Kidney and renal pelvis	4.8	31.8	13.3	1.8	10.0	6.8	0.8	4.4	4.5	0.4	2.5	3.6
Brain and other nervous system	1.4	10.4	8.0	1.4	9.1	6.9	1.2	9.6	8.0	0.6	3.7	4.2
Thyroid	0.8	5.5	5.5	3.6	26.9	13.2	0.2	1.3	2.5	0.4	2.2	3.1
Hodgkin lymphoma	1.0	8.3	7.7	0.2	1.3	2.6	0.4	3.9	5.6	0.0	0.0	0.0
Non-Hodgkin lymphomas	6.4	47.3	17.3	1.8	9.7	6.4	1.0	5.9	5.3	0.6	2.9	3.2
Myeloma	0.2	1.5	3.0	0.8	4.3	4.3	0.2	1.5	3.0	0.2	1.3	2.6
Leukemias	2.0	13.9	9.1	2.8	17.1	9.2	0.6	3.8	4.3	0.8	4.4	4.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2015
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.